

СПИСЪК НА ЦИТИРАНИЯТА

(в WoS или Scopus)

на д-р **Георги Александров Радославов**

доцент в Секция „Биоразнообразие и екология на паразитите”,
Институт по биоразнообразие и екосистемни изследвания –БАН

(във връзка с участието в конкурс за професор, професионално направление 4.3.
«Биологически науки», научна специалност “Зоология”, септември 2020 г.)

- **Вид на цитиращото издание:** Публикация в Scopus/WoS
- **Година:** 2015 ÷ 2020

Брой цитирани публикации: 33	Брой цитиращи източници: 117
------------------------------	------------------------------

2004

1. **Radoslavov G**, Timanova-Atanasova A, Jordanova R, Deevska G, Bankov I, Barrett J. A native 13-kDa fatty acid binding protein from the liver fluke *Fasciola hepatica*. *Biochimica et Biophysica Acta - General Subjects*, 1674, 2, 2004, ISSN:0304-4165, DOI:10.1016/j.bbagen.2004.06.018, 200-204. SJR (Scopus):2.128, JCR-IF (Web of Science):5.083

Цитира се в:

1. McCusker, P., McVeigh, P., Rathinasamy, V., Toet, H., McCammick, E., O'Connor, A., ... & Spithill, T. W. (2016). Stimulating neoblast-like cell proliferation in juvenile *Fasciola hepatica* supports growth and progression towards the adult phenotype in vitro. *PLoS neglected tropical diseases*, 10(9), @2016 [Линк](#)
2. Mokhtarian, K., Akhlaghi, L., Mohammadi, M., Meamar, A. R., Razmjou, E., Khoshmirsafa, M., & Falak, R. (2016). Evaluation of anti-Cathepsin L1: a more reliable method for serodiagnosis of human fasciolosis. *Transactions of The Royal Society of Tropical Medicine and Hygiene*, 110(9), 542-550., @2016 [Линк](#)
3. Mokhtarian, K., Meamar, A.R., Khoshmirsafa, M. et al. Comparative assessment of recombinant and native immunogenic forms of *Fasciola hepatica* proteins for serodiagnosis of sheep fasciolosis. *Parasitol Res* (2018) 117 (1): 225-232. <https://doi.org/10.1007/s00436-017-5696-3>, @2018 [Линк](#)

2005

2. Jordanova, R, **Radoslavov, G**, Fischer, P, Liebau, E, Walter, R.D, Bankov, I., Boteva, R. Conformational and functional analysis of the lipid binding protein Ag-NPA-1 from the parasitic nematode *Ascaridia galli*. *FEBS Journal*, 272, 1, Wiley-Blackwell, 2005, ISSN:1742464X, DOI:10.1111/j.1432-1033.2004.04398.x, 180-189. JCR-IF (Web of Science):3.86

Цитира се в:

4. Malinina, L., Patel, D. J., & Brown, R. E. (2017). How α -helical motifs form functionally diverse lipid-binding

compartments. Annual review of biochemistry, 86., @2017 [Линк](#)

- Jordanova, R., Fischer, P., Torda, A., Lottspeich, F., Boteva, R., Walter, R.D., Bankov, I., Liebau, E., **Radoslavov, G.**. The highly abundant protein Ag-lbp55 from *Ascaridia galli* represents a novel type of lipid-binding proteins. Journal of Biological Chemistry, 280, 50, 2005, ISSN:00219258, DOI:10.1074/jbc.M504474200, 41429-4143. SJR (Scopus):4.178, JCR-IF (Web of Science):4.279

Цитира се в:

- Daş, G., Hennies, M., Sohnrey, B., Rahimian, S., Wongrak, K., Stehr, M., & Gaulty, M. (2017). A comprehensive evaluation of an ELISA for the diagnosis of the two most common ascarids in chickens using plasma or egg yolks. Parasites & vectors, 10(1), 187., @2017 [Линк](#)
- Malinina, L., Patel, D. J., & Brown, R. E. (2017). How α -helical motifs form functionally diverse lipid-binding compartments. Annual review of biochemistry, 86., @2017 [Линк](#)

2010

- Radoslavov, G.**, Jordanova, R., **Teofanova, D.R.**, **Georgieva, K.**, **Hristov, P.**, Salomone-Stagni, M., Liebau, E., Bankov, I.. A novel secretory poly-cysteine and histidine-tailed metalloprotein (Ts-PCHTP) from *trichinella spiralis* (Nematoda). PLoS ONE, 5, 10, Public Library of Science, 2010, ISSN:1932-6203, DOI:10.1371/journal.pone.0013343, e13343-13343. SJR (Scopus):1.3, JCR-IF (Web of Science):4.4

Цитира се в:

- Yang, Jing, et al. 2015. Immunoproteomic profile of *Trichinella spiralis* adult worm proteins recognized by early infection sera. Parasites & Vectors. 8(1): 20. doi:10.1186/s13071-015-0641-8., @2015 [Линк](#)
- Bermúdez-Cruz, R. M., Fonseca-Liñán, R., Contreras, L. E. G., Mendoza-Hernández, G., & Pierres, M. G. O. (2016). Proteomic analysis and immunodetection of antigens from early developmental stages of *Trichinella spiralis*. Veterinary Parasitology. 231 (2016): 22-31, doi:10.1016/j.vetpar.2016.06.029, @2016 [Линк](#)
- Giorello, A., Kennedy, M., Butti, M., Radman, N., Córscico, B., Franchini, G. (2017). Identification and characterization of the major pseudocoelomic proteins of the giant kidney worm, *Diocotophyme renale*. Parasites & Vectors. 10:446. [https://doi.org/10.1186/s13071-017-2388-x.](https://doi.org/10.1186/s13071-017-2388-x), @2017 [Линк](#)
- Wang, Y., Bai, X., Zhu, H., Wang, X., Shi, H., Tang, B., Boireau, P., Cai, X., Luo, X., Liu, M., Liu, X. (2017). Immuno-proteomic analysis of the excretory-secretory products of *Trichinella pseudospiralis* adult worms and newborn larvae. Parasites & Vectors. 10:579. DOI: 10.1186/s13071-017-2522-9, @2017 [Линк](#)
- Somboonpatarakun C, Rodpai R, Intapan PM, Sanpool O, Sadaow L, Wongkham C, Insawang T, Boonmars T, Maleewong W. (2017). Immuno-proteomic analysis of *Trichinella spiralis*, *T. pseudospiralis*, and *T. papuae* extracts recognized by human *T. spiralis*-infected sera. Parasitol Res, 2018; 117(1):201-212, DOI: 10.1007/s00436-017-5694-5, @2018 [Линк](#)
- A J Bancroft; C W Levy, T A Jowitt, K S Hayes, S Thompson, E A Mckenzie, B Bellina, S L Brown, P C Cook, A S MacDonald, D J Thornton, R K Grecis. (2019). The major secreted protein of the whipworm parasite tethers to matrix and inhibits interleukin-13 function. Nature Communications. 10:2344. [https://doi.org/10.1038/s41467-019-09996-z.](https://doi.org/10.1038/s41467-019-09996-z), @2019 [Линк](#)

2011

- Teofanova, D.**, Kantzoura, V., Walker, S., **Radoslavov, G.**, **Hristov, P.**, Theodoropoulos, G., Bankov, I., Trudgett, A.. Genetic diversity of liver flukes (*Fasciola hepatica*) from Eastern Europe. Infection, Genetics and Evolution, 11, 1, Elsevier, 2011, ISSN:1567-1348, DOI:10.1016/j.meegid.2010.10.002, 109-115. SJR (Scopus):1.205, JCR-IF (Web of Science):3.2

Цитира се в:

13. Cwiklinski, K., Allen, K., LaCourse, J., Williams, D. J., Paterson, S., & Hodgkinson, J. E. (2015). Characterisation of a novel panel of polymorphic microsatellite loci for the liver fluke, *Fasciola hepatica*, using a next generation sequencing approach. *Infection, Genetics and Evolution*. 32, 298–304. doi:10.1016/j.meegid.2015.03.014, @2015 [Линк](#)
14. Robles-Pérez D., García-García P., Martínez-Pérez J. M., Rojo-Vázquez F. A., Martínez-Valladares, M. (2015). Analysis of genetic variability of *Fasciola hepatica* populations from different geographical locations by ISSR-PCR. *Parasitology*, 142(4) :527-533. DOI: doi: 10.1017/S003118201400153X., @2015 [Линк](#)
15. Scarcella, S., Miranda-Miranda, E., Solana, M. V., & Solana, H. (2015). Approach to molecular characterization of different strains of *Fasciola hepatica* using random amplified polymorphic DNA polymerase chain reaction. *Parasitology Research*, 114(4): 1341-1345. doi: 10.1007/s00436-015-4310-9., @2015 [Линк](#)
16. Zintl, A., Talavera, S., Sacchi-Nestor, C., Ryan, M., Chryssafidis, A., & Mulcahy, G. (2015). Comparison of *Fasciola hepatica* genotypes in relation to their ability to establish patent infections in the final host. *Veterinary Parasitology*. 3-4 210:145-150. doi:10.1016/j.vetpar.2015.04.015, @2015 [Линк](#)
17. Alajmi, R. Molecular characterization of *Fasciola* flukes using mitochondrial 28S rRNA gene in Naimi Saudi sheep. *Saudi Journal of Biological Sciences*, 2019, 26 (1): 112-117, doi.org/10.1016/j.sjbs.2017.06.010., @2019 [Линк](#)
18. Canakoglu, S. S., Simsek, S., Balkaya, I., & Kilinc, S. G. (2019). Preliminary evidence for the occurrence of β -tubulin isotype 3 polymorphisms in *Fasciola hepatica* isolates in cattle and sheep in Turkey. *Helminthologia*, 56(2), 87-92., @2019 [Линк](#)
19. Canakoglu, S. S., Simsek, S., Balkaya, I., & Kilinc, S. G. (2019). Preliminary evidence for the occurrence of β -tubulin isotype 3 polymorphisms in *Fasciola hepatica* isolates in cattle and sheep in Turkey. *Helminthologia*, 56(2), 87-92., @2019 [Линк](#)
20. Choi, Y. J., Fontenla, S., Fischer, P. U., Le, T. H., Costábile, A., Blair, D., ... & Mitreva, M. (2019). Adaptive radiation of the flukes of the family Fasciolidae inferred from genome-wide comparisons of key species. *Molecular biology and evolution*., @2019 [Линк](#)
21. Young-Jun Choi, Santiago Fontenla, Peter U Fischer, Thanh Hoa Le, Alicia Costábile, David Blair, Paul J Brindley, Jose F Tort, Miguel M Cabada, Makedonka Mitreva, Adaptive radiation of the flukes of the family Fasciolidae inferred from genome-wide comparisons of key species, *Molecular Biology and Evolution*, , msz204, , @2019 [Линк](#)
22. Bozorgomid, A., Rouhani, S., Harandi, M. F., Ichikawa-Seki, M., & Raeghi, S. (2020). Genetic diversity and distribution of *Fasciola hepatica* haplotypes in Iran: Molecular and phylogenetic studies. *Veterinary Parasitology: Regional Studies and Reports*, 19, 100359., @2020 [Линк](#)

2012

6. **Teofanova D, Hristov, P, Radoslavov, G.** Native and recombinant fatty acid binding protein 3 from *Fasciola hepatica* as a potential antigen. *Biotechnol. & Biotechnol Equipment*, 26, 1, 2012, ISSN:1310-2818, 60-64. JCR-IF (Web of Science):0.76

Цитира се в:

23. Mokhtarian, K., Meamar, A.R., Khoshmirsafa, M. et al. Comparative assessment of recombinant and native immunogenic forms of *Fasciola hepatica* proteins for serodiagnosis of sheep fasciolosis. *Parasitol Res* (2018) 117 (1): 225–232. <https://doi.org/10.1007/s00436-017-5696-3>, @2018 [Линк](#)
24. Masoori, L., Meamar, A. R., Bandehpour, M., Hemphill, A., Razmjou, E., Mokhtarian, K., Falak, R. (2019). Fatty acid and retinol-binding protein: A novel antigen for immunodiagnosis of human strongyloidiasis. *PLOS ONE*, 14(7), e0218895., @2019 [Линк](#)
25. Mirzadeh, A., Jafarihaghghi, F., Kazemirad, E. et al. (2020). Recent Developments in Recombinant Proteins for Diagnosis of Human Fascioliasis. *Acta Parasit.* <https://doi.org/10.1007/s11686-020-00280-5>, @2020 [Линк](#)

7. **Teofanova D, Hristov, P, Radoslavov, G.** Issues associated with genetic diversity studies of the Liver Fluke, *Fasciola hepatica* (Platyhelminthes, Digenea, Fasciolidae). 4, InTech, 2012, ISBN:978-953-51-0064-5, DOI:DOI: 10.5772/34038, 25, 251-274

Цитира се в:

26. Aryaeipour, M., Bozorgomid, A., Kazemi, B., Behnia, M., Azizi, H., Rokni, M. (2017). Molecular and morphometrical characterization of Fasciola species isolated from domestic ruminants in Ardabil Province, Northwestern Iran. *Iran J Public Health*. 46(3): 318-325., @2017 [Линк](#)
27. Carmona, C., & Tort, J. (2017). Fasciolosis in South America: Epidemiology and control challenges. *Journal of Helminthology*. 91(2), 99-109. doi:10.1017/S0022149X16000560, @2017 [Линк](#)
28. Dominguez, M. F., González-Miguel, J., Carmona, C., Dalton, J. P., Cwiklinski, K., Tort, J., & Siles-Lucas, M. (2018). Low allelic diversity in vaccine candidates genes from different locations sustain hope for Fasciola hepatica immunization. *Veterinary Parasitology*. 258: 46–52., @2018 [Линк](#)
29. Alajmi, R. (2019). Molecular characterization of Fasciola flukes using mitochondrial 28S rRNA gene in Naimi Saudi sheep. *Saudi Journal of Biological Sciences*. 26: 112-117. <https://doi.org/10.1016/j.sjbs.2017.06.010>., @2019 [Линк](#)

8. **Hristov P., Teofanova D.,** Mehandzhiski I., Zagorchev L., **Radoslavov G.** Application of Milk Proteins Genetic Polymorphism for Selection and Breeding of Dairy Cows in Bulgaria (Chapter 2). In: Narongsak Chaiyabutr (ed). *Milk Production - Advanced Genetic Traits, Cellular Mechanism, Animal Nutrition and Management*" 378 pp., InTech, 2012, ISBN:ISBN 978-953-51-0766, DOI:DOI: 10.5772/50758

Цитира се в:

30. Trakovická, A., Moravčíková, N., & Kasarda, R. (2017). Casein Polymorphism in Relation to the Milk Production Traits of Slovak Spotted Cattle. *Agriculturae Conspectus Scientificus*, 82(3), 255-258., @2017 [Линк](#)
31. Kaplan, S. 2018. Nucleotide Polymorphism of Leptin Gene in Anatolian Water Buffaloes. *Pakistan J. Zool.*, 50(5): 1841-1846., @2018 [Линк](#)
32. Yadav, T., Magotra, A., Kumar, R., Bangar, Y., Rani Garg, A., Kumar, S., Jeet, V. and Malik, B. (2020), Evaluation of candidate genotype of Leptin gene associated with fertility and production traits in Hardhenu (Bos taurus x Bos indicus) cattle. *Reproduction in Domestic Animals.*, @2020 [Линк](#)

2013

9. Sbirkova, H, **Radoslavov, G, Hristov, P,** Shivachev, B. Crystallographic conditions of the heterologically expressed recombinant metal-binding protein Ts-PCHTP. *Bulgarian Chemical Communications*, 45, 4, *Journal of the Chemicals Institutes of the Bulgarian Academy of Sciences*, 2013, ISSN:0324-1130, 440-445. ISI IF:0.32

Цитира се в:

33. Wang, Y., Bai, X., Zhu, H., Wang, X., Shi, H., Tang, B., Boireau, P., Cai, X., Luo, X., Liu, M., Liu, X. (2017). Immunoproteomic analysis of the excretory-secretory products of *Trichinella pseudospiralis* adult worms and newborn larvae. *Parasites & Vectors*. 10:579. DOI: 10.1186/s13071-017-2522-9, @2017 [Линк](#)
10. Piroeva, I, Atanassova-Vladimirova, S, Dimowa, L, Sbirkova, H, **Radoslavov, G, Hristov, P,** Shivachev, B. A simple and rapid scanning electron microscope preparative technique for observation of biological samples: application on bacteria and DNA samples.. *Bulgarian Chemical Communications*, 45, 4, 2013, ISSN:0324-1130, 510-515. JCR-IF (Web of Science):0.32

Цитира се в:

34. Braun, M. S., Zimmermann, S., Danner, M., Rashid, H. O., & Wink, M. (2016). *Corynebacterium uropygiae* sp. nov., isolated from the preen gland of Turkeys (*Meleagris gallopavo*). *Systematic and Applied Microbiology*. 39 (2): 88–92. doi:10.1016/j.syapm.2015.12.001, @2016 [Линк](#)
35. Ravichandran, G., Kumaresan, V., Valan Arasu, M., Al-Dhabi, N., Ganesh, M., Mahesh, A., Dhayalan, A., Pasupuleti, M., Arockiaraj, J. (2016). Pellino-1 derived cationic antimicrobial prawn peptide: Bactericidal activity, toxicity and mode of action. *Molecular Immunology*. 78:171-182. <http://dx.doi.org/10.1016/j.molimm.2016.09.015>., @2016 [Линк](#)
36. Chatterjee, S., Shekhawat, K. & Gupta, N.. (2019). Bioreduction of toxic hexavalent chromium by novel indigenous microbe *Brevibacillus agri* isolated from tannery wastewater. *Int. J. Environ. Sci. Technol.* 16, 3549–3556. <https://doi.org/10.1007/s10967-019-06819-9>., @2019 [Линк](#)

37. Kasra-Kermanshahi, R., Bahrami-Bavani, M. & Tajer-Mohammad-Ghazvini, P. (2019). Microbial clean-up of uranium in the presence of molybdenum using pretreated *Acidithiobacillus ferrooxidans*. *J. Radioanal. Nucl. Chem.* 322: 1139- 1149., @2019 [Линк](#)
38. Mohamad Mazuki, N.I., Teow, Y.H., Ho, K.C., Mohammad, A.W. (2020). Techno-economic analysis of single disinfection units and integrated disinfection systems for sewage effluent reclamation. *Journal of Water Process Engineering.* 36, 101398., @2020 [Линк](#)
39. Sabran, S.F., Mazlun, M.H., Abadullah, Z., Mohamed, M., Bakar, M.F.A., Pa'ee, F., Linatoc, A.C. (2020). A study on antimycobacterial activity and phytochemical constituents of *Dipterocarpus sublamellatus* foxw. Hexane extract (DSHE). *International Journal of Pharmaceutical Research.* 12, 651-659., @2020 [Линк](#)

11. **Hristov, P., Teofanova, D., Radoslavov, G.,** Mehandzhiyski, I.D., Zagorchev, L.I.. Significance of milk protein genes polymorphism for bulgarian rhodopean cattle:Comparative studies. *Biotechnology and Biotechnological Equipment*, 27, 2, Diagnosis Press Limited, 2013, ISSN:1310-2818, DOI:10.5504/bbeq.2012.0132, 3659-3366. SJR:0.162, ISI IF:0.76

Цитира се в:

40. Hristova, D., (2015). DNA technologies for detection of single nucleotide polymorphisms in animal genome. *Journal of Animal Science.* 2: 86-97., @2015 [Линк](#)
41. Trakovická, A., Moravčíková, N., & Kasarda, R. (2017). Casein Polymorphism in Relation to the Milk Production Traits of Slovak Spotted Cattle. *Agriculturae Conspectus Scientificus*, 82(3), 255-258., @2017 [Линк](#)
42. Jalal AJ., Al-Khazraji WJ. (2018). Detection of β -Lactoglobulin Gene Polymorphism In Exon IV And Intron IV Region. *Research Journal of Pharmaceutical, Biological and Chemical Sciences.* 9(6): 1459., @2018 [Линк](#)
43. Kaplan, S. 2018. Nucleotide Polymorphism of Leptin Gene in Anatolian Water Buffaloes. *Pakistan J. Zool.*, 50(5): 1841-1846., @2018 [Линк](#)
44. Ozdemir, M., Kopuzlu, S., Topal, M., and Bilgin, O. C. 2018. Relationships between milk protein polymorphisms and production traits in cattle: a systematic review and meta-analysis, *Arch. Anim. Breed.*, 61, 197-206, [https://doi.org/10.5194/aab-61-197-2018.](https://doi.org/10.5194/aab-61-197-2018), @2018 [Линк](#)
45. Gencheva, D., Veleva, P., Naydenova, N., & Pamukova, D. (2020). Genetic polymorphism of alpha S1-casein in Bulgarian sheep breeds and its effect on milk composition. *Turkish Journal of Veterinary and Animal Sciences.*44: 860-870., @2020 [Линк](#)

12. **Neov, B, Teofanova D,** Zagorchev, L, **Radoslavov, G, Hristov, P.** Milk protein polymorphism in Bulgarian Grey cattle population. *Bulgarian Journal of Agricultural Science*, 19, 2, Agricultural Academy, 2013, ISSN:1310-0351, 194-196. JCR-IF (Web of Science):0.001

Цитира се в:

46. Grădinaru AC, Petrescu-Mag IV, Oroian FC, Balint C, Oltean I. Milk Protein Polymorphism Characterization: a Modern Tool for Sustainable Conservation of Endangered Romanian Cattle Breeds in the Context of Traditional Breeding. *Sustainability.* 2018; 10(2):534., @2018 [Линк](#)
47. Smiltina, D. Grislis, Z. 2018. Molecular genetics analysis of milk protein gene polymorphism of dairy cows and breeding bulls in Latvia. *Agronomy Research.* 16 (3): 900-909, @2018 [Линк](#)
48. Viryanski, D. (2019). Microsatellite markers – a tool for molecular characterization of cattle genetic resources. *Bulgarian Journal of Agricultural Science.* 25(1): 158-165, @2019 [Линк](#)

2014

13. Nedelchev, S., Elshishka, M., Lazarova, S., Radoslavov, G., Hristov, P., Peneva, V.. *Calcaridorylaimus castaneae* sp. n. (Nematoda, Dorylaimidae) from Bulgaria with an identification key to the species of the genus. *ZooKeys*, 410, Pensoft Publishers, 2014, ISSN:1313-2970, DOI:10.3897/zookeys.410.6955, 41-61. SJR (Scopus):0.526, JCR-IF (Web of Science):0.93

Цитира се в:

49. Vinciguerra M.T., Eskandari A., Clausi M., Asghari R., Rappazzo G. Description and molecular characterisation of two new species of Dorylaimidae (Dorylaimida: Nematoda) from Iran, with a compendium of all the nominal

- species of *Dorylaimus* Dujardin. *Nematology* 18(3):293-310. 2016; DOI: 10.1163/15685411-00002960, @2016 [Линк](#)
50. Ilieva, Z., Iliev, I., Georgieva, V. (2017). New Data on Nematodes of the Families Aporcelaimidae, Paraxonchidae, Qudsianematidae and Dorylaimidae Based on Examinations of a Raspberry Plantation in Bulgaria. *Acta zool. bulg.*, 69(2): 171-192., @2017 [Линк](#)
 51. Wu W. J., Huang X., Xie H., Wang K., Xu C.L. Morphometrics and molecular analysis of the free-living nematode, *Belondira bagongshanensis* n. sp. (Dorylaimida, Belondiridae), from China. *Journal of Helminthology*. 91 (1) (2017): 7-13, doi: 10.1017/S0022149X15001091, @2017 [Линк](#)
 52. EN-JIA WU, CHUN-LING XU, DONG-WEI WANG, HUI XIE. (2018). A new species of the genus *Eudorylaimus* Andr ssy, 1959 (Nematoda: Dorylaimida: Qudsianematidae) associated with *Picea crassifolia* in China. *Zootaxa*. 4526(4): 576–588. DOI: <http://dx.doi.org/10.11646/zootaxa.4526.4.9.>, @2018 [Линк](#)
 53. Wu W-J, Yu L, Xie H, Xu C-L, Yu J, Wang D-W (2018) Description and molecular analysis of *Tylencholaimus helanensis* sp. n. from China (Dorylaimida, Tylencholaimidea). *ZooKeys* 792: 1-14. <https://doi.org/10.3897/zookeys.792.27255>, @2018 [Линк](#)
 54. Wu W, Xu C, Xie H, Wang D. 2019. Three new species, one new genus and subfamily of Dorylaimida (de Man, 1876) Pearse, 1942, and revisions on the families Tylencholaimellidae Jairajpuri, 1964 and Mydonomidae Thorne, 1964 (Nematoda: Dorylaimida) *PeerJ* 7:e7541 <https://doi.org/10.7717/peerj.7541>, @2019 [Линк](#)
 55. Swart, A., Fourie, H., Tiedt, L. R., & Rashidifard, M. (2020). Description of *Calcaridorylaimus heynsi* n. sp. (Nematoda: Dorylaimidae) from Potchefstroom, South Africa. *Nematology*, 1(aop), 1-11., @2020 [Линк](#)
14. Lenstra, J, Ajmone-Marsan, P, Beja-Pereira, A, Bollongino, R, Bradley, D, Colli, L, De Gaetano, A, Edwards, C, Felius, M, Ferretti, L, Ginja, C, **Hristov, P**, Kantanen, J, Lir n, J, Magee, D, Negrini, R, **Radoslavov, G**. Meta-Analysis of mitochondrial DNA reveals several population bottlenecks during worldwide migrations of cattle. *Diversity*, 6, 1, MDPI, 2014, ISSN:1424-2818, DOI:10.3390/d6010178, 178-187. ISI IF:0.001
- Цитира се в:
56. Vigne J. D. 2015. Early domestication and farming: what should we know or do for a better understanding? *Anthropozoologica* 50 (2): 123–150., @2015 [Линк](#)
 57. Lancioni, Hovirag, et al. (2016). Survey of uniparental genetic markers in the Maltese cattle breed reveals a significant founder effect but does not indicate local domestication. *Animal genetics*. 47(2):267–269, @2016 [Линк](#)
 58. Fraser, S., Elsner, J., Hamilton, W. D., Sayle, K. L., Schlumbaum, A., & Bartosiewicz, L. (2017). Matrilines in Neolithic cattle from Orkney, Scotland reveals complex husbandry patterns of ancestry. *Journal of Archaeological Science: Reports*. 14, 46-54., @2017 [Линк](#)
 59. Meiri et al., (2017). Eastern Mediterranean Mobility in the Bronze and Early Iron Ages: Inferences from Ancient DNA of Pigs and Cattle, *Scientific Reports* 7, Article number: 701 doi:10.1038/s41598-017-00701-y., @2017 [Линк](#)
 60. Zeder, M. (2017). Out of the Fertile Crescent: The dispersal of domestic livestock through Europe and Africa. In N. Boivin, R. Crassard, & M. Petraglia (Eds.), *Human Dispersal and Species Movement: From Prehistory to the Present* (pp. 261-303). Cambridge: Cambridge University Press. doi:10.1017/9781316686942.012, @2017 [Линк](#)
 61. Elayadeth-Meethal M, Thazhathu Veettil A, Maloney SK, et al. Size does matter: Parallel evolution of adaptive thermal tolerance and body size facilitates adaptation to climate change in domestic cattle. *Ecol Evol*. 2018; 8 (21): 10608-10620. <https://doi.org/10.1002/ece3.4550>, @2018 [Линк](#)
 62. Zepeda JL, Carrillo MI, Saavedra LA. Sources of bias in genetic association studies in cattle: A review. *Rev Colomb Cienc Pecu* 2018; 31(4):256-266., @2018 [Линк](#)
 63. Siripan, S., Wonnapijij, P., Auetrakulvit, P., Wangthongchaicharoen, N., & Surat, W. (2019). Origin of prehistoric cattle excavated from four archaeological sites in central and northeastern Thailand. *Mitochondrial DNA Part A*, 1-9., @2019 [Линк](#)
 64. Mkize, L.S., Zishiri, O.T. Population genetic structure and maternal lineage of South African crossbred Nguni cattle using the cytochrome b gene in mtDNA. *Trop Anim Health Prod* (2020)., @2020 [Линк](#)
15. **Hristov, P., Neov, B., Sbirikova, H., Teofanova, D., Radoslavov, G., Shivachev, B.** Genetic polymorphism of kappa casein and casein micelle size in the Bulgarian Rhodopean cattle breed. *Biotechnology in Animal Husbandry*. 30 (4): 561-570. DOI: 10.229. *Biotechnology in Animal Husbandry*, 30, 4, Institute for Animal Husbandry, Belgrade-Zemun, 2014, ISSN:1450-9156, DOI:10.2298/BAH1404561H, 561-570

Цитира се в:

65. Ketto, I., Knutsen, T., Oyaas, J., Heringstad, B., Adnøy, T., Devold, T., Skeie S. (2017). Effects of milk protein polymorphism and composition, casein micelle size and salt distribution on the milk coagulation properties in Norwegian Red cattle. *International Dairy Journal*. 70, 55-64. <http://dx.doi.org/10.1016/j.idairyj.2016.10.010>, @2017 [Линк](#)
66. Lisa G Hohmann, Christina Weimann, Carsten Scheper, Georg Erhardt, Sven König. (2020). Associations between maternal milk protein genotypes with pre-weaning calf growth traits in beef cattle, *Journal of Animal Science*. skaa280, @2020 [Линк](#)

16. **Hristov, P, Teofanova D, Neov, B, Zagorchev, L, Radoslavov, G.** Population structure of two native Bulgarian cattle breeds with regard to CSN3 and CSN1S1 gene polymorphism. *Bulgarian Journal of Veterinary Medicine*, 17, 1, Faculty of Veterinary Medicine, Trakia University Stara Zagora, Bulgaria, 2014, ISSN:311-1477, 18-24. SJR (Scopus):0.184, JCR-IF (Web of Science):0.001

Цитира се в:

67. Kok, S. (2017). Comparison of genetic diversity between the ex-situ conservation herd and smallholders of Turkish grey cattle. *Pakistan J. Zool.* 49 (4): 1421-1427., @2017 [Линк](#)
68. Kok, S., Atalay, S., Eken, H., Savasci, M. (2017). The genetic characterization of Turkish grey cattle with regard to UoG Cast, CAPN1 316 and CAPN1 4751 markers. *Pakistan journal of zoology* 49(1): 281-287, @2017 [Линк](#)
69. Grislis, Z., & Smiltina, D. (2018). Molecular genetics analysis of milk protein gene polymorphism of dairy cows and breeding bulls in Latvia. *Agronomy Research*. 16 (3): 900-909, @2018 [Линк](#)

2015

17. **Stoyanov, B., Neov, B., Pankov, P., Radoslavov, G., Hristov, P., Georgiev, B.B.** Redescription of *Aphalloides coelomicola* Dollfus, Chabaud & Golvan, 1957 (Digenea, Opisthorchioidea) based on specimens from *Knipowitschia caucasica* (Berg) (Actinopterygii, Gobionellidae) from a Black Sea lagoon, with comments on the systematic position. *Systematic Parasitology*, 91, 1, Springer, 2015, ISSN:0165-5752 (print version); 1573-5192 (electronic version), DOI:10.1007/s11230-015-9559-y, 1-12. ISI IF:1.316

Цитира се в:

70. Nolan, M.J., Curran, S.S., Miller, T.L., Cutmore, S.C., Cantacessi, C., Cribb, T.H., Dollfustrema durum n. sp. and *Heterobucephalopsis perardua* n. sp. (Digenea: Bucephalidae) from the giant moray eel, *Gymnothorax javanicus* (Bleeker) (Anguilliformes: Muraenidae), and proposal of the *Heterobucephalopsinae* n. subfam, *Parasitology International*, 64 (6), 2015, 559-570, <http://dx.doi.org/10.1016/j.parint.2015.07.003>, @2015 [Линк](#)
71. Quintana, Manuel G., Margarita Ostrowski de Núñez. (2016). The life cycle of *Neocladocestis intestinalis* (Vaz, 1932) (Digenea: Cryptogonimidae), in *Aylacostoma chloroticum* (Prosobranchia: Thiaridae), and *Salminus brasiliensis* (Characiformes: Characidae), in Argentina. *Parasitology Research*. 115(7):2589-2595., @2016 [Линк](#)
72. Kvach, Y., Bryjova, A., Sasal, P., Winkler, H. (2017). A revision of the genus *Aphalloides* (Digenea: Cryptogonimidae), parasites of European brackish water fishes. *Parasitol Res*. 116(7):1973-1980. doi: 10.1007/s00436-017-5480-4., @2017 [Линк](#)
73. Martínez-Aquino A, Vidal-Martínez VM, Aguirre-Macedo ML. (2017) A molecular phylogenetic appraisal of the acanthostomines *Acanthostomum* and *Timoniella* and their position within Cryptogonimidae (Trematoda: Opisthorchioidea). *PeerJ* 5:e4158. <https://doi.org/10.7717/peerj.4158>, @2017 [Линк](#)
74. Innal D., Güçlü S. S. & Giannetto D. (2018) Length-Weight Relationship of *Knipowitschia ephesi* Ahnelt, 1995 (Actinopterygii: Gobiidae) from the Kocagöz Lake, Izmir, Turkey. *Acta Zoologica Bulgarica* 70 (4): 565-568., @2018 [Линк](#)
75. Pantoja, C.S., Hernández-Mena, D.I., de León, G.P.P. and Luque, J.L., 2018. Phylogenetic position of *Pseudosellacotyla lutzi* (Freitas, 1941)(Digenea: Cryptogonimidae), a parasite of *Hoplias malabaricus* (Bloch) in South America, through 28S rDNA sequences, and new observations of the ultrastructure of their tegument.

Journal of Parasitology, 104(5): 530-538., @2018 [Линк](#)

76. Pinto HA, Goncalves NQ, Lopez-Hernandez D, Pulido-Murillo EA, Melo AL (2018). The life cycle of a zoonotic parasite reassessed: Experimental infection of *Melanooides tuberculata* (Mollusca: Thiaridae) with *Centrocestus formosanus* (Trematoda: Heterophyidae). PLoS ONE 13(4): e0194161. <https://doi.org/10.1371/journal.pone.0194161>, @2018 [Линк](#)

18. Hristov, P, Radoslavov, G, Neov, B., Teofanova, D.. Haplotype diversity in autochthonous Balkan cattle breeds. Animal Genetics, 46, 1, Wiley, 2015, ISSN:02689146, DOI:10.1111/age.12253, 92-94. SJR (Scopus):0.851, JCR-IF (Web of Science):2.21

Цитира се в:

77. Ilie DE, Cean A, Csiszter LT, Gavojdian D, Ivan A, Kusza S (2015). Microsatellite and Mitochondrial DNA Study of Native Eastern European Cattle Populations: The Case of the Romanian Grey. PLoS ONE 10(9): e0138736. doi:10.1371/journal.pone.0138736, @2015 [Линк](#)
78. Jae-Hwan Kim, Seong-Su Lee, Seung Chang Kim, Seong-Bok Choi, Su-Hyun Kim, Chang Woo Lee, Kyoung-Sub Jung, Eun Sung Kim, Young-Sun Choi, Sung-Bok Kim, Woo Hyun Kim, Chang-Yeon Cho. (2016). Haplogroup Classification of Korean Cattle Breeds Based on Sequence Variations of mtDNA Control Region. Asian-Australasian Journal of Animal Sciences, 29(5): 624-630., @2016 [Линк](#)
79. Sinding, M.-H.S. & Gilbert, M.T.P., (2016). The Draft Genome of Extinct European Aurochs and its Implications for De-Extinction. Open Quaternary. 2, p.7. DOI: <http://doi.org/10.5334/oq.25>, @2016 [Линк](#)

19. Hristov, P, Radoslavov, G, Neov, B., Teofanova, D., Shivachev, B.. Mitochondrial diversity in autochthonous cattle breeds from the Balkan Peninsula. Czech Journal of Animal Science, 60, 7, 2015, ISSN:1212-1819, DOI:10.17221/8277-CJAS, 311-318. SJR (Scopus):0.513, JCR-IF (Web of Science):1.18

Цитира се в:

80. Meiri et al., (2017). Eastern Mediterranean Mobility in the Bronze and Early Iron Ages: Inferences from Ancient DNA of Pigs and Cattle, Scientific Reports 7, Article number: 701 doi:10.1038/s41598-017-00701-y., @2017 [Линк](#)

20. Elshishka M., Lazarova S., Radoslavov G., Hristov P., Peneva V. New data on two remarkable antarctic species *Amblydorylaimus isokaryon* (Loof, 1975) Andrssy, 1998 and *Pararhysocolpus paradoxus* (Loof, 1975), gen. n., comb. n. (Nematoda, Dorylaimida). ZooKeys, 511, Pensoft Publishers, 2015, ISSN:1313-2989, DOI:10.3897/zookeys.511.9793, 25-68. SJR:0.526, ISI IF:0.933

Цитира се в:

81. Kagoshima H, Maslen R, Kito K, Imura S, Niki H, Convey P. Integrated taxonomy combining morphological and molecular biological analyses of soil nematodes from maritime Antarctica. Polar Biology. 2019; 42(5):877-887. <https://doi.org/10.1007/s00300-019-02482-8>., @2019 [Линк](#)
82. Pea-Santiago, R, Varela-Benavides, I. Phylogeny of the genus *Aporcelinus* Andrssy, 2009 (Nematoda: Dorylaimida: Aporcelaimidae) with description of two new species from Costa Rica. J Zool Syst Evol Res. 2019; 57: 240– 257. <https://doi.org/10.1111/jzs.12260>, @2019 [Линк](#)
83. Asgari, M., Eskandari, A., Karani, H., Abolafia, J., & Pea-Santiago, R. (2020). Morphological and molecular characterization of *Lenonchium zanjanense* sp. n. (Dorylaimida, Nordiidae) from Iran, with new insights into the phylogeny of the genus and a revision of its taxonomy. Journal of Helminthology, 94, E47. doi:10.1017/S0022149X19000233, @2020 [Линк](#)

2016

21. Hristov, P, Mitkov, I, Sirakova, D, Mehandgiiski, I, Radoslavov, G. Milk Proteins - From Structure to Biological Properties and Health Aspects. Chapter 2 Measurement of Casein Micelle Size in Raw Dairy Cattle Milk by Dynamic Light Scattering. InTech, 2016, ISBN:78-953-51-2537-2, DOI:10.5772/62779, 19-34

Цитира се в:

84. Genene, A., Hansen, E.B., Eshetu, M., Hailu, Y., Ipsen, R., (2018). Effect of heat treatment on denaturation of whey protein and resultant rennetability of camel milk, *LWT - Food Science and Technology*. doi: <https://doi.org/10.1016/j.lwt.2018.11.047>, @2018 [Линк](#)
85. J. Thiele, M., Davari, M. D., König, M., Hofmann, I., Junker, N., Mirzaei Garakani, T., ... & Schwaneberg, U. (2018). Enzyme-Polyelectrolyte Complexes Boost the Catalytic Performance of Enzymes. *ACS Catalysis*, 8 (11): 10876–10887, @2018 [Линк](#)
86. Adeline Boire, Denis Renard, Antoine Bouchoux, Stéphane Pezennec, Thomas Croguennec, Valérie Lechevalier, Cécile Le Floch-Fouéré, Saïd Bouhallab, Paul Menut. (2019). Soft Matter Approaches for Controlling Food Protein Interactions and Assembly. *Annual Review of Food Science and Technology*. 10:1., @2019 [Линк](#)
87. Purslow, P. P., Warner, R. D., Clarke, F. M., & Hughes, J. M. (2019). Variations in meat colour due to factors other than myoglobin chemistry; a synthesis of recent findings (invited review). *Meat Science*, 107941., @2019 [Линк](#)

2017

22. Radoslavov, G, Hristov, P, Shumkova, R, Mitkov, I, Sirakova, D, Bouga, M. A specific genetic marker for the discrimination of native Bulgarian honey bees (*Apis mellifera rodopica*): Duplication of col gene fragment.. *Journal of Apicultural Research*, 56, 3, Taylor & Fransis, 2017, ISSN:2078-6913, DOI:10.1080/00218839.2017.1307713, 196-202. JCR-IF (Web of Science):2.084

Цитира се в:

88. RIZWAN, M., LI, Z., NIE, H., QASIM, M., RAZA, M. F., HASSANYAR, A. K., TAYYAB, M., SU, S. (2018). HIGH MITOCHONDRIAL DIVERSITY OF APIS MELLIFERA UNDER COI GENE FROM CHINA AND PAKISTAN. *Applied Ecology and Environmental Research*. 16(3):2933-2945. DOI: 10.15666/aeer/1603_29332945., @2018 [Линк](#)
89. R.A. Ilyasov, M-I. Lee, J-i. Takahashi, H. Wook Kwon, A.G. Nikolenko, A revision of subspecies structure of western honey bee *Apis mellifera*, *Saudi Journal of Biological Sciences* (2020), @2020 [Линк](#)

23. Hristov, P., Spassov, N, Iliev, N, Radoslavov, G.. An Independent Event of Neolithic Cattle Domestication on the South-Eastern Balkans. Evidence from Prehistoric Aurochs and Cattle Populations. *Mitochondrial DNA*, 28, 3, Taylor & Francis Group, 2017, ISSN:1940-1744, DOI:10.3109/19401736.2015.1127361, 383-391. SJR (Scopus):0.444, JCR-IF (Web of Science):3.35

Цитира се в:

90. Di Lorenzo, P., Lancioni, H., Ceccobelli, S., Curcio, L., Panella, F., & Lasagna, E. (2016). Uniparental genetic systems: A male and a female perspective in the domestic cattle origin and evolution. *Electronic Journal of Biotechnology*. 23:69-78., @2016 [Линк](#)
91. Sinding, M.-H.S. & Gilbert, M.T.P., (2016). The draft genome of extinct European aurochs and its implications for de-extinction. *Open Quaternary*. 2, p.7. DOI: <http://doi.org/10.5334/oq.25>, @2016 [Линк](#)
92. Boev N., Boev Z. (2018). Aurochs (*Bos primigenius* Bojanos, 1827) (*Artiodactyla - Mammalia*) in the nature and culture of Bulgaria. *ZooNotes Supp*. 5: 1-116., @2018 [Линк](#)
93. Bro-Jørgensen, M.H., Carøe, C., Vieira, F.G., Nestor, S., Hallström, A., Gregersen, K.M., Etting, V., Gilbert, M.T.P. and Sinding, M.H.S., 2018. Ancient DNA analysis of Scandinavian medieval drinking horns and the horn of the last aurochs bull. *Journal of Archaeological Science*, 99, pp.47-54., @2018 [Линк](#)
94. Di Lorenzo P, Lancioni H, Ceccobelli S, Colli L, Cardinali I, Karsli T, et al. (2018) Mitochondrial DNA variants of Podolian cattle breeds testify for a dual maternal origin. *PLoS ONE* 13(2): e0192567, @2018 [Линк](#)
95. Robins, A. (2019). The Alpha Hypothesis: Did Lateralized Cattle–Human Interactions Change the Script for Western Culture?. *Animals*, 9(9), 638., @2019 [Линк](#)
96. Zhang, K., Lenstra, J. A., Zhang, S., Liu, W., & Liu, J. Evolution and domestication of the Bovini species. *Animal Genetics*. 51(5), 637-657., @2020 [Линк](#)

24. Elshishka, M, Lazarova, S, Radoslavov, G, Hristov, P, Peneva, V. Biogeography and phylogenetic position of

Enchodeloides signyensis (Loof, 1975), gen. n., comb. n. from Maritime Antarctic (Nematoda, Nordiidae). Zookeys, 697, Pensoft, 2017, ISSN:1313-2970, DOI:doi.org/10.3897/zookeys.697.13770, 37-58. JCR-IF (Web of Science):1.031

Цитира се в:

97. Asgari, M., Eskandari, A., Karani, H., Abolafia, J., & Peña-Santiago, R. (2020). Morphological and molecular characterization of *Lenonchium zanzanense* sp. n. (Dorylaimida, Nordiidae) from Iran, with new insights into the phylogeny of the genus and a revision of its taxonomy. *Journal of Helminthology*, 94, E47. doi:10.1017/S0022149X19000233, @2020 [Линк](#)

25. **Hristov, P.**, Yordanov, G, Ivanova, A, Mitkov, I, Sirakova, D, Mehandjijski, I, **Radoslavov, G.** Mitochondrial diversity in mountain horse population from the South-Eastern Europe. *MITOCHONDRIAL DNA Part A: The Journal of DNA Mapping, Sequencing, and Analysis*, 28, 6, Taylor & Francis Group, 2017, ISSN:2470-1394, DOI:http://dx.doi.org/10.1080/24701394.2016.1186667, 787-792. JCR-IF (Web of Science):3.35

Цитира се в:

98. Cozzi MC, Strillacci MG, Valiati P, Rogliano E, Bagnato A, Longeri M. (2018) Genetic variability of Akhal-Teke horses bred in Italy. *PeerJ* 6:e4889 <https://doi.org/10.7717/peerj.4889>, @2018 [Линк](#)

99. Khaudov, A., Duduev, A., Kokov, Z., Amshokov, K., Zhekamukhov, M., Zaitsev, A., Reissmann, M. (2018). Genetic analysis of maternal and paternal lineages in Kabardian horses by uniparental molecular markers. *Open Veterinary Journal*. 8(1): 40-46, @2018 [Линк](#)

100. Popova, M., V. Nikolov, N. Krastev and G. Gradev, 2018. Studies of the exterior of the Karakachan horse breed. *Bulg. J. Agric. Sci.*, 24 (2): 290–295., @2018 [Линк](#)

101. Kvist, L., Niskanen, M. (2020). Modern Northern Domestic Horses Carry Mitochondrial DNA Similar to Przewalski's Horse. *J Mammal Evol.*, @2020 [Линк](#)

2018

26. Shumkova, R, **Neov, B.**, Sirakova, D, Georgieva, A, Gadjev, D, Teofanova, D, **Radoslavov, G.**, Bouga, M, **Hristov, P.** Molecular detection and phylogenetic assessment of six honeybee viruses in *Apis mellifera* L. colonies in Bulgaria. *PeerJ, Inc.*, *PeerJ* 6:e5077, *PeerJ*, 2018, DOI:http://dx.doi.org/10.7717/peerj.5077, JCR-IF (Web of Science):2.118

Цитира се в:

102. Martin, S. J., & Brettell, L. E. (2019). Deformed Wing Virus in Honeybees and Other Insects. *Annu. Rev. Virol.* 6: 12.1–12.21, @2019 [Линк](#)

103. Prodělalová, J.; Moutelíková, R.; Titěra, D. Multiple Virus Infections in Western Honeybee (*Apis mellifera* L.) Ejaculate Used for Instrumental Insemination. *Viruses* 2019, 11, 306., @2019 [Линк](#)

104. Cagırgan, A. A., Yildirim, Y., Usta, A. (2020). Phylogenetic analysis of deformed wing virus, black queen cell virus and acute bee paralysis viruses in Turkish honeybee colonies. *Medycyna Weterynaryjna*. 76(8), 480-484., @2020 [Линк](#)

27. Shumkova, R, Georgieva, A, **Radoslavov, G.**, Sirkova, D, Dzhebir, G, **Neov, B.**, Bouga, M, **Hristov, P.** The first report of the prevalence of *Nosema ceranae* in Bulgaria. *PeerJ, Inc.*, *PeerJ* 6:e4252, *PeerJ*, 2018, ISSN:2167-8359, DOI:http://dx.doi.org/10.7717/peerj.4252, JCR-IF (Web of Science):2.118

Цитира се в:

105. Tokarev, Y., Zinatullina, Z., Ignatieva, A., et al. (2018). Detection of two Microsporidia pathogens of the European honey bee *Apis Mellifera* (Insecta: Apidae) in Western Siberia. *Acta Parasitologica*, 63(4), pp. 728-732. doi:10.1515/ap-2018-0086, @2018 [Линк](#)

106. Ostroverkhova, N.V.; Konusova, O.L.; Kucher, A.N.; Kireeva, T.N.; Rosseykina, S.A. (2020). Prevalence of the Microsporidian *Nosema* spp. in Honey Bee Populations (*Apis mellifera*) in Some Ecological Regions of North Asia. *Vet. Sci.* 7, 111, @2020 [Линк](#)

28. **Hristov, P.**, **Teofanova, D.**, Georgieva, A, **Radoslavov, G.** Effect of genetic polymorphism of α S1- casein gene on

qualitative and quantitative milk traits in native Bulgarian Rhodopean cattle breed. *Genetics and Molecular Research*, 17, 1, gmr16039868, Ribeirao Preto, SP (Brazil), 2018, ISSN:1676-5680, DOI:10.4238/gmr16039868, ISI IF:0.765

Цитира се в:

107. Pizarro Inostroza MG, Landi V, Navas González FJ, León Jurado JM, Martínez Martínez A, Fernández Álvarez J, Delgado Bermejo JV. Does the Acknowledgement of α S1-Casein Genotype Affect the Estimation of Genetic Parameters and Prediction of Breeding Values for Milk Yield and Composition Quality-Related Traits in Murciano-Granadina? *Animals*. 2019; 9(9):679, @2019 [Линк](#)
108. Pizarro, M. G., Landi, V., Navas González, F. J., León, J. M., & Delgado, J. V. (2019). Non-parametric analysis of the effects of α S1-casein genotype and parturition non-genetic factors on milk yield and composition in Murciano-Granadina goats. *Italian Journal of Animal Science*, 18(1), 1021-1034., @2019 [Линк](#)

29. **Marinov, M**, Teofanova, D, Gadjev, D, **Radoslavov, G**, **Hristov, P**. Mitochondrial diversity of Bulgarian native dogs suggests dual phylogenetic origin. *PeerJ*, 6:e5060, PeerJ Inc., 2018, DOI:10.7717/peerj.5060, 1-15. JCR-IF (Web of Science):2.118

Цитира се в:

109. Elayadeth-Meethal M, Thazhathu Veetil A, Maloney SK, et al. (2018). Size does matter: Parallel evolution of adaptive thermal tolerance and body size facilitates adaptation to climate change in domestic cattle. *Ecol Evol*. 8 (21): 10608-10620, <https://doi.org/10.1002/ece3.4550>, @2018 [Линк](#)

2019

30. **Neov, B**, Georgieva, A, Shumkova, R, **Radoslavov, G**, **Hristov, P**. Biotic and Abiotic Factors Associated with Colonies Mortalities of Managed Honey Bee (*Apis mellifera*). *Diversity*, 11, 237, MDPI, 2019, ISSN:<https://doi.org/10.3390/d11120237>, DOI:1424-2818, 1-16. JCR-IF (Web of Science):2.047

Цитира се в:

110. Dworzańska, D., Moores, G., Zamojska, J. et al. (2020). The influence of acetamiprid and deltamethrin on the mortality and behaviour of honeybees (*Apis mellifera carnica* Pollman) in oilseed rape cultivations. *Apidologie*., @2020 [Линк](#)
111. Joshi, N.K.; Ngugi, H.K.; Biddinger, D.J. Bee Vectoring: Development of the Japanese Orchard Bee as a Targeted Delivery System of Biological Control Agents for Fire Blight Management. *Pathogens* 2020, 9, 41., @2020 [Линк](#)
112. Oberreiter, H., & Brodschneider, R. (2020). Austrian COLOSS Survey of Honey Bee Colony Winter Losses 2018/19 and Analysis of Hive Management Practices. *Diversity*, 12(3), 99., @2020 [Линк](#)

31. **Neov, B.**, **Vasileva, G.P.**, **Radoslavov, G.**, **Hristov, P.**, Littlewood, D.T.J., **Georgiev, B.B.**. Phylogeny of hymenolepidid cestodes (Cestoda: Cyclophyllidea) from mammalian hosts based on partial 28S rDNA, with focus on parasites from shrews. *Parasitology Research*, 118, 1, Springer, 2019, ISSN:0932-0113 (Print) 1432-1955 (Online), DOI:<https://doi.org/10.1007/s00436-018-6117-y>, 73-88. JCR-IF (Web of Science):2.067

Цитира се в:

113. Kornienko S.A., Binkienė R., Dokuchaev N.E., Tkach V.V. 2019. Molecular phylogeny and systematics of cestodes with rudimentary rostellum (Cestoda: Hymenolepididae) from Holarctic Sorex shrews (Eulipotyphla: Soricidae), *Zoological Journal of the Linnean Society*, 187 (3): 965-986. <https://doi.org/10.1093/zoolinnean/zlz061> (IF 2018 = 2.909), @2019 [Линк](#)
114. Řežábková, L., Brabec, J., Jirků, M., Dellerba, M., Kuchta, R., Modrý, D., Pomajbíková, K. J. (2019). Genetic diversity of the potentially therapeutic tapeworm *Hymenolepis diminuta* (Cestoda: Cyclophyllidea). *Parasitology International*. 71:121-125. (IF 2018 = 2.017), @2019 [Линк](#)

32. **Lazarova, S**, **Elshishka, M**, **Radoslavov, G**, **Lozanova, L**, **Hristov, P**, **Mladenov, A**, Zheng, J, Fanelli, E, De Luca, F, **Peneva, V**. Molecular and morphological characterisation of *Longidorus polyae* sp. n. and *L. pisi* Edward, Misra & Singh, 1964 (Dorylaimida, Longidoridae) from Bulgaria. *ZooKeys*, 830, Pensoft, 2019, ISSN:1313-2989,

DOI:10.3897/zookeys.830.32188, 75-98. JCR-IF (Web of Science):1.079

Цитира се в:

115. Cai, R., Archidona-Yuste, A., Cantalapiedra-Navarrete, C., Palomares-Rius, J. E., Castillo, P. Integrative descriptions and molecular phylogeny of two new needle nematodes of the genus Longidorus (Nematoda: Longidoridae) from Spain. Eur J Plant Pathol (2019). <https://doi.org/10.1007/s10658-019-01862-4>, @2019 [Линк](#)
116. Cai, R., Prior, T., Lawson, B. et al. (2020). An integrative taxonomic study of the needle nematode complex Longidorus goodeyi Hooper, 1961 (Nematoda: Longidoridae) with description of a new species. Eur J Plant Pathol., @2020 [Линк](#)
33. Yankova, I, **Marinov, M, Neov, B**, Petrova, M, Spassov, N, **Hristov, P, Radoslavov, G**. Evidence for Early European Neolithic Dog Dispersal: New Data on Southeastern European Subfossil Dogs from the Prehistoric and Antiquity Ages. Genes, 10, 10, MDPI, 2019, ISSN:2073-4425, DOI:10.3390/genes10100757, 1-12. JCR-IF (Web of Science):3.331

Цитира се в:

117. Zhang, L.; Liu, Y.; Thai Ke, Q.; Ardalan, A.; Boonyaparakob, U.; Savolainen, P. Complete Range of the Universal mtDNA Gene Pool and High Genetic Diversity in the Thai Dog Population. Genes 2020, 11, 253., @2020 [Линк](#)

30.09.2020 г.

Радославов)

Подпис:

(Доц. д-р Георги