

СПИСЪК НА ЦИТИРАНИЯТА

(в WoS или Scopus)

на д-р Петър Иванов Христов

доцент в Секция „Биоразнообразие и екология на паразитите”,

Институт по биоразнообразие и екосистемни изследвания –БАН

(във връзка с участието в конкурс за професор, професионално направление 4.3.
«Биологически науки», научна специалност “Генетика”, септември 2020 г.)

Radoslavov G., R. Jordanova, D. Teofanova, K. Georgieva, **P. Hristov**, M. Salomone-Stagni, E. Liebau, I. Bankov. (2010). Structural and functional characterization of a novel secretory polycysteine and histidine-tailed metalloprotein (Ts-PCHTP) of *Trichinella spiralis*. *PLoS One*, 5, e13343. DOI: <https://doi.org/10.1371/journal.pone.0013343>

1. A J Bancroft; C W Levy, T A Jowitt, K S Hayes, S Thompson, E A Mckenzie, B Bellina, S L Brown, P C Cook, A S MacDonald, D J Thornton, R K Grecis. (2019). The major secreted protein of the whipworm parasite tethers to matrix and inhibits interleukin-13 function. *Nature Communications*. 10, 2344. DOI: <https://doi.org/10.1038/s41467-019-09996-z>.
2. Somboonpatarakun C, Rodpai R, Intapan PM, Sanpool O, Sadaow L, Wongkham C, Insawang T, Boonmars T, Maleewong W. (2018). Immuno-proteomic analysis of *Trichinella spiralis*, *T. pseudospiralis*, and *T. papuae* extracts recognized by human *T. spiralis*-infected sera. *Parasitol. Res.* 117, 201-212. DOI: 10.1007/s00436-017-5694-5.
3. Wang, Y., Bai, X., Zhu, H., Wang, X., Shi, H., Tang, B., Boireau, P., Cai, X., Luo, X., Liu, M., Liu, X. (2017). Immuno-proteomic analysis of the excretory-secretory products of *Trichinella pseudospiralis* adult worms and newborn larvae. *Parasites & Vectors*, 10, 579. DOI: 10.1186/s13071-017-2522-9.
4. Giorello, A., Kennedy, M., Butti, M., Radman, N., Córscico, B., Franchini, G. (2017). Identification and characterization of the major pseudocoelomic proteins of the giant kidney worm, *Dioctophyme renale*. *Parasites & Vectors*, 10, 446. DOI: <https://doi.org/10.1186/s13071-017-2388-x>.
5. Bermúdez-Cruz, R. M., Fonseca-Liñán, R., Contreras, L. E. G., Mendoza-Hernández, G., & Pierres, M. G. O. (2016). Proteomic analysis and immunodetection of antigens from early developmental stages of *Trichinella spiralis*. *Veterinary Parasitology*, 231, 22-31. DOI: 10.1016/j.vetpar.2016.06.029.

Teofanova D., V. Kantzoura, S. Walker, G. Radoslavov, **P. Hristov**, G. Theodoropoulos, I. Bankov, A. Trudgett. (2011). Genetic diversity of liver flukes (*Fasciola hepatica*) from Eastern Europe. *Infection, Genetics and Evolution*, 11(1), 109-115. DOI: <https://doi.org/10.1016/j.meegid.2010.10.002>

6. Bozorgomid, A., Rouhani, S., Harandi, M. F., Ichikawa-Seki, M., & Raeghi, S. (2020). Genetic diversity and distribution of *Fasciola hepatica* haplotypes in Iran: Molecular and phylogenetic studies. *Veterinary Parasitology: Regional Studies and Reports*, 19, 100359. DOI: <https://doi.org/10.1016/j.vprsr.2019.100359>
7. Choi, Y. J., Fontenla, S., Fischer, P. U., Le, T. H., Costábile, A., Blair, D., & Mitreva, M. (2019). Adaptive radiation of the flukes of the family Fasciolidae inferred from genome-wide comparisons of key species. *Molecular biology and evolution*, 37, 84–99. DOI: <https://doi.org/10.1093/molbev/msz204>
8. Canakoglu, S. S., Simsek, S., Balkaya, I., & Kilinc, S. G. (2019). Preliminary evidence for the occurrence of β -tubulin isotype 3 polymorphisms in *Fasciola hepatica* isolates in cattle and sheep in Turkey. *Helminthologia*, 56(2), 87-92. DOI: 10.2478/helm-2019-0006
9. Alajmi, R. (2019). Molecular characterization of *Fasciola* flukes using mitochondrial 28S rRNA gene in Naimi Saudi sheep. *Saudi Journal of Biological Sciences*, 26, 112-117. DOI: <https://doi.org/10.1016/j.sjbs.2017.06.010>.
10. Zintl, A., Talavera, S., Sacchi-Nestor, C., Ryan, M., Chryssafidis, A., & Mulcahy, G. (2015). Comparison of *Fasciola hepatica* genotypes in relation to their ability to establish patent infections in the final host. *Veterinary Parasitology*, 3-4(210), 145-150. DOI: 10.1016/j.vetpar.2015.04.015
11. Cwiklinski, K., Allen, K., LaCourse, J., Williams, D. J., Paterson, S., & Hodgkinson, J. E. (2015). Characterisation of a novel panel of polymorphic microsatellite loci for the liver fluke, *Fasciola hepatica*, using a next generation sequencing approach. *Infection, Genetics and Evolution*, 32, 298–304. DOI: 10.1016/j.meegid.2015.03.014

Hristov, P., D. Teofanova, I. Mehandzhiyski, L. Zagorchev, G. Radoslavov. (2012). Application of Milk Proteins Genetic Polymorphism for Selection and Breeding of Dairy Cows in Bulgaria. Milk Production - Advanced Genetic Traits, Cellular Mechanism, Animal Management and Health, Narongsak Chaiyabutr (Ed.), ISBN: 978-953-51-0766-8, InTech.

12. Kaplan, S. (2018). Nucleotide Polymorphism of Leptin Gene in Anatolian Water Buffaloes. *Pakistan J. Zool.* 50(5), 1841-1846. DOI: 10.17582/journal.pjz/2018.50.5.1841.1846
13. Trakovická, A., Moravčíková, N., & Kasarda, R. (2017). Casein Polymorphism in Relation to the Milk Production Traits of Slovak Spotted Cattle. *Agriculturae Conspectus Scientificus*, 82(3), 255-258. DOI: <https://hrcak.srce.hr/191836>

Teofanova D., **Hristov P., Yoveva A., Radoslavov G. (2012).** Issues associated with genetic diversity studies of the Liver Fluke, *Fasciola hepatica* (Platyhelminthes, Digenea, Fasciolidae). Chapter in “Genetic Diversity / Book 4”. InTech Open Access Publisher. Prof. Mahmut Caliskan (Ed.), InTech,

14. Dominguez, M. F., González-Miguel, J., Carmona, C., Dalton, J. P., Cwiklinski, K., Tort, J., & Siles-Lucas, M. (2018). Low allelic diversity in vaccine candidates genes from different locations sustain hope for *Fasciola hepatica* immunization. *Veterinary Parasitology*, 258, 46–52. DOI: <https://doi.org/10.1016/j.vetpar.2018.06.011>

15. Aryaeipour, M., Bozorgomid, A., Kazemi, B., Behnia, M., Azizi, H., Rokni, M. (2017). Molecular and morphometrical characterization of *Fasciola* species isolated from domestic ruminants in Ardabil Province, Northwestern Iran. *Iran J. Public Health*, 46(3), 318-325.
16. Carmona, C., & Tort, J. F. (2017). Fasciolosis in South America: epidemiology and control challenges. *Journal of Helminthology*, 91(2), 99-109. DOI: 10.1017/S0022149X16000560
17. Bozorgomid, A., Nazari, N., Rahimi, H., Kia, E. B., Hajjaran, H., Mohebali, M., Rokni, M. B. (2016). Molecular Characterization of Animal *Fasciola* spp. Isolates from Kermanshah, Western Iran. *Iranian Journal of Public Health*, 45(10), 1315-1321
- Hristov P.**, Teofanova D., Mehandzhiyski I., Yoveva A., Radoslavov G. 2012. Genotyping of endemic for Rhodope Mountains Shorthorn Rhodopean cow breed. *Biotechnology and Biotechnological Equipment*, 26(1), 12-15. DOI: 10.5504/50YRTIMB.2011.0003.
18. Tanchev, Sv. 2015. Conservation of genetic resources of autochthonous domestic livestock breeds in Bulgaria. A review. *Bulg. J. Agric. Sci.* 21, 1262–1271.
- Hristov, P.**, D. Teofanova, I. Mehandzhiyski, L. Zagorchev, G. Radoslavov. (2013). Significance of milk protein genes polymorphism for Bulgarian Rhodopean cattle comparative studies. *Biotechnology & Biotechnological Equipment*, 27(2), 3659–3664.
19. Gencheva, D., Veleva, P., Naydenova, N., & Pamukova, D. (2020). Genetic polymorphism of alpha S1-casein in Bulgarian sheep breeds and its effect on milk composition. *Turkish Journal of Veterinary and Animal Sciences*, 4, 860-870. DOI:10.3906/vet-2001-102
20. Kaplan, S. 2018. Nucleotide Polymorphism of Leptin Gene in Anatolian Water Buffaloes. *Pakistan J. Zool.*, 50(5): 1841-1846. DOI: 10.17582/journal.pjz/2018.50.5.1841.1846
21. Ozdemir, M., Kopuzlu, S., Topal, M., and Bilgin, O. C. (2018). Relationships between milk protein polymorphisms and production traits in cattle: a systematic review and meta-analysis. *Arch. Anim. Breed.*, 61, 197-206. DOI: <https://doi.org/10.5194/aab-61-197-2018>.
22. Trakovická, A., Moravčíková, N., & Kasarda, R. (2017). Casein Polymorphism in Relation to the Milk Production Traits of Slovak Spotted Cattle. *Agriculturae Conspectus Scientificus*, 82(3), 255-258. DOI: <https://hrcak.srce.hr/191836>
23. Rozbicka-Wieczorek, A., Radzik-Rant, A., Rant, W., & Puppel, K. (2015). The effect of breed, β -lactoglobulin variants and somatic cell count on yield, chemical components and whey protein composition in milk of non-dairy sheep. *JAPS: Journal of Animal & Plant Sciences*, 25(3), 633-639.
24. Hristova, D., (2015). DNA technologies for detection of single nucleotide polymorphisms in animal genome. *Journal of Animal Science*. 2: 86-97.
- Lenstra, J.A., Ajmone-Marsan, P., Beja-Pereira, A., Bollongino, R., Bradley, D.G., Colli, L., De Gaetano, A., Edwards, C.J., Felius, M., Ferretti, L., Ginja, C., **Hristov, P.**, Kantanen, J., Lirón,

J.P., Magee, D.A., Negrini, R., Radoslavov, G.A. (2014). Meta-Analysis of Mitochondrial DNA Reveals Several Population Bottlenecks during Worldwide Migrations of Cattle. *Diversity*, 6(1), 178-187. DOI: <https://doi.org/10.3390/d6010178>

25. Ahmad, H. I., Neves, F., Ahmad, M. J., Ahmar, S., Elokil, A. A., & Chen, J. (2020). The domestication makeup: evolution, survival, and challenges. *Frontiers in Ecology and Evolution*, 8, 103. DOI: <https://doi.org/10.3389/fevo.2020.00103>
26. Mkize, L.S., Zishiri, O.T. (2020). Population genetic structure and maternal lineage of South African crossbred Nguni cattle using the cytochrome *b* gene in mtDNA. *Trop. Anim. Health Prod.* 52, 2079–2089. DOI: <https://doi.org/10.1007/s11250-020-02231-8>
27. Jakaria, J., Musyaddad, T., Rahayu, S., Muladno, M., & Sumantri, C. (2019). Diversity of D-loop mitochondrial DNA (mtDNA) sequence in Bali and Sumba Ongole cattle breeds. *Journal of the Indonesian Tropical Animal Agriculture*, 44(4), 335-345. DOI: <https://doi.org/10.14710/jitaa.44.4.335-345>
28. Siripan, S., Wonnapijit, P., Auetrakulvit, P., Wangthongchaicharoen, N., & Surat, W. (2019). Origin of prehistoric cattle excavated from four archaeological sites in central and northeastern Thailand. *Mitochondrial DNA Part A*, 30, 609-617. DOI: <https://doi.org/10.1080/24701394.2019.1597072>
29. Elayadeth-Meethal M, Thazhathu Veettil A, Maloney SK, et al. (2018). Size does matter: Parallel evolution of adaptive thermal tolerance and body size facilitates adaptation to climate change in domestic cattle. *Ecol. Evol.* 8, 10608-10620. DOI: <https://doi.org/10.1002/ece3.4550>.
30. Abdoli, R., Zamani, P., & Ghasemi, M. (2018). Genetic similarities and phylogenetic analysis of human and farm animal species based on mitogenomic nucleotide sequences. *Meta Gene*, 15, 23-26. DOI: 10.1016/j.mgene.2017.10.004
31. Fraser, S., Elsner, J., Hamilton, W. D., Sayle, K. L., Schlumbaum, A., & Bartosiewicz, L. (2017). Matrilines in Neolithic cattle from Orkney, Scotland reveals complex husbandry patterns of ancestry. *Journal of Archaeological Science: Reports*, 14, 46-54. DOI: <https://doi.org/10.1016/j.jasrep.2017.04.022>.
32. Meiri, M., Stockhammer, P.W., Marom, N., Bar-Oz, G., Sapir-Hen, L., Morgenstern, P., Macheridis, S., Rosen, B., Huchon, D., Maran, J., Finkelstein, I. (2017). Eastern Mediterranean Mobility in the Bronze and Early Iron Ages: Inferences from Ancient DNA of Pigs and Cattle. *Scientific Reports*, 7(1), 701 DOI:10.1038/s41598-017-00701-y.
33. Zeder, M. A. (2017). *Out of the fertile crescent: The dispersal of domestic livestock through Europe and Africa* (pp. 261-303). Cambridge University Press.
34. Kumar, S., Kumari, R., Sharma, V., & Yadav, M. (2016). Genetics of domestication and world-wide introduction of *Bos indicus* (Zebu) and *Bos taurus* (Taurine) cattle. *Indian Journal of Animal Sciences*, 86(12), 1366-1377.
35. Di Lorenzo, P., Lancioni, H., Ceccobelli, S., Curcio, L., Panella, F., & Lasagna, E. (2016). Uniparental genetic systems: A male and a female perspective in the domestic

cattle origin and evolution. *Electronic Journal of Biotechnology*, 23, 69-78. DOI: <http://dx.doi.org/10.1016/j.ejbt.2016.07.001>

36. Lancioni, H., Di Lorenzo, P., Cardinali, I., Ceccobelli, S., Capodiferro, M.R., Fichera, A., Grugni, V., Semino, O., Ferretti, L., Gruppetta, A., Attard, G., Achilli, A. and Lasagna, E. (2016). Survey of uniparental genetic markers in the Maltese cattle breed reveals a significant founder effect but does not indicate local domestication. *Animal genetics*, 47(2), 267–269. DOI: 10.1111/age.12408
37. Young, Kenneth R. (2016). "Biogeography of the Anthropocene Domestication." *Progress in Physical Geography*, 40(1), 161-174. DOI: 10.1177/0309133315598724

Nedelchev S, Elshishka M, Lazarova S, Radoslavov G, **Hristov P**, Peneva V. (2014). *Calcaridorylaimus castaneae* sp. n. (Nematoda, Dorylaimidae) from Bulgaria with an identification key to the species of the genus. *ZooKeys*, 410, 41–61. DOI: 10.3897/zookeys.410.6955

38. Swart, A., Fourie, H., Tiedt, L. R., & Rashidifard, M. (2020). Description of *Calcaridorylaimus heynsi* n. sp. (Nematoda: Dorylaimidae) from Potchefstroom, South Africa. *Nematology*, 22, 855–865. DOI: <https://doi.org/10.1163/15685411-00003346>
39. Marais, E., Maggs-Kölling, G., Sherman, C. et al. J. (2019). Profiling soil free-living nematodes in the Namib Desert, Namibia. *Journal of Arid Land*, 12, 130–143. DOI: <https://doi.org/10.1007/s40333-019-0018-5>
40. Wu W, Xu C, Xie H, Wang D. (2019). Three new species, one new genus and subfamily of Dorylaimida (de Man, 1876) Pearse, 1942, and revisions on the families Tylencholaimellidae Jairajpuri, 1964 and Mydonomidae Thorne, 1964 (Nematoda: Dorylaimida) *PeerJ*, 7, e7541. DOI: <https://doi.org/10.7717/peerj.7541>.
41. En-Jia Wu, Chun-Ling Xu, Dong-Wei Wang, Hui Xie. (2018). A new species of the genus Eudorylaimus Andrassy, 1959 (Nematoda: (Dorylaimida: Qudsianematidae) associated with *Picea crassifolia* in China. *Zootaxa*, 4526(4), 576–588. DOI: <http://dx.doi.org/10.11646/zootaxa.4526.4.9>.
42. Wu W-J, Yu L, Xie H, Xu C-L, Yu J, Wang D-W. (2018). Description and molecular analysis of *Tylencholaimus helanensis* sp. n. from China (Dorylaimida, Tylencholaimidea). *ZooKeys*, 792, 1-14. DOI: <https://doi.org/10.3897/zookeys.792.27255>.
43. Ilieva, Z., Iliev, I., Georgieva, V. (2017). New Data on Nematodes of the Families Aporcelaimidae, Paraxonchidae, Qudsianematidae and Dorylaimidae Based on Examinations of a Raspberry Plantation in Bulgaria. *Acta Zool. Bulg.*, 69(2), 171-19.
44. Wu, W. J., Huang, X., Xie, H., Wang, K., & Xu, C. L. (2016). Morphometrics and molecular analysis of the free-living nematode, *Belondira bagongshanensis* n. sp. (Dorylaimida, Belonidiridae), from China. *Journal of Helminthology*, 91(1), 7-13. DOI: 10.1017/S0022149X15001091.
45. Vinciguerra, M. T., Eskandari, A., Clausi, M., Asghari, R., & Rappazzo, G. (2016). Description and molecular characterisation of two new species of Dorylaimidae (Dorylaimida: Nematoda) from Iran, with a compendium of all the nominal species of

Dorylaimus Dujardin, 1845. *Nematology*, 18(3), 293-310. DOI: 10.1163/15685411-00002960

46. Kavetska K.M., Polasik D, Dzierzba E, Jędrzejczak M, Kalisińska E, Rząd I. (2015). Revision of the species complex *Amidostomum acutum* (Lundahl, 1848) (Nematoda: Amidostomatidae) by use of molecular techniques. *Ann. Parasitol.* 61(1), 43-48.

Stoyanov B, Neov B, Pankov P, Radoslavov G, **Hristov P**, Georgiev BB. (2015). Redescription of *Aphalloides coelomicola* Dollfus, Chabaud & Golvan, 1957 (Digenea, Opisthorchioidea) based on specimens from *Knipowitschia caucasica* (Berg) (Actinopterygii: Gobionellidae) from a Black Sea lagoon, with comments on the systematic position of the genus. *Systematic Parasitology*, 91(1), 1-12. DOI: 10.1007/s11230-015-9559-y

47. Innal, D., Güçlü, S.S., Giannetto, D. (2018). Length-weight relationship *Knipowitschia ephesi* Ahnelt, 1995 (Actinopterygii: Gobiidae) from the Kocagöz Lake, Izmir, Turkey. *Acta Zoologica Bulgarica*, 70, 565-568.

48. Pantoja CS, Hernández-Mena DI, de León GP, Luque JL. (2018). Phylogenetic Position of *Pseudosellacotyla lutzi* (Freitas, 1941) (Digenea: Cryptogonimidae), A Parasite of *Hoplias malabaricus* (Bloch) in South America, through 28S rDNA Sequences, and New Observations of the Ultrastructure of Their Tegument *Journal of Parasitology*, 104(5), 530-538. DOI: 10.1645/17-201

49. Pinto HA, Gonçães NQ, LoÁpez-Hernandez D, Pulido-Murillo EA, Melo AL. (2018). The life cycle of a zoonotic parasite reassessed: Experimental infection of *Melanoides tuberculata* (Mollusca: Thiaridae) with *Centrocestus formosanus* (Trematoda: Heterophyidae). *PLoS ONE*, 13(4), e0194161. DOI: <https://doi.org/10.1371/journal.pone.0194161>

50. Martínez-Aquino A, Vidal-Martínez VM, Aguirre-Macedo ML. (2017) A molecular phylogenetic appraisal of the acanthostomines *Acanthostomum* and *Timoniella* and their position within Cryptogonimidae (Trematoda: Opisthorchioidea) *PeerJ*, 5, e4158. DOI: <https://doi.org/10.7717/peerj.4158>.

51. Kvach, Y., Bryjová, A., Sasal, P., Winkler, H. (2017). A revision of the genus *Aphalloides* (Digenea: Cryptogonimidae), parasites of European brackish water fishes. *Parasitol. Res.* 116(7), 1973-1980. DOI: 10.1007/s00436-017-5480-4

52. Quintana, Manuel G., Margarita Ostrowski de Núñez. (2016). The life cycle of *Neocladocystis intestinalis* (Vaz, 1932) (Digenea: Cryptogonimidae), in *Aylacostoma chloroticum* (Prosobranchia: Thiaridae), and *Salminus brasiliensis* (Characiformes: Characidae), in Argentina. *Parasitology Research*, 115(7), 2589-2595. DOI: 10.1007/s00436-016-5004-7

53. Nolan Matthew J., Curran Stephen S., Miller Terrence L., Cutmore Scott C., Cantacessi Cinzia, Cribb Thomas H. (2015). *Dollfustrema dura* n. sp. and *Heterobucephalopsis perarduum* n. sp. (Digenea: Bucephalidae) from the giant moray eel, *Gymnothorax javanicus* (Bleeker) (Anguilliformes: Muraenidae), and proposal of the *Heterobucephalopsinae* n. subfam. *Parasitology International*, 64, 559-570. DOI: 10.1016/j.parint.2015.07.003

Hristov P., Teofanova D., Neov, B., Radoslavov G. (2015). Haplotype diversity in autochthonous Balkan cattle breeds. *Animal Genetics*, 46(1), 92–94. DOI: <https://doi.org/10.1111/age.12253>

54. Margeta P., Margeta V. (2019). Mitochondrial DNA D-loop Sequence Analysis of Busha Cattle. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 67(5), 1159–1164. DOI: <https://doi.org/10.11118/actaun201967051159>
55. Sinding, M.-H.S. Gilbert, M.T.P., (2016). The Draft Genome of Extinct European Aurochs and its Implications for De-Extinction. *Open Quaternary*, 2, 7. DOI: <http://doi.org/10.5334/oq.25>
56. Jae-Hwan Kim, Seong-Su Lee, Seung Chang Kim, Seong-Bok Choi, Su-Hyun Kim, Chang Woo Lee, Kyoung-Sub Jung, Eun Sung Kim, Young-Sun Choi, Sung-Bok Kim, Woo Hyun Kim, Chang-Yeon Cho. (2016). Haplogroup Classification of Korean Cattle Breeds Based on Sequence Variations of mtDNA Control Region. *Asian-Australasian Journal of Animal Sciences*, 29(5), 624-630. DOI: 10.5713/ajas.15.0692
57. Ilie DE, Cean A, Czisster LT, Gavojdian D, Ivan A, Kusza S. (2015). Microsatellite and Mitochondrial DNA Study of Native Eastern European Cattle Populations: The Case of the Romanian Grey. *PLoS ONE*, 10(9), e0138736. DOI: 10.1371/journal.pone.0138736

Sbirkova, H. I., G. A. Radoslavov, **P. I. Hristov**, B. L. Shivachev. (2013). Crystallographic conditions of the heterologically expressed recombinant metal-binding protein Ts-PCHTP. *Bulgarian Chemical Communications*, 45(4), 440–445.

58. Wang, Y., Bai, X., Zhu, H., Wang, X., Shi, H., Tang, B., Boireau, P., Cai, X., Luo, X., Liu, M., Liu, X. (2017). Immunoproteomic analysis of the excretory-secretory products of *Trichinella pseudospiralis* adult worms and newborn larvae. *Parasites & Vectors*, 10, 579. DOI: 10.1186/s13071-017-2522-9.

Piroeva, I., Atanassova-Vladimirova, S., Dimowa, L., Sbirkova, H., Radoslavov, G., **Hristov, P.**, Shivachev, B. L. (2013). A simple and rapid scanning electron microscope preparative technique for observation of biological samples: application on bacteria and DNA samples. *Bulgarian Chemical Communications*, 45(4), 510–515.

59. Mohamad Mazuki, N.I., Teow, Y.H., Ho, K.C., Mohammad, A.W. (2020). Techno-economic analysis of single disinfection units and integrated disinfection systems for sewage effluent reclamation. *Journal of Water Process Engineering*. 36, 101398. DOI: <https://doi.org/10.1016/j.jwpe.2020.101398>
60. Sabran, S.F., Mazlun, M.H., Abadullah, Z., Mohamed, M., Bakar, M.F.A., Pa'ee, F., Linatoc, A.C. (2020). A study on antimycobacterial activity and phytochemical constituents of *Dipterocarpus sublamellatus* foxw. Hexane extract (DSHE). *International Journal of Pharmaceutical Research*, 12, 651-659. DOI: <https://doi.org/10.31838/ijpr/2020.12.01.133>
61. Kasra-Kermanshahi, R., Bahrami-Bavani, M. & Tajer-Mohammad-Ghazvini, P. (2019). Microbial clean-up of uranium in the presence of molybdenum using pretreated *Acidithiobacillus ferrooxidans*. *J. Radioanal. Nucl. Chem.* 322, 1139-1149. DOI:<https://doi.org/10.1007/s10967-019-06819-9>

62. Chatterjee, S., Shekhawat, K. & Gupta, N. (2019). Bioreduction of toxic hexavalent chromium by novel indigenous microbe *Brevibacillus agri* isolated from tannery wastewater. *Int. J. Environ. Sci. Technol.* 16, 3549–3556. DOI: <https://doi.org/10.1007/s10967-019-06819-9>.
63. Sanusi, S., Abu Bakar, M., Mohamed, M., Sabran, S., Norazlimi, N., Isha, A. (2018). Antimycobacterial activity and potential mechanism of action of *Campnosperma auriculatum* shoot extract. *AIP Conference Proceedings*, 2016, 1. DOI: <https://doi.org/10.1063/1.5055531>
64. Siti Fatimah Sabran, Maryati Mohamed, Mohd Fadzelly Abu Bakar and Alona Cuevas Linatoc. (2018). Phytochemical Profiling and Antimycobacterial Activity of Ethnomedically Selected Thottea Species (Aristolochiaceae) from Peninsular Malaysia. *Journal of Engineering and Applied Sciences*, 13, 3110-3118. DOI: [10.36478/jeasci.2018.3110.3118](https://doi.org/10.36478/jeasci.2018.3110.3118)
65. Oyehan, T., Al-Thukair, A. (2017). Isolation and characterization of PAH-degrading bacteria from the Eastern Province, Saudi Arabia. *Marine Pollution Bulletin*, 115(1-2), 39-46. DOI: [10.1016/j.marpolbul.2016.11.007](https://doi.org/10.1016/j.marpolbul.2016.11.007).
66. Deleon, H. (2016). Application of polystyrene disk substrates in cellular cultivation methods: generalized specimen preparation protocol for scanning electron microscopy. *Journal of microscopy*, 264(2), 189-197. DOI: [10.1111/jmi.12429](https://doi.org/10.1111/jmi.12429).
67. Ravichandran, G., Kumaresan, V., Valan Arasu, M., Al-Dhabi, N., Ganesh, M., Mahesh, A., Dhayalan, A., Pasupuleti, M., Arockiaraj, J. (2016). Pellino-1 derived cationic antimicrobial prawn peptide: Bactericidal activity, toxicity and mode of action. *Molecular Immunology*, 78, 171-182. DOI: [http://dx.doi.org/10.1016/j.molimm.2016.09.015](https://doi.org/10.1016/j.molimm.2016.09.015).
68. Braun, M. S., Zimmermann, S., Danner, M., Rashid, H. O., & Wink, M. (2016). *Corynebacterium uropygiale* sp. nov., isolated from the preen gland of Turkeys (*Meleagris gallopavo*). *Systematic and Applied Microbiology*, 39(2), 88-92. DOI: [10.1016/j.syapm.2015.12.001](https://doi.org/10.1016/j.syapm.2015.12.001)

Hristov, P., Spassov, N., Iliev, N., Radoslavov, G. (2015). An independent event of Neolithic cattle domestication on the South-Eastern Balkans: evidence from prehistoric aurochs and cattle populations. *MITOCHONDRIAL DNA*, 28: 383-391. DOI: [10.3109/19401736.2015.1127361](https://doi.org/10.3109/19401736.2015.1127361).

69. Zhang, K., Lenstra, J. A., Zhang, S., Liu, W., & Liu, J. (2020). Evolution and domestication of the Bovini species. *Animal Genetics*. 51, 637-657. DOI: <https://doi.org/10.1111/age.12974>
70. Margeta Polona, Margeta Vladimir. (2019). Mitochondrial DNA D-loop Sequence Analysis of Busha Cattle. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 67(5), 1159–1164. DOI: <https://doi.org/10.11118/actaun201967051159>
71. Robins, A. (2019). The Alpha Hypothesis: Did Lateralized Cattle–Human Interactions Change the Script for Western Culture? *Animals*, 9(9), 638. DOI: <https://doi.org/10.3390/ani9090638>

72. Bro-Jørgensen, M. H., Carøe, C., Vieira, F. G., Nestor, S., Hallström, A., Gregersen, K. M., & Sinding, M. H. S. (2018). Ancient DNA analysis of Scandinavian medieval drinking horns and the horn of the last aurochs bull. *Journal of Archaeological Science*, 99, 47-54. DOI: <https://doi.org/10.1016/j.jas.2018.09.001>
73. Boev N., Boev Z. (2018). Aurochs (*Bos primigenius* Bojanos, 1827) (Artiodactyla - Mammalia) in the nature and culture of Bulgaria. *ZooNotes Supp.* 5: 1-116.
74. Di Lorenzo P, Lancioni H, Ceccobelli S, Colli L, Cardinali I, Karsli T, et al. (2018). Mitochondrial DNA variants of Podolian cattle breeds testify for a dual maternal origin. *PLoS ONE*, 13(2), e0192567. DOI: <https://doi.org/10.1371/journal.pone.0192567>
75. Sinding, M.-H.S. & Gilbert, M.T.P. (2016). The draft genome of extinct European aurochs and its implications for de-extinction. *Open Quaternary*, 2, 7. DOI: <http://doi.org/10.5334/oq.25>
76. Di Lorenzo, P., Lancioni, H., Ceccobelli, S., Curcio, L., Panella, F., & Lasagna, E. (2016). Uniparental genetic systems: A male and a female perspective in the domestic cattle origin and evolution. *Electronic Journal of Biotechnology*, 23, 69-78. DOI: <https://doi.org/10.1016/j.ejbt.2016.07.001>
- Teofanova, D., **P. Hristov**, A. Yoveva, G. Radoslavov. (2012). Native and recombinant fatty acid binding protein 3 from *Fasciola hepatica* as a potential antigen. *Biotechnol. & Biotechnol. EQ.* 26(1), 60-64. DOI: 10.5504/50YRTIMB.2011.0011
77. Masoori, L., Meamar, A. R., Bandehpour, M., Hemphill, A., Razmjou, E., Mokhtarian, K., Falak, R. (2019). Fatty acid and retinol-binding protein: A novel antigen for immunodiagnosis of human strongyloidiasis. *PLOS ONE*, 14(7), e0218895. DOI: 10.1371/journal.pone.0218895
78. Mokhtarian, K., Meamar, A.R., Khoshmirsafa, M. et al. (2018). Comparative assessment of recombinant and native immunogenic forms of *Fasciola hepatica* proteins for serodiagnosis of sheep fasciolosis. *Parasitol. Res.* 117(1), 225-232. DOI: 10.1007/s00436-017-5696-3
79. Mokhtarian, K., Akhlaghi, L., Mohammadi, M., Meamar, A. R., Razmjou, E., Khoshmirsafa, M., & Falak, R. (2016). Evaluation of anti-Cathepsin L1: a more reliable method for serodiagnosis of human fasciolosis. *Transactions of The Royal Society of Tropical Medicine and Hygiene*, 110(9), 542-550. DOI: 10.1093/trstmh/trw063
- Hristov, P.**, D. Teofanova, B. Neov, L. Zagorchev, G. Radoslavov. (2014). Population structure of two native Bulgarian cattle breeds with regard to CSN3 and CSN1S1 gene polymorphism. *Bulg. J. Vet. Med.* 17(1), 18-24. DOI: <http://tru.uni-sz.bg/bjvm/bjvm.htm>
80. Smiltina, D., Grislis, Z. (2018). Molecular genetics analysis of milk protein gene polymorphism of dairy cows and breeding bulls in Latvia. *Agronomy Research*, 16(3), 900-909. DOI: <http://hdl.handle.net/10492/3904>

81. Kok, S. (2017). Comparison of genetic diversity between the ex-situ conservation herd and smallholders of Turkish grey cattle. *Pakistan J. Zool.* 49(4), 1421-1427. DOI: 10.17582/journal.pjz/2017.49.4.1421.1427
82. Kok, S., Atalay, S., Eken, H., Savasci, M. (2017). The genetic characterization of Turkish grey cattle with regard to UoG Cast, CAPN1 316 and CAPN1 4751 markers. *Pakistan Journal of Zoology*, 49(1), 281-287. DOI: 10.17582/journal.pjz/2017.49.1.297.304
- Neov, B., D. Teofanova, L. Zagorchev, G. Radoslavov, **P. Hristov**. (2013). Milk protein polymorphism in Bulgarian Grey cattle population. *Bulg. J. Agric. Sci.*, 19(2), 194–196.
83. Viryanski, D. (2019). Microsatellite markers – a tool for molecular characterization of cattle genetic resources. *Bulg. J. Agric. Sci.*, 25(1), 158-165.
84. Grădinaru AC, Petrescu-Mag IV, Oroian FC, Balint C, Oltean I. (2018). Milk Protein Polymorphism Characterization: a Modern Tool for Sustainable Conservation of Endangered Romanian Cattle Breeds in the Context of Traditional Breeding. *Sustainability*, 10(2), 534. DOI: <https://doi.org/10.3390/su10020534>
85. Smiltina, D., & Grislis, Z. (2018). Molecular genetics analysis of milk protein gene polymorphism of dairy cows and breeding bulls in Latvia. *Agronomy Research*, 16(3), 900-909. DOI: <http://hdl.handle.net/10492/3904>
- Hristov P.**, Teofanova D., Neov B., Radoslavov G. (2015). Mitochondrial diversity in autochthonous cattle breeds from the Balkan Peninsula. *Czech J. Anim. Sci.* 60(7), 311-318. DOI: 10.17221/8277-CJAS
86. Margeta Polona, Margeta Vladimir. (2019). Mitochondrial DNA D-loop Sequence Analysis of Busha Cattle. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 67(5), 1159–1164. DOI: <https://doi.org/10.11118/actaun201967051159>
- Hristov, P.**, Yordanov, G., Ivanova, A., Mitkov, I., Sirakova, D., Mehandzyiski, I., & Radoslavov, G. (2017). Mitochondrial diversity in mountain horse population from the South-Eastern Europe. *Mitochondrial DNA Part A*, 28(6), 787 - 792. DOI: 10.1080/24701394.2016.1186667
87. Kvist, L., Niskanen, M. (2020). Modern Northern Domestic Horses Carry Mitochondrial DNA Similar to Przewalski's Horse. *J. Mammal Evol.* <https://doi.org/10.1007/s10914-020-09517-6>
88. Koseman A, Ozsensoy Y, Erdogan M, Yarali C, Toprak B, Zengin K, Seker I. (2019). Investigation of genetic structures of coloured horses by mtDNA D-loop sequence analysis in Turkey. *Kafkas Univ. Vet. Fak. Derg.*, 25, 769-778. DOI: 10.9775/kvfd.2018.21844
89. Cozzi MC, Strillacci MG, Valiati P, Rogliano E, Bagnato A, Longeri M. (2018) Genetic variability of Akhal-Teke horses bred in Italy. *PeerJ*, 6, e4889 DOI: <https://doi.org/10.7717/peerj.4889>.

90. Popova, M., V. Nikolov, N. Krastev and G. Gradev. (2018). Studies of the exterior of the Karakachan horse breed. *Bulg. J. Agric. Sci.* 24(2), 290–295.
91. Khaudov, A., Duduev, A., Kokov, Z., Amshokov, K., Zhekamukhov, M., Zaitsev, A., Reissmann, M. (2018). Genetic analysis of maternal and paternal lineages in Kabardian horses by uniparental molecular markers. *Open Veterinary Journal*, 8(1), 40-46. DOI: 10.4314/ovj.v8i1.7

Zagorchev, L., M. Dimitrova, M. Odjakova, D. Teofanova, **P. Hristov**. (2013). Electrophoretic characterization of milk proteins from Bulgarian Rhodopean cattle. *Bulg. J. Agric. Sci.* 19(2), 197–200.

92. Mansor, M.; Al-Obaidi, J.R.; Jaafar, N.N.; Ismail, I.H.; Zakaria, A.F.; Abidin, M.A.Z.; Selamat, J.; Radu, S.; Jambari, N.N. (2020). Optimization of Protein Extraction Method for 2DE Proteomics of Goat's Milk. *Molecules*, 25, 2625. DOI: 10.3390/molecules25112625
93. Silaghi-Dumitrescu, R. A. D. U., Tomoiaga, N., & Jurco, E. (2018). Variability In Biochemical Composition Of Milk Among Three Representative Breeds Of Dairy Cows From Romania. *Studia Universitatis Babes-Bolyai Chemia*, 63(1), 55-62. DOI:10.24193/subbchem.2018.1.04
94. Sutiyono, Y. S. Ondho, E. T. Setiatin, Sutopo, A. N. Laily, D. E. Prasetyowati and F. Noviani (2018). Identification of Genetic on Blood Serum Protein of Prolific Ewes. *IOP Conf. Ser.: Earth Environ. Sci.* 119, 012031. DOI:10.1088/1755-1315/119/1/012031.

Hristov, P., Neov, B., Sbirikova, H., Teofanova, D., Radoslavov, G., Shivachev, B.. Genetic polymorphism of kappa casein and casein micelle size in the Bulgarian Rhodopean cattle breed. *Biotechnology in Animal Husbandry*. 30 (4): 561-570. DOI: 10.229. *Biotechnology in Animal Husbandry*, 30, 4, Institute for Animal Husbandry, Belgrade-Zemun, 2014, ISSN:1450-9156, DOI:10.2298/BAH1404561H, 561-570

Цитира се в:

95. Lisa G Hohmann, Christina Weimann, Carsten Scheper, Georg Erhardt, Sven König. (2020). Associations between maternal milk protein genotypes with pre-weaning calf growth traits in beef cattle. *Journal of Animal Science*. DOI: <https://doi.org/10.1093/jas/skaa280>
96. Malacarne, M., Formaggioni, P., Franceschi, P., Summer, A. (2020). Influence of genetic factors on cheese yield in Parmigiano Reggiano and Grana Padano: a minireview. *Italian Journal of Dairy Science and Technology*. 70(2), 18-24. DOI: 10.36138/STLC.02.2020.02
97. Ketto, I., Knutsen, T., Oyaas, J., Heringstad, B., Adnøy, T., Devold, T., Skeie S. (2017). Effects of milk protein polymorphism and composition, casein micelle size and salt distribution on the milk coagulation properties in Norwegian Red cattle. *International Dairy Journal*. 70, 55-64. <http://dx.doi.org/10.1016/j.idairyj.2016.10.010>.

Radoslavov, G, **Hristov, P**, Shumkova, R, Mitkov, I, Sirakova, D, Bouga, M. A. (2017). A specific genetic marker for the discrimination of native Bulgarian honey bees (*Apis mellifera rodopica*): Duplication of *col* gene fragment. *Journal of Apicultural Research*, 56(3), 196-202. DOI:10.1080/00218839.2017.1307713.

98. R.A. Ilyasov, M-l. Lee, J-i. Takahashi, H. Wook Kwon, A.G. Nikolenko. (2020). A revision of subspecies structure of western honey bee *Apis mellifera*. *Saudi Journal of Biological Sciences*.
<https://www.sciencedirect.com/science/article/pii/S1319562X20303363?via%3Dihub>

99. Rizwan, M., Li, Z., Nie, H., Qasim, M., Raza, M. F., Hassanyar, A. K., Tayyab, M., Su, S. (2018). High mitochondrial diversity of *Apis mellifera* under COI gene from China And Pakistan. *Applied Ecology and Environmental Research*, 16(3), 2933-2945. DOI: 10.15666/aer/1603_29332945.

Marinov M, Teofanova D, Gadjev D, Radoslavov G, **Hristov P**. (2018) Mitochondrial diversity of Bulgarian native dogs suggests dual phylogenetic origin. *PeerJ*, 6, e5060 DOI: <https://doi.org/10.7717/peerj.5060>.

100. Elayadeth-Meethal M, Thazhathu Veetil A, Maloney SK, et al. (2018). Size does matter: Parallel evolution of adaptive thermal tolerance and body size facilitates adaptation to climate change in domestic cattle. *Ecol. Evol.* 8, 10608-10620. DOI: <https://doi.org/10.1002/ece3.4550>.

Shumkova R, Georgieva A, Radoslavov G, Sirakova D, Dzhebir G, Neov B, Bouga M, **Hristov P**. (2018) The first report of the prevalence of *Nosema ceranae* in Bulgaria. *PeerJ*, 6, e4252. DOI: <https://doi.org/10.7717/peerj.4252>.

101. Ostroverkhova, N.V.; Konusova, O.L.; Kucher, A.N.; Kireeva, T.N.; Rosseykina, S.A. (2020). Prevalence of the Microsporidian *Nosema* spp. in Honey Bee Populations (*Apis mellifera*) in Some Ecological Regions of North Asia. *Vet. Sci.* 7, 111. DOI: <https://doi.org/10.3390/vetsci7030111>

102. Tokarev, Y., Zinatullina, Z., Ignatieva, A., et al. (2018). Detection of two Microsporidia pathogens of the European honey bee *Apis Mellifera* (Insecta: Apidae) in Western Siberia. *Acta Parasitologica*, 63(4), 728-732. DOI: 10.1515/ap-2018-0086.

Shumkova R, Neov B, Sirakova D, Georgieva A, Gadjev D, Teofanova D, Radoslavov G, Bouga M, **Hristov P**. (2018). Molecular detection and phylogenetic assessment of six honeybee viruses in *Apis mellifera* L. colonies in Bulgaria. *PeerJ*, 6, e5077. DOI: <https://doi.org/10.7717/peerj.5077>.

103. Prodelalova, J.; Moutelikova, R.; Titera, D. (2019). Multiple Virus Infections in Western Honeybee (*Apis mellifera* L.) Ejaculate Used for Instrumental Insemination. *Viruses*, 11(4), 306. DOI: <https://doi.org/10.3390/v11040306>.

104. Martin, S. J., & Brettell, L. E. (2019). Deformed Wing Virus in Honeybees and Other Insects. *Annu. Rev. Virol.* 6, 49-69. DOI: <https://doi.org/10.1146/annurev-virology-092818-015700>

Elshishka M, Lazarova S, Radoslavov G, **Hristov P**, Peneva VK (2015) New data on two remarkable Antarctic species *Amblydorylaimus isokaryon* (Loof, 1975) Andrassy, 1998 and *Pararhysocolpus paradoxus* (Loof, 1975), gen. n., comb. n. (Nematoda, Dorylaimida). *Zookeys*, 511, 25–68. DOI: 10.3897/zookeys.511.9793

105. Asgari, M., Eskandari, A., Karani, H., Abolafia, J., & Peña-Santiago, R. (2020). Morphological and molecular characterization of *Lenonchium zanjanense* sp. n. (Dorylaimida, Nordiidae) from Iran, with new insights into the phylogeny of the genus and a revision of its taxonomy. *Journal of Helminthology*, 94, E47. DOI: 10.1017/S0022149X19000233
106. Marais, E., Maggs-Kölling, G., Sherman, C. et al. (2019). Profiling soil free-living nematodes in the Namib Desert, Namibia *J. Arid Land*, 12, 130-143. DOI: <https://doi.org/10.1007/s40333-019-0018-5>
107. Peña-Santiago, R, Varela-Benavides, I. (2019). Phylogeny of the genus *Aporcelinus* Andrassy, 2009 (Nematoda: Dorylaimida: Aporcelaimidae) with description of two new species from Costa Rica. *J. Zool. Syst. Evol. Res.* 57, 240–257. DOI: <https://doi.org/10.1111/jzs.12260>.
108. Kagoshima, H., Maslen, R., Kito, K. et al. (2019). Integrated taxonomy combining morphological and molecular biological analyses of soil nematodes from maritime Antarctica. *Polar Biol.* 42, 877-887. DOI: <https://doi.org/10.1007/s00300-019-02482-8>.

Elshishka, M, Lazarova, S, Radoslavov, G, **Hristov, P** and Peneva, VK (2017) Biogeography and phylogenetic position of *Enchodeloides signyensis* (Loof, 1975), gen. n., comb. n. from Maritime Antarctic. *Zookeys*, 697, 37–58. DOI: <https://doi.org/10.3897/zookeys.697.13770>

109. Asgari, M., Eskandari, A., Karani, H., Abolafia, J., & Peña-Santiago, R. (2020). Morphological and molecular characterization of *Lenonchium zanjanense* sp. n. (Dorylaimida, Nordiidae) from Iran, with new insights into the phylogeny of the genus and a revision of its taxonomy. *Journal of Helminthology*, 94, E47. DOI: 10.1017/S0022149X19000233

Neov, B., Vasileva, G.P., Radoslavov, G., **Hristov, P.**, Littlewood, T., Georgiev, B. (2019). Phylogeny of hymenolepidid cestodes (Cestoda: Cyclophyllidea) from mammalian hosts based on partial 28S rDNA, with focus on parasites from shrews. *Parasitol. Res.* 118(1), 73–88. DOI: <https://doi.org/10.1007/s00436-018-6117-y>

110. Svetlana A Kornienko, Rasa Binkienė, Nikolai E Dokuchaev, Vasyl V Tkach. (2019). Molecular phylogeny and systematics of cestodes with rudimentary rostellum (Cestoda: Hymenolepididae) from Holarctic *Sorex* shrews (Eulipotyphla: Soricidae), *Zoological Journal of the Linnean Society*, 187, 965-986. DOI: <https://doi.org/10.1093/zoolinnean/zlz061>.
111. Řežábková, L., Brabec, J., Jirků, M., Dellerba, M., Kuchta, R., Modrý, D., Pomajbíková, K. J. (2019). Genetic diversity of the potentially therapeutic tapeworm

Hymenolepis diminuta (Cestoda: Cyclophyllidea). *Parasitology International*, 71, 121-125. DOI: 10.1016/j.parint.2019.04.009

Hristov, P., Teofanova, D., Georgieva, A., Radoslavov, G. (2018). Effect of genetic polymorphism of α S1- casein gene on qualitative and quantitative milk traits in native Bulgarian Rhodopean cattle breed. *Genet. Mol. Res.* 17(1), gmr16039868. DOI: 10.4238/gmr16039868

112. Pizarro Inostroza, M. G., Landi, V., Navas González, F. J., León Jurado, J. M., Delgado Bermejo, J. V., Fernández Álvarez, J., & Martínez Martínez, M. D. A. (2020). Integrating Casein Complex SNPs Additive, Dominance and Epistatic Effects on Genetic Parameters and Breeding Values Estimation for Murciano-Granadina Goat Milk Yield and Components. *Genes*, 11(3), 309. DOI: 10.3390/genes11030309

113. Pizarro, M. G., V. Landi, F. J. Navas González, J. M. León & J. V. Delgado. (2019). Non-parametric analysis of the effects of α S1-casein genotype and parturition non-genetic factors on milk yield and composition in Murciano-Granadina goats. *Italian Journal of Animal Science*, 18, 1021-1034. DOI: <https://doi.org/10.1080/1828051X.2019.1611388>.

114. Pizarro Inostroza MG, Landi V, Navas González FJ, León Jurado JM, Martínez Martínez A, Fernández Álvarez J, Delgado Bermejo JV. (2019). Does the Acknowledgement of α S1-Casein Genotype Affect the Estimation of Genetic Parameters and Prediction of Breeding Values for Milk Yield and Composition Quality-Related Traits in Murciano-Granadina? *Animals*, 9(9), 679. DOI: 10.3390/ani9090679

Lazarova, S, Elshishka, M, Radoslavov, G, Lozanova , L, **Hristov, P**, Mladenov, A, Zheng, J, Fanelli, E, DeLuca, F, Peneva, V. (2019). Molecular and morphological characterisation of *Longidorus polyae* sp. n. and *L. pisi* Edward, Misra & Singh, 1964 (Dorylaimida, Longidoridae) from Bulgaria. *ZooKeys*, 830, 75-98. DOI:10.3897/zookeys.830.32188

115. Gutiérrez-Gutiérrez C, Teixeira Santos M, Inácio ML, Eisenback JD, Mota M (2020). Description of *Longidorus bordonensis* sp. nov. from Portugal, with systematics and molecular phylogeny of the genus (Nematoda, Longidoridae). *Zoosystematics and Evolution*, 96(1), 175-193. DOI: <https://doi.org/10.3897/zse.96.49022>

116. Cai, R., Prior, T., Lawson, B. *et al.* (2020). An integrative taxonomic study of the needle nematode complex *Longidorus goodeyi* Hooper, 1961 (Nematoda: Longidoridae) with description of a new species. *Eur. J. Plant. Pathol.* 158, 59–81. DOI: <https://doi.org/10.1007/s10658-020-02055-0>

117. Giti, M., Kashi, L., Pedram, M. (2019). Data of an Iranian Population of *L. proximus* Sturhan & Argo, 1983, with taxonomic revision of *L. israelensis* Peneva, Orion, Shlevin, Bar-Eyal & Brown, 1998 (Nematoda: Longidoridae) and Proposal for a New Synonymy. *Journal of Nematology*, 51, e2019-54. DOI: 10.21307/jofnem-2019-054

118. Cai, R., Archidona-Yuste, A., Cantalapiedra-Navarrete, C. *et al.* (2019). Integrative descriptions and molecular phylogeny of two new needle nematodes of the

genus *Longidorus* (Nematoda: Longidoridae) from Spain. *Eur. J. Plant. Pathol.* 156, 67-86. DOI: <https://doi.org/10.1007/s10658-019-01862-4>

Neov B, Georgieva A, Shumkova R, Radoslavov G, **Hristov P.** (2019). Biotic and Abiotic Factors Associated with Colonies Mortalities of Managed Honey Bee (*Apis mellifera*). *Diversity*, 11(12), 237. DOI: <https://doi.org/10.3390/d11120237>

119. Dworzańska, D., Moores, G., Zamojska, J. et al. (2020). The influence of acetamiprid and deltamethrin on the mortality and behaviour of honeybees (*Apis mellifera carnica* Pollman) in oilseed rape cultivations. *Apidologie*, DOI: <https://doi.org/10.1007/s13592-020-00792-z>

120. Oberreiter, H., & Brodschneider, R. (2020). Austrian COLOSS Survey of Honey Bee Colony Winter Losses 2018/19 and Analysis of Hive Management Practices. *Diversity*, 12(3), 99. DOI: <http://dx.doi.org/10.3390/d12030099>

121. Joshi, N.K.; Ngugi, H.K.; Biddinger, D.J. (2020). Bee Vectoring Development of the Japanese Orchard Bee as a Targeted Delivery System of Biological Control Agents for Fire Blight Management. *Pathogens*, 9, 41. DOI: 10.3390/pathogens9010041

Yankova, I.; Marinov, M.; Neov, B.; Petrova, M.; Spassov, N.; **Hristov, P.**; Radoslavov, G. (2019). Evidence for Early European Neolithic Dog Dispersal: New Data on Southeastern European Subfossil Dogs from the Prehistoric and Antiquity Ages. *Genes*, 10, 757. DOI: 10.3390/genes10100757

122. Zhang, L.; Liu, Y.; Thai Ke, Q.; Ardalan, A.; Boonyaparakob, U.; Savolainen, P. (2020). Complete Range of the Universal mtDNA Gene Pool and High Genetic Diversity in the Thai Dog Population. *Genes*, 11, 253. DOI: <https://doi.org/10.3390/genes11030253>