

Е 1.8.1:

Цитати (първа част - на научни публикации) - в WoS или Scopus

- **Звено:** (ИБЕИ) Институт по биоразнообразие и екосистемни изследвания
- **Секция:** (ИБЕИ) Екосистемни изследвания, екологичен риск и консервационна биология-Екология на съобществата и консервационна биология
- **Име:** (ИБЕИ/0010) Луканов, Симеон Петров
- **Вид на цитиращото издание:** Публикация в Scopus/WoS
- **Година:** 2010 ÷ 2020
- **Тип записи:** Всички записи

Брой цитирани публикации: 14

Брой цитиращи източници: 38

2014

1. **Lukanov, S.**, Simeonovska-Nikolova, D., Tzankov, N.. Effects of environmental factors over mating call characteristics of the marsh frog *Pelophylax ridibundus* (Pallas 1771) in Bulgaria.. *Acta zoologica bulgarica*, 66, 2, 2014, ISSN:0324-0770, 209-216. SJR (Scopus):0.301, JCR-IF (Web of Science):0.532 **(x)**

Цитира се в:

1. Priti H., Roshmi R., S., Ramya B., Sudhira H., S., Ravikanth G., Aravind N., A., Gururaja, K., V. 2016. Integrative Taxonomic Approach for Describing a New Cryptic Species of Bush Frog (*Raorchestes*: Anura: Rhacophoridae) from the Western Ghats, India. *PLOS One*. •DOI: 10.1371/journal.pone.0149382, **@2016** [Линк](#) **(x)** **1.000**

2. **Lukanov, S.**, Simeonovska-Nikolova, D., Tzankov, N.. Effects of traffic noise on the locomotion activity and vocalization of the Marsh Frog, *Pelophylax ridibundus*.. *North-Western Journal of Zoology*, 10, 2, 2014, ISSN:1584-9074, 359-364. SJR (Scopus):0.41, JCR-IF (Web of Science):0.869

Цитира се в:

2. Caorsi V., Both C., Cechin S., Antunes R., Borges-Martins M. Effects of traffic noise on the calling behavior of two Neotropical hylid frogs. *PLoS ONE* 12(8): e0183342. <https://doi.org/10.1371/journal.pone.0183342>, **@2017** [Линк](#) **1.000**
3. Dutta, H. 2018. Insights into the impacts of four current environmental problems on flying birds. *European Journal of Ecology* 2 (5): 329–349., **@2018** [Линк](#) **1.000**
4. Laforge A., Archaux F., Bas Y., Goux N., Calatayud F., Latge T., Barbaro L. 2019. Landscape context matters for attractiveness and effective use of road underpasses by bats. *Biological Conservation* 237: 409–422., **@2019** [Линк](#) **1.000**
5. Sordello R., De Lachapelle F.F., Livoreil B., Vanpeene S. 2019. Evidence of the environmental impact of noise pollution on biodiversity: a systematic map protocol. *Environmental Evidence* 8:8 <https://doi.org/10.1186/s13750-019-0146-6>, **@2019** [Линк](#) **1.000**
6. Chandra Aryal P., Aryal C., Neupane S., Sharma B., Dhamala M.K., Khadka D., Chandra Kharel S., Rajbansi P., Neupane D. 2020. Soil moisture & roads influence the occurrence of frogs in Kathmandu Valley, Nepal. *Global Ecology and Conservation* <https://doi.org/10.1016/j.gecco.2020.e01197>, **@2020** [Линк](#) **1.000**
7. Legett H.D., Madden R.P., Aihara I., Bernal X.E. 2020. Traffic noise differentially impacts call types in a Japanese treefrog (*Buergeria japonica*). *Ethology* 00: 1–8. doi: 10.1111/eth.13009, **@2020** [Линк](#) **1.000**

3. Цанков, Н., Г. Попгеоргиев, **Б. Наумов**, А. Стоянов, Ю. Корнилев, Б. Петров, **А. Дюгмеджиев**, В. Вергилов, Р. Драганова, **С. Луканов**, А. Вестерстрьом. Определител на земноводните и влечугите в природен парк „Витоша“.. Дирекция на Природен парк „Витоша“, 2014, 248

Цитира се в:

8. Koç H., Bülbül U., Kutrup B. 2018. Is the Spiny-tailed Lizard *Darevskia rudis* (Bedriaga, 1886) Active All Year? *Ecologia Balkanica* 10(1): 47-51., **@2018** [Линк](#) **1.000**

9. Vacheva E. 2018. First records of keratophagy in *Zootoca vivipara* (Lichtenstein, 1823) suggest a common occurrence in free-ranging populations (Reptilia: Lacertidae). *Herpetology Notes* 11: 963-965., @2018 [Линк](#) **1.000**
10. Manolev, G., L. Philipova, A. Pulev, L. Sakelarieva. 2019. A Checklist of the Herpetofauna in the Bulgarian Part of Hadzhidimovo Gorge (South-Western Bulgaria). – *Ecologia Balkanica*, 11(1): 17-26., @2019 [Линк](#) **1.000**

2015

4. **Lukanov, S.**, Tzankov, N., Simeonovska-Nikolov. A comparative study of the mating call of *Pelophylax ridibundus* and *Pelophylax kurtmuelleri* (Anura: Ranidae) from syntopic and allotopic populations.. *Journal of Natural History*, 2015, DOI:10.1080/00222933.2013.791942, SJR (Scopus):0.5, JCR-IF (Web of Science):0.837

Цитира се в:

11. Plitsi, P., Koumaki, M., Bei, V., Pafilis, P., Polymeni, R.M. 2016. Feeding ecology of the Balkan Water frog (*Pelophylax kurtmuelleri*) in Greece with emphasis on habitat effect. *North-Western Journal of Zoology*, 12 (2) (2016): 292-298, art.e161502, @2016 [Линк](#) **1.000**
12. Strachinis, I. & Roussos, S. 2016. Terrestrial herpetofauna of Limnos and Agios Efstratios (Northern Aegean, Greece), including new species records for *Malpolon insignitus* (Geoffroy Saint-Hilaire, 1827) and *Pelobates syriacus* Boettger, 1889. *Herpetology Notes* 9: 237-248., @2016 [Линк](#) **1.000**
13. Kolenda, K., Pietras-Lebioda, A., Hofman, S., Pabijan, M. 2017. Preliminary genetic data suggest the occurrence of the Balkan water frog, *Pelophylax kurtmuelleri*, in southwestern Poland. *Amphibia-Reptilia*, 2017, 38 (2): 187–196, DOI: 10.1163/15685381-00003103, @2017 [Линк](#) **1.000**
14. Szabolcs, M., Mizsei, E., Jablonski, D., Lengyel, S. 2017. Distribution and diversity of amphibians in Albania: new data and foundations of a comprehensive database. *Amphibia-Reptilia*, 2017, 38 (4): 435–448, DOI: 10.1163/15685381-00003126, @2017 [Линк](#) **1.000**
15. Lannoo, M.J., Stiles, R.M., Saenz, D., Hibbitts, T.J. 2018. Comparative Call Characteristics in the Anuran Subgenus *Nenirana*. *Copeia* 106(4):575-579 DOI: 10.1643/CE-18-019, @2018 [Линк](#) **1.000**
16. Vucić, M., Jelić, D., Klobučar, G., Prkljačić, B., Jelić, M. 2018. Molecular identification of species and hybrids of water frogs (genus *Pelophylax*) from Lake Skadar, Southeast Adriatic drainages (Amphibia: Ranidae). *SALAMANDRA* 54(2), @2018 [Линк](#) **1.000**

2016

5. **Lukanov, S.**, N. Tzankov, S. Handschuh, E. Heiss, **B. Naumov**, N. Natchev. On the amphibious uptake of food and prey manipulation behaviour in the Balkan-Anatolian crested newt (*Triturus ivanbureschi*, Arntzen and Wielstra, 2013).. *Zoology*, 119, 3, 2016, 224-231. SJR (Scopus):0.83, JCR-IF (Web of Science):1.67

Цитира се в:

17. Broeckhoven C., Du Plessis A. 2018. X-ray microtomography in herpetological research: a review. *Amphibia-Reptilia* 39(4):377-401, @2018 [Линк](#) **1.000**

6. **Lukanov, S.**, Tzankov, N.. Life history, age and normal development of the Balkan-Anatolian crested newt (*Triturus ivanbureschi* Arntzen and Wielstra, 2013) from Sofia district.. *North-Western Journal of Zoology*, 12, 1, 2016, 22-32. SJR (Scopus):0.41, JCR-IF (Web of Science):0.869

Цитира се в:

18. Arntzen J., Üzümlü N., Ajdukovic M.D., Ivanovic A., Wielstra B. 2018. Absence of heterosis in hybrid crested newts. *PeerJ* DOI 10.7717/peerj.5317, @2018 [Линк](#) **1.000**
19. Ćorović J., Popović M., Cogălniceanu D., Carretero M.A., Crnobrnja-Isailović J. 2018. Distribution of the meadow lizard in Europe and its realized ecological niche model. *Journal of Natural History*, 52 (29-30): 1909-1925, @2018 [Линк](#) **1.000**
20. Bernabo I., Brunelli E. 2019. Comparative morphological analysis during larval development of three syntopic newt species (Urodela: Salamandridae). *The European Zoological Journal*, 86 (1): 38-53, DOI: 10.1080/24750263.2019.1568599, @2019 [Линк](#) **1.000**
21. Cogălniceanu D., Stănescu F., Arntzen J.W. 2019. Testing the hybrid superiority hypothesis in crested and marbled newts. *Journal of Zoological Systematics and Evolutionary Research* 00:1–9 DOI: 10.1111/jzs.12322, @2019 [Линк](#) **1.000**
22. Sagonas, K., Pafilis, P., Lymberakis, P., Valakos, E. 2019. Sexual maturation and reproduction of the Balkan green lizard *Lacerta trilineata* specimens in mainland and island populations from Greece. *North-Western Journal of Zoology* 15:55-61, @2019 [Линк](#) **1.000**
23. Vučić T., Ivanović A., Nikolić S., Jovanović J., Cvijanović M. 2020. Reproductive characteristics of two *Triturus* species (Amphibia: Caudata). *Archives of Biological Sciences* <https://doi.org/10.2298/ABS200328026V>., @2020 [Линк](#) **1.000**

7. Vergilov, V., **Hristov, G., Lukanov, S., Lambevsk, A.**, Tzankov, N.. First record of *Ablepharus kitaibelii* (Bibron & Bory de Saint-Vincent, 1833) in Montenegro. *Biharean Biologist*, 10, 1, 2016, 65-66. SJR:0.182

Цитира се:

24. Ljubisavljević K., Tomović L., Urošević A., Gvozdenović S., Iković I., Zagora V., Labus N. 2018. Species diversity and distribution of lizards **1.000** in Montenegro. *Acta herpetologica*. 13(1): 3-11, **@2018** [Линк](#)
25. Zimic A., Pecar D., Jelic D. 2018. The Snake-eyed skink, *Ablepharus kitaibelii* Bibron & Bory, 1833 (Reptilia, Squamata: Scincidae) viable population re-discovered in Bosnia and Herzegovina - with morphological, ecological and conservation notes. *North-Western Journal of Zoology* 14(1): 146-148., **@2018** [Линк](#)

8. Natchev, N., Handschuh, S., **Lukanov, S.**, Tzankov, N., **Naumov, B.**, Werneburg, I.. Contributions to the functional morphology of caudate skulls: kinetic and akinetic forms.. *PeerJ*, 4, e2392, 2016, DOI:10.7717/peerj.2392, SJR (Scopus):1.04, JCR-IF (Web of Science):2.1

Цитира се:

26. Ivanovic, Ana & Arntzen, Jan Willem "Evolution of skull shape in the family Salamandridae (Amphibia: Caudata)". *Journal of Anatomy*, **1.000** 232(3): 359-370 doi: 10.1111/joa.12759, **@2018** [Линк](#)
27. Lüddecke T., Schulz S., Steinfartz S., Vences M. 2018. A salamander's toxic arsenal: review of skin poison diversity and function in true **1.000** salamanders, genus *Salamandra*. *The Science of Nature* 105(9-10) DOI: 10.1007/s00114-018-1579-4, **@2018** [Линк](#)
28. Heiss E., Grell J. 2019. Same but different: aquatic prey capture in paedomorphic and metamorphic Alpine newts. *Zoological letters* 5:24 **1.000** <https://doi.org/10.1186/s40851-019-0140-4>, **@2019** [Линк](#)
29. Schwarz D., Konow N., Roba Y.T., Heiss E. 2020. A salamander that chews using complex, three-dimensional mandible movements. **1.000** *Journal of Experimental Biology* doi: 10.1242/jeb.220749, **@2020** [Линк](#)

2017

9. **Biserkov, V., Lukanov, S.** Unmanned Aerial Vehicles (UAVs) for Surveying Freshwater Turtle Populations: Methodology Adjustment. *Acta zoologica bulgarica*, Supplement 10, 2017, 161-163. SJR (Scopus):0.301, JCR-IF (Web of Science):0.41

Цитира се:

30. Fritz, U., Kornilev, Y., Vamberger, M., Natchev, N., Havaš, P. 2017. The Fifth International Symposium on *Emys orbicularis* and the other European Freshwater Turtles, Kiten, Bulgaria: Over Twenty Years of Scientific Collaboration. *Acta Zoologica Bulgarica Supplementum* 10, p. 3-7., **@2017** [Линк](#) **1.000**
31. Gibbons J., Lovich J. 2019. Where Has Turtle Ecology Been, and Where Is It Going? *Herpetologica* 75(1): 4-20 **1.000** <https://doi.org/10.1655/0018-0831-075.1.4>, **@2019** [Линк](#)

10. **Lukanov, S.**, Tzankov, N., **Naumov, B.**. First Documented Records of *Pelophylax lessonae* (Camerano, 1882) (Amphibia: Ranidae) from Bulgaria. *Acta zoologica bulgarica*, 69, 4, 2017, ISSN:0324-0770, 483-488. SJR (Scopus):0.301, JCR-IF (Web of Science):0.413

Цитира се:

32. Ruchin A., Chikhlyayev I., Fayzulin A. 2019. Parásitos nematodos de la rana de piscina (*Pelophylax lessonae*) en la cuenca del Río Volga. **1.000** *Revista MVZ Córdoba* 24(3):7314-7321. <https://doi.org/10.21897/rmvz.1501>, **@2019** [Линк](#)

2018

11. **Naumov, B., Lukanov, S.**. Notes on age-related changes in body size and colorpattern in captive *Triturus dobrogicus* (Kiritzescu, 1903).. *Herpetozoa*, 30, 3/4, 2018, 159-168. JCR-IF (Web of Science):1.194

Цитира се:

33. Patel N.G., Das A. 2020. Shot the spots: A reliable field method for individual identification of *Amolops formosus* (Anura, Ranidae). **1.000** *Herpetozoa* 33: 7–15, **@2020** [Линк](#)

12. **Lukanov, S.**, Popgeorgiev, G., Tzankov, N. First bioacoustic and morphological data for the presence of *Pelophylax bedriagae* in Bulgaria. *Acta scientifica naturalis*, 5, 1, De Gruyter Open, 2018, 54-63

Цитира се:

34. Bam-e-Zar F., Fathinia B., Shafaei-Pour A. 2019. Trophology of Levant Green Frog, *Pelophylax bedriagae* (Amphibia: Anura: Ranidae) in Choram Township, Kohgiluyeh & Boyer-Ahmad Province, Iran. North-western Journal of Zoology 2019: e191502, @2019 [Линк](#) **1.000**

2019

13. Dufresnes, C., Strachinis, I., Suriadna, N., Mykitynets, G., Cogălniceanu, D., Székely, P., Vukov, T., Amtzen, J.W., Wielstra, B., Lymberakis, P., Geffen, E., Gafny, S., Kumlutaş, Y., Ilgaz, Ç., Candan, K., Mizsei, E., Szabolcs, M., Kolenda, K., Smirnov, N., Géniez, P., **Lukanov, S.**, Crochet, P.A., Dubey, S., Perrin, N., Litvinchuk, S., Denoël, M.. Phylogeography of a cryptic speciation continuum in spadefoot toads (*Pelobates*). Molecular Ecology, 2019, DOI:<https://doi.org/10.1111/mec.15133>, SJR (Scopus):3.06, JCR-IF (Web of Science):6.13

Цитира се в:

35. Jablonski D., Sadek R. 2019. The Caucasian Toad, *Bufo verrucosissimus* (Pallas, 1814) in the Levant: evidence from mitochondrial DNA. Herpetozoa 32: 255–258, @2019 [Линк](#) **0.077**
36. Özdemir, N., Dursun, C., Üzümlü, N., Kutrup, B., & Gül, S. (2020). Taxonomic assessment and distribution of common toads (*Bufo bufo* and *B. verrucosissimus*) in Turkey based on morphological and molecular data, Amphibia-Reptilia, , 1-13. doi: <https://doi.org/10.1163/15685381-bja10009>, @2020 [Линк](#) **0.077**

2020

14. Concepción, E., **Aneva, I.**, Jay, M., **Lukanov, S.**, Marsden, K., Moreno, G., Oppermann, R., Pardo, A., Piskol, S., Rolo, V., Schraml, A., Díaz, M.. Optimizing biodiversity gain of European agriculture through regional targeting and adaptive management of conservation tools.. Biological Conservation, 241, Elsevier, 2020, DOI:<https://doi.org/10.1016/j.biocon.2019.108384>, SJR (Scopus):2.24, JCR-IF (Web of Science):4.66

Цитира се в:

37. Lituma C.M., Buehler D.A. 2020. Cost-share conservation practices have mixed effects on priority grassland and shrubland breeding bird occupancy in the Central Hardwoods Bird Conservation Region, USA. Biological Conservation 244: 108510, @2020 [Линк](#) **1.000**
38. Martínez P.F., de Castro-Pardo M., Barroso V.M., Azevedo J.C. 2020. Assessing Sustainable Rural Development Based on Ecosystem Services Vulnerability. Land 9(7): 222; <https://doi.org/10.3390/land9070222>, @2020 [Линк](#) **1.000**

Всички цитати (първа част - на научни публикации)

- **Звено:** (ИБЕИ) Институт по биоразнообразие и екосистемни изследвания
- **Секция:** (ИБЕИ) Екосистемни изследвания, екологичен риск и конзервационна биология-Екология на съобществата и конзервационна биология
- **Име:** (ИБЕИ/0010) Луканов, Симеон Петров
- **Година:** 2010 ÷ 2020
- **Тип записи:** Всички записи

Брой цитирани публикации: 15

Брой цитиращи източници: 58

2014

1. **Lukanov, S.**, Simeonovska-Nikolova, D., Tzankov, N.. Effects of environmental factors over mating call characteristics of the marsh frog *Pelophylax ridibundus* (Pallas 1771) in Bulgaria.. Acta zoologica bulgarica, 66, 2, 2014, ISSN:0324-0770, 209-216. SJR (Scopus):0.301, JCR-IF (Web of Science):0.532 (x)

Цитира се в:

1. Priti H., Roshmi R., S., Ramya B., Sudhira H., S., Ravikanth G., Aravind N., A., Gururaja, K., V. 2016. Integrative Taxonomic Approach for Describing a New Cryptic Species of Bush Frog (Raorchestes: Anura: Rhacophoridae) from the Western Ghats, India. PLOS One. •DOI: 10.1371/journal.pone.0149382, @2016 [Линк](#) (x) 1.000

2. **Lukanov, S.**, Simeonovska-Nikolova, D., Tzankov, N.. Effects of traffic noise on the locomotion activity and vocalization of the Marsh Frog, *Pelophylax ridibundus*.. North-Western Journal of Zoology, 10, 2, 2014, ISSN:1584-9074, 359-364. SJR (Scopus):0.41, JCR-IF (Web of Science):0.869
Цитира се в:
 2. Keyes, A. 2015. Investigation of Behavioral Change in Amphibians as a Result of Anthropogenic Disturbance. BIOS 35502-01: Practicum in Field Biology, @2015 [Линк](#) (x) 1.000
 3. Sánchez-Guzmán, J. & Losada-Prado, S. 2016. Características de la avifauna en un fragmento de bosque húmedo premontano afectado por ruido vehicular. Mutis 6(2): 7-18, doi: <http://dx.doi.org/10.21789/22561498.1147>, @2016 [Линк](#) 1.000
 4. Wansink D. 2017. CEDR Call 2013: Roads and Wildlife – Cost efficient Road Management Harmony Procedures for the Design of Roads in Harmony with Wildlife. Maintenance report Ecological functions of roads pp. 33., @2016 [Линк](#) (x) 1.000
 5. Bennet, V.J. 2017. Effects of Road Density and Pattern on the Conservation of Species and Biodiversity. Current Landscape Ecology Reports, 2017, 2 (1): 1-11, doi:10.1007/s40823-017-0020-6, @2017 [Линк](#) 1.000
 6. Caorsi V., Both C., Cechin S., Antunes R., Borges-Martins M. Effects of traffic noise on the calling behavior of two Neotropical hyliid frogs. PLoS ONE 12(8): e0183342. <https://doi.org/10.1371/journal.pone.0183342>, @2017 [Линк](#) 1.000
 7. Wansink, D. 2017. Effecten van het Luchthavenbesluit vliegveld Twente op beschermde flora en fauna (Wnb). Bureau Wardenburg bv Ecologie & landschap. Notitie 25pp., @2017 [Линк](#) 1.000
 8. Dutta, H. 2018. Insights into the impacts of four current environmental problems on flying birds. European Journal of Ecology 2 (5): 329–349., @2018 [Линк](#) 1.000
 9. Remon J. 2018. Connectivité fonctionnelle en paysage fragmenté : apport des données génétiques et démographiques pour étudier l'impact multi-spécifique des infrastructures linéaires de transport. These en vue de l'obtention de doctorat en l'université de Toulouse. pp. 174, @2018 [Линк](#) 1.000
 10. Laforge A., Archaux F., Bas Y., Gouix N., Calatayud F., Latge T., Barbaro L. 2019. Landscape context matters for attractiveness and effective use of road underpasses by bats. Biological Conservation 237: 409–422., @2019 [Линк](#) 1.000
 11. Sordello R., De Lachapelle F.F., Livoreil B., Vanpeene S. 2019. Evidence of the environmental impact of noise pollution on biodiversity: a systematic map protocol. Environmental Evidence 8:8 <https://doi.org/10.1186/s13750-019-0146-6>, @2019 [Линк](#) 1.000
 12. Chandra Aryal P., Aryal C., Neupane S., Sharma B., Dhamala M.K., Khadka D., Chandra Kharel S., Rajbansi P., Neupane D. 2020. Soil moisture & roads influence the occurrence of frogs in Kathmandu Valley, Nepal. Global Ecology and Conservation <https://doi.org/10.1016/j.gecco.2020.e01197>, @2020 [Линк](#) 1.000
 13. Legett H.D., Madden R.P., Aihara I., Bernal X.E. 2020. Traffic noise differentially impacts call types in a Japanese treefrog (*Buergeria japonica*). Ethology 00: 1–8. doi: 10.1111/eth.13009, @2020 [Линк](#) 1.000

3. Цанков, Н., Г. Попгеоргиев, **Б. Наумов**, А. Стоянов, Ю. Корнилев, Б. Петров, **А. Дюгмеджиев**, В. Вергилов, Р. Драганова, **С. Луканов**, А. Вестерстрьом. Определител на земноводните и влечугите в природен парк „Витоша“.. Дирекция на Природен парк „Витоша“, 2014, 248
Цитира се в:
 14. Пулев, А., Филипова, Л. 2014. Защитена фауна на Природен парк "Врачански Балкан". UNICART ISBN 978-954-2953-38-8, @2014 [Линк](#) 1.000
 15. Mollov, I., Georgiev, D., Basheva, S. 2015. Is the Kotschy's Gecko *Mediodactylus kotschy* (Steindachner, 1870) (Reptilia: Gekkonidae) active during the winter?. ZooNotes 84: 1-3, @2015 [Линк](#) 1.000
 16. Славчев, М. 2016. Пространствени ниши и популационни параметри на консервационно значими видове земноводни и влечуги в Натура 2000 защитена зона "Пъстрина". – Дисертация за присъждане на образователната и научна степен „доктор“, СУ „Св. Кл. Охридски“, Биологически факултет, 185 с., @2016 1.000
 17. Koç H., Bülbül U., Kutrup B. 2018. Is the Spiny-tailed Lizard *Darevskia rudis* (Bedriaga, 1886) Active All Year? Ecologia Balkanica 10(1): 47-51., @2018 [Линк](#) 1.000
 18. Vacheva E. 2018. First records of keratophagy in *Zootoca vivipara* (Lichtenstein, 1823) suggest a common occurrence in free-ranging populations (Reptilia: Lacertidae). Herpetology Notes 11: 963-965., @2018 [Линк](#) 1.000
 19. Теленчев И. 2018. Хабитатен избор и модели на поведение при гущери от сем. Anguidae в България. Дисертация за присъждане на образователната и научна степен „доктор“, СУ „Св. Кл. Охридски“, Биологически факултет, 146 с., @2018 1.000

20. Manolev, G., L. Philipova, A. Pulev, L. Sakelarieva. 2019. A Checklist of the Herpetofauna in the Bulgarian Part of Hadzhidimovo Gorge (South-Western Bulgaria). – Ecologia Balkanica, 11(1): 17-26., @2019 [Линк](#) 1.000

2015

4. **Lukanov, S.**, Tzankov, N., Simeonovska-Nikolov. A comparative study of the mating call of *Pelophylax ridibundus* and *Pelophylax kurtmuelleri* (Anura: Ranidae) from syntopic and allotypic populations.. Journal of Natural History, 2015, DOI:10.1080/00222933.2013.791942, SJR (Scopus):0.5, JCR-IF (Web of Science):0.837

Цитира се в:

21. Plitsi, P., Koumaki, M., Bei, V., Pafilis, P., Polymeni, R.M. 2016. Feeding ecology of the Balkan Water frog (*Pelophylax kurtmuelleri*) in Greece with emphasis on habitat effect. North-Western Journal of Zoology, 12 (2) (2016): 292-298, art.e161502, @2016 [Линк](#) 1.000
22. Strachinis, I. & Roussos, S. 2016. Terrestrial herpetofauna of Limnos and Agios Efstratios (Northern Aegean, Greece), including new species records for *Malpolon insignitus* (Geoffroy Saint-Hilaire, 1827) and *Pelobates syriacus* Boettger, 1889. Herpetology Notes 9: 237-248., @2016 [Линк](#) 1.000
23. Kolenda, K., Pietras-Lebioda, A., Hofman, S., Pabijan, M. 2017. Preliminary genetic data suggest the occurrence of the Balkan water frog, *Pelophylax kurtmuelleri*, in southwestern Poland. Amphibia-Reptilia, 2017, 38 (2): 187–196, DOI: 10.1163/15685381-00003103, @2017 [Линк](#) 1.000
24. Szabolcs, M., Mizsei, E., Jablonski, D., Lengyel, S. 2017. Distribution and diversity of amphibians in Albania: new data and foundations of a comprehensive database. Amphibia-Reptilia, 2017, 38 (4): 435–448, DOI: 10.1163/15685381-00003126, @2017 [Линк](#) 1.000
25. Lannoo, M.J., Stiles, R.M., Saenz, D., Hibbitts, T.J. 2018. Comparative Call Characteristics in the Anuran Subgenus *Nenirana*. Copeia 106(4):575-579 DOI: 10.1643/CE-18-019, @2018 [Линк](#) 1.000
26. Veyrenc, S. 2018. Toxicocinétique et effets métaboliques du benzo[a]pyrène seul ou en mélange avec le benzo[b]fluoranthène chez la grenouille verte. Ecotoxicologie., @2018 [Линк](#) 1.000
27. Vucić, M., Jelić, D., Klobučar, G., Prkljačić, B., Jelić, M. 2018. Molecular identification of species and hybrids of water frogs (genus *Pelophylax*) from Lake Skadar, Southeast Adriatic drainages (Amphibia: Ranidae). SALAMANDRA 54(2), @2018 [Линк](#) 1.000
28. Kolenda, K., Skawiński, T., Kaczmarski, M. 2019. A review of "new" species of amphibians and reptiles occurring in Poland. Kosmos. Seria A, Biologia/Polskie Towarzystwo Przyrodników im. Kopernika 68(1), @2019 [Линк](#) 1.000

2016

5. **Lukanov, S.**, N. Tzankov, S. Handschuh, E. Heiss, **B. Naumov**, N. Natchev. On the amphibious uptake of food and prey manipulation behaviour in the Balkan-Anatolian crested newt (*Triturus ivanbureschi*, Arntzen and Wielstra, 2013).. Zoology, 119, 3, 2016, 224-231. SJR (Scopus):0.83, JCR-IF (Web of Science):1.67

Цитира се в:

29. Broeckhoven C., Du Plessis A. 2018. X-ray microtomography in herpetological research: a review. Amphibia-Reptilia 39(4):377-401, @2018 [Линк](#) 1.000

6. **Lukanov, S.**, Tzankov, N.. Life history, age and normal development of the Balkan-Anatolian crested newt (*Triturus ivanbureschi* Arntzen and Wielstra, 2013) from Sofia district.. North-Western Journal of Zoology, 12, 1, 2016, 22-32. SJR (Scopus):0.41, JCR-IF (Web of Science):0.869

Цитира се в:

30. Fabrezi M., Quinzio S., Cruz J., Pereyra M., Manzano A., Abdala V., Ponssa M., Prieto Y., Goldberg J. 2017. Forma, tamaño y tiempo en la ontogenia de Anfibios y Reptiles. Cuadernos de herpetologia 31 (2): 1-24., @2017 [Линк](#) 1.000
31. Arntzen J., Üzümlü N., Ajdukovic M.D., Ivanovic A., Wielstra B. 2018. Absence of heterosis in hybrid crested newts. PeerJ DOI 10.7717/peerj.5317, @2018 [Линк](#) 1.000
32. Ćorović J., Popović M., Cogălniceanu D., Carretero M.A., Crnobrnja-Isailović J. 2018. Distribution of the meadow lizard in Europe and its realized ecological niche model. Journal of Natural History, 52 (29-30): 1909-1925, @2018 [Линк](#) 1.000
33. Bernabò I., Brunelli E. 2019. Comparative morphological analysis during larval development of three syntopic newt species (Urodela: Salamandridae). The European Zoological Journal, 86 (1): 38-53, DOI: 10.1080/24750263.2019.1568599, @2019 [Линк](#) 1.000
34. Cogălniceanu D., Stănescu F., Arntzen J.W. 2019. Testing the hybrid superiority hypothesis in crested and marbled newts. Journal of Zoological Systematics and Evolutionary Research 00:1–9 DOI: 10.1111/jzs.12322, @2019 [Линк](#) 1.000

35. Sagonas, K., Pafilis, P., Lymberakis, P., Valakos, E. 2019. Sexual maturation and reproduction of the Balkan green lizard *Lacerta trilineata* specimens in mainland and island populations from Greece. *North-Western Journal of Zoology* 15:55-61, @2019 [Линк](#) 1.000
36. Ćorović J.V. 2020. Morfološke, fiziološke i populacione odlike perifernih populacija šumskog guštera (*Darevskia praticola*) u Srbiji. Doktorska disertacija. pp. 103, @2020 [Линк](#) 1.000
37. Vučić T., Ivanović A., Nikolić S., Jovanović J., Cvijanović M. 2020. Reproductive characteristics of two *Triturus* species (Amphibia: Caudata). *Archives of Biological Sciences* <https://doi.org/10.2298/ABS200328026V>, @2020 [Линк](#) 1.000

7. Vergilov, V., **Hristov, G., Lukanov, S., Lambevskaja, A.**, Tzankov, N.. First record of *Ablepharus kitaibelii* (Bibron & Bory de Saint-Vincent, 1833) in Montenegro. *Biharean Biologist*, 10, 1, 2016, 65-66. SJR:0.182

Цитира се:

38. Ikovic, V., Tomovic, L., Ljubisavljevic, K. 2016. Contribution to the knowledge of the batrach and herpetofauna of the Bjelopavlici region (Montenegro). *Bulletin of the Natural History Museum*. 9: 113-125., @2016 [Линк](#) 1.000
39. Ljubisavljević K., Tomović L., Urošević A., Gvozdenović S., Iković I., Zagora V., Labus N. 2018. Species diversity and distribution of lizards in Montenegro. *Acta herpetologica*. 13(1): 3-11, @2018 [Линк](#) 1.000
40. Zimic A., Pecar D., Jelic D. 2018. The Snake-eyed skink, *Ablepharus kitaibelii* Bibron & Bory, 1833 (Reptilia, Squamata: Scincidae) viable population re-discovered in Bosnia and Herzegovina - with morphological, ecological and conservation notes. *North-Western Journal of Zoology* 14(1): 146-148., @2018 [Линк](#) 1.000

8. Natchev, N., Handschuh, S., **Lukanov, S.**, Tzankov, N., **Naumov, B.**, Werneburg, I.. Contributions to the functional morphology of caudate skulls: kinetic and akinetic forms.. *PeerJ*, 4, e2392, 2016, DOI:10.7717/peerj.2392, SJR (Scopus):1.04, JCR-IF (Web of Science):2.1

Цитира се:

41. Ivanovic, Ana & Arntzen, Jan Willem "Evolution of skull shape in the family Salamandridae (Amphibia: Caudata)". *Journal of Anatomy*, 232(3): 359-370 doi: 10.1111/joa.12759, @2018 [Линк](#) 1.000
42. Lüddecke T., Schulz S., Steinfartz S., Vences M. 2018. A salamander's toxic arsenal: review of skin poison diversity and function in true salamanders, genus *Salamandra*. *The Science of Nature* 105(9-10) DOI: 10.1007/s00114-018-1579-4, @2018 [Линк](#) 1.000
43. Heiss E., Grell J. 2019. Same but different: aquatic prey capture in paedomorphic and metamorphic Alpine newts. *Zoological letters* 5:24 <https://doi.org/10.1186/s40851-019-0140-4>, @2019 [Линк](#) 1.000
44. Schwarz D., Konow N., Roba Y.T., Heiss E. 2020. A salamander that chews using complex, three-dimensional mandible movements. *Journal of Experimental Biology* doi: 10.1242/jeb.220749, @2020 [Линк](#) 1.000

2017

9. **Biserkov, V., Lukanov, S.** Unmanned Aerial Vehicles (UAVs) for Surveying Freshwater Turtle Populations: Methodology Adjustment. *Acta zoologica bulgarica*, Supplement 10, 2017, 161-163. SJR (Scopus):0.301, JCR-IF (Web of Science):0.41

Цитира се:

45. Fritz, U., Kornilev, Y., Vamberger, M., Natchev, N., Havaš, P. 2017. The Fifth International Symposium on *Emys orbicularis* and the other European Freshwater Turtles, Kiten, Bulgaria: Over Twenty Years of Scientific Collaboration. *Acta Zoologica Bulgarica Supplementum* 10, p. 3-7., @2017 [Линк](#) 1.000
46. Daniels K. 2018. Inferences about the conservation utility of using unmanned aerial vehicles to conduct rapid assessments for basking freshwater turtles. *The University of Tennessee at Chattanooga, Chattanooga, Tennessee*, @2018 [Линк](#) 1.000
47. Gibbons J., Lovich J. 2019. Where Has Turtle Ecology Been, and Where Is It Going? *Herpetologica* 75(1): 4-20 <https://doi.org/10.1655/0018-0831-075.1.4>, @2019 [Линк](#) 1.000
48. van der Vliet R.E., Jeninga L., van den Burg A. 2020. RPAS over Natura 2000 areas: Disturbance responses of wildlife and opportunities for research. *Bureau Waardenburg, Culemborg, The Netherlands*, pp. 22, @2020 1.000

10. **Lukanov, S.**, Tzankov, N., **Naumov, B.** First Documented Records of *Pelophylax lessonae* (Camerano, 1882) (Amphibia: Ranidae) from Bulgaria. *Acta zoologica bulgarica*, 69, 4, 2017, ISSN:0324-0770, 483-488. SJR (Scopus):0.301, JCR-IF (Web of Science):0.413

Цитира се:

49. Ruchin A., Chikhlyayev I., Fayzuln A. 2019. Parásitos nematodos de la rana de piscina (*Pelophylax lessonae*) en la cuenca del Río Volga. *Revista MVZ Córdoba* 24(3):7314-7321. <https://doi.org/10.21897/rmvz.1501>, @2019 [Линк](#) 1.000

11. Koleva, V., Kornilev, Y., Telenchev, I., **Lukanov, S.**, Hristova, B., Natchev, N.. Salt tolerance's toll: prolonged exposure to saline water inflicts damage to the blood cells of dice snakes (*Natrix tessellata*). *Web Ecology*, 17, 1, 2017, DOI:10.5194/we-17-1-2017, 1-7. SJR (Scopus):0.28, JCR-IF (Web of Science):0.941

Цитира се в:

50. Hsu M., Lin J., Liao C., Hsu J., Huang W. 2020. Over-ocean dispersal inferred from the saltwater tolerance of lizards from Taiwan. *Research square* doi: 10.21203/rs.3.rs-20111/v1, @2020 [Линк](#) **1.000**

2018

12. **Naumov, B., Lukanov, S.** Notes on age-related changes in body size and colorpattern in captive *Triturus dobrogicus* (Kiritzescu, 1903).. *Herpetozoa*, 30, 3/4, 2018, 159-168. JCR-IF (Web of Science):1.194

Цитира се в:

51. Patel N.G., Das A. 2020. Shot the spots: A reliable field method for individual identification of *Amolops formosus* (Anura, Ranidae). *Herpetozoa* 33: 7–15, @2020 [Линк](#) **1.000**

13. **Lukanov, S.**, Popgeorgiev, G., Tzankov, N. First bioacoustic and morphological data for the presence of *Pelophylax bedriagae* in Bulgaria. *Acta scientifica naturalis*, 5, 1, De Gruyter Open, 2018, 54-63

Цитира се в:

52. Bam-e-Zar F., Fathinia B., Shafaei-Pour A. 2019. Trophology of Levant Green Frog, *Pelophylax bedriagae* (Amphibia: Anura: Ranidae) in Choram Township, Kohgiluyeh & Boyer-Ahmad Province, Iran. *North-western Journal of Zoology* 2019: e191502, @2019 [Линк](#) **1.000**

2019

14. Dufresnes, C., Strachinis, I., Suriadna, N., Myktynets, G., Cogălniceanu, D., Székely, P., Vukov, T., Amtzen, J.W., Wielstra, B., Lymberakis, P., Geffen, E., Gafny, S., Kumlutaş, Y., Ilgaz, Ç., Candan, K., Mizsei, E., Szabolcs, M., Kolenda, K., Smirnov, N., Géniez, P., **Lukanov, S.**, Crochet, P.A., Dubey, S., Perrin, N., Litvinchuk, S., Denoël, M.. Phylogeography of a cryptic speciation continuum in spadefoot toads (*Pelobates*). *Molecular Ecology*, 2019, DOI:https://doi.org/10.1111/mec.15133, SJR (Scopus):3.06, JCR-IF (Web of Science):6.13

Цитира се в:

53. Jablonski D., Sadek R. 2019. The Caucasian Toad, *Bufo verrucosissimus* (Pallas, 1814) in the Levant: evidence from mitochondrial DNA. *Herpetozoa* 32: 255–258, @2019 [Линк](#) **0.077**
54. Özdemir, N., Dursun, C., Üzümlü, N., Kutrup, B., & Gül, S. (2020). Taxonomic assessment and distribution of common toads (*Bufo bufo* and *B. verrucosissimus*) in Turkey based on morphological and molecular data, *Amphibia-Reptilia*, , 1-13. doi: https://doi.org/10.1163/15685381-bja10009, @2020 [Линк](#) **0.077**
55. Sotola V.A. 2020. INFLUENCES OF HISTORICAL AND CONTEMPORARY ENVIRONMENTAL CONDITIONS ON THREATENED AND ENDEMIC AQUATIC ORGANISMS. Texas State University , USA. pp. 136, @2020 [Линк](#) **0.077**

2020

15. Concepción, E., **Aneva, I.**, Jay, M., **Lukanov, S.**, Marsden, K., Moreno, G., Oppermann, R., Pardo, A., Piskol, S., Rolo, V., Schraml, A., Díaz, M.. Optimizing biodiversity gain of European agriculture through regional targeting and adaptive management of conservation tools.. *Biological Conservation*, 241, Elsevier, 2020, DOI:https://doi.org/10.1016/j.biocon.2019.108384, SJR (Scopus):2.24, JCR-IF (Web of Science):4.66

Цитира се в:

56. Lituma C.M., Buehler D.A. 2020. Cost-share conservation practices have mixed effects on priority grassland and shrubland breeding bird occupancy in the Central Hardwoods Bird Conservation Region, USA. *Biological Conservation* 244: 108510, @2020 [Линк](#) **1.000**
57. Martínez P.F., de Castro-Pardo M., Barroso V.M., Azevedo J.C. 2020. Assessing Sustainable Rural Development Based on Ecosystem Services Vulnerability. *Land* 9(7): 222; https://doi.org/10.3390/land9070222, @2020 [Линк](#) **1.000**
58. Topchieva M. 2020. The Effect of CAP Policy Incentives for the Environmental and Economic Performance of Cereal Farms in South-Central Bulgaria. *Bulletin UASVM Agriculture* 77 (1) http://dx.doi.org/10.15835/buasvmcn-agr:2019.0025, @2020 [Линк](#) **1.000**