

Списък на цитирания в научни издания, монографии, колективни томове и патенти, реферирали и индексирани в световноизвестни бази данни с научна информация (Web of Science и Scopus)

на

Теодора Ангелова Тричкова

във връзка с участие в конкурса за академичната длъжност „Доцент“ по професионално направление 4.3. Биологични науки, научна специалност „Хидробиология“, обявен в ДВ, бр. 86 от 01.11.2019 г.

I. Цитирания на научните трудове, свързани с придобиване на образователната и научна степен „Доктор“

Trichkova T. A., Kotsev A. A., Popov A., Zivkov M. T., Kozuharov D. S., Botev I. S., Hubenov Z. K., Dimitrov S., Cheshmedjiev S. D. 2007. Assessment of zebra mussel (*Dreissena polymorpha*) infestation risk using GIS for water basins in the North-West Bulgaria. Project Report. US Army Corps of Engineers – Defense Technical Information Center, 54 pp.

1. Gallardo B., Aldridge D. C. 2013. Evaluating the combined threat of climate change and biological invasions on endangered species. *Biological Conservation*, 160: 225–233. <http://dx.doi.org/10.1016/j.biocon.2013.02.001>
2. Claudi R., Prescott T. H., Prescott K. L., Mastitsky S. E., Evans D., Taraborelli A. C. 2013. Evaluating high pH for control of dreissenid mussels. *Management of Biological Invasions*, 4 (2): 101–111. doi: <http://dx.doi.org/10.3391/mbi.2013.4.2.02>

Trichkova T., Kozuharov D., Hubenov Z., Botev I., Zivkov M., Cheshmedjiev S. 2008. Characteristics of zebra mussel (*Dreissena polymorpha*) populations in infested reservoirs, North-West Bulgaria. Journal of Natural History (London), 42 (5–8): 619–631. ISSN: 0022-2933 (print); ISSN: 1464-5262 (online); JCR IF (2008): 0.627; SJR (2008): 0.470 (Q3)

3. Rosa I. C., Pereira J. L., Costa R., Gonçalves F., Prezant R. 2012. Effects of upper-limit water temperatures on the dispersal of the Asian Clam *Corbicula fluminea*. *PLoS ONE*, 7 (10): art. No. e46635. <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0046635>
4. Minguez L., Lang A.-S., Beisel J.-N., Giambérini L. 2012. Is there a link between shell morphology and parasites of zebra mussels? *Journal of Invertebrate Pathology*, 109 (2): 229–234. <https://www.ncbi.nlm.nih.gov/pubmed/22146241>
5. Schloesser D. W., C. Schmuckal 2012. Bibliography of *Dreissena polymorpha* (Zebra Mussels) and *Dreissena rostriformis bugensis* (Quagga Mussels): 1989 to 2011. *Journal of Shellfish Research* 31(4): 1205–1263. <http://dx.doi.org/10.2983/035.031.0432>
6. Kalcheva H., Beshkova M., Kalchev R. 2017. Bacterioplankton and its relations to environmental factors and the presence of invasive mussels *Dreissena* spp. in three Bulgarian reservoirs. *Acta Zoologica Bulgarica*, Supplement 9: 161–170. <http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-161-170.pdf>

Trichkova T., Kozuharov D., Hubenov Z., Cheshmedjiev S., Botev I., Zivkov M., Popa L., Popa O. 2009. Current distribution of *Dreissena* species in the inland waters of Bulgaria. Journal of International Scientific Publications: Ecology and Safety, 3 (1): 507–516. ISSN: 1313-2563

7. Beshkova M., Kalchev R., Kalcheva H. 2014. Phytoplankton in the Zhrebchevo Reservoir (Central Bulgaria) before and after invasion of *Dreissena polymorpha* (Mollusca: Bivalvia). Acta Zoologica Bulgarica, 66 (3): 399–409.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/66-3-399-409.pdf>
8. Vidinova Y., Tyufekchieva V., Varadinova E., Stoichev S., Kenderov L., Dedov I., Uzunov Y. 2016. Taxonomic list of benthic macroinvertebrate communities of inland standing water bodies in Bulgaria. Acta Zoologica Bulgarica, 68 (2): 147–158.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2016/68-2-147-158.pdf>
9. Georgieva G. N., Radeva K. L., Uzunov Y. I. 2017. New data on bottom invertebrates of the Negovan marshes and the adjacent Lesnovska River. Acta Zoologica Bulgarica, 69 (1): 89–94.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/69-1-89-94.pdf>
10. Kalcheva H., Beshkova M., Kalchev R. 2017. Bacterioplankton and its relations to environmental factors and the presence of invasive mussels *Dreissena* spp. in three Bulgarian reservoirs. Acta Zoologica Bulgarica, Supplement 9: 161–170.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-161-170.pdf>
11. Kenderov L. A. 2017. An invader along with an invader: an unusual record of a zebra mussel *Dreissena polymorpha* (Pallas, 1771) (Bivalvia) living phoretically on a killer shrimp *Dikerogammarus villosus* (Sowinsky, 1894) (Amphipoda). Acta Zoologica Bulgarica, Supplement 9: 287–291.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-287-291.pdf>

II. Цитирания на научните трудове във връзка с конкурса

- Živkov M. T., Trichkova T. A., Raikova-Petrova G. N. 1999. Biological reasons for the unsuitability of growth parameters and indices for comparing fish growth. Environmental Biology of Fishes, 54 (1): 67–76. ISSN: 0378-1909; JCR IF (1999): 0.796; SJR (1999): 0.755 (Q2)**
12. Landa J., Pereda P., Duarte R., Azevedo M. 2001. Growth of anglerfish (*Lophius piscatorius* and *L.budegassa*) in Atlantic Iberian waters. *Fisheries Research*, 51 (2–3): 363–376. <http://www.sciencedirect.com/science/article/pii/S0165783601002600>
13. Oliveira J. M., Ferreira A. P., Ferreira M. T. 2002. Intrabasin variations in age and growth of *Barbus bocagei* populations. *Journal of Applied Ichthyology*, 18 (3): 134–139. <https://onlinelibrary.wiley.com/doi/abs/10.1046/j.1439-0426.2002.00333.x>
14. Yalcin S., Solak K., Akyurt I. 2002. Growth of the catfish *Clarias gariepinus* (Clariidae) in the River Asi (Orontes), Turkey. *Cybium*, 26 (3): 163–172. <http://sfi-cybum.fr/en/node/1472>
15. Ali M., Nicieza A., Wootton R. J. 2003. Compensatory growth in fishes: a response to growth depression. *Fish and Fisheries*, 4: 147–190. <https://onlinelibrary.wiley.com/doi/10.1046/j.1467-2979.2003.00120.x>
16. Gangl R. S., Pereira D. L. 2003. Biological performance indicators for evaluating exploitation of Minnesota's large-lake Walleye fisheries. *North American Journal of Fisheries Management*, 23 (4): 1303–1311. <https://www.tandfonline.com/doi/abs/10.1577/M01-229AM>
17. Lorance P., Garren F., Vigneau J. 2003. Age estimation of roundnose grenadier (*Coryphaenoides rupestris*), effects of uncertainties on ages. *Journal of Northwest Atlantic Fishery Science* (31): 387–399. <http://archive.nafo.int/open/sc/2001/scr01-123.pdf>
18. Treer T., Varga B., Safner R., Anicic I., Piria M., Odak T. 2003. Growth of the common carp (*Cyprinus carpio*) introduced into the Mediterranean Vransko Lake. *Journal of Applied Ichthyology*, 19 (6): 383–386. http://www.academia.edu/download/36469363/jai475_growth_common_carp_Vransko.pdf
19. Treer T., Aničić I., Safner R., Odak T., Piria M. 2003. Note on the growth of endemic soft-muzzled trout *Salmo thymus obtusirostris* translocated into a Dalmatian river. *Biologia (Bratislava)*, 58 (5): 999–1001. <https://www.semanticscholar.org/paper/Note-on-the-growth-of-endemic-soft-muzzled-trout-a-Treer-Ani%C4%8D%C4%87/b4d4886d8836b7a9f0562a5a795d873d78470203>
20. Treer T., Opacak A., Anicic I., Safner R., Piria M., Odak T. 2003. Growth of bream, *Abramis brama*, in the Croatian section of the Danube. *Czech Journal of Animal Science*, 48 (6): 251–256. <http://www.academia.edu/download/33474978/5-Treer.pdf>
21. Przybylski M., Boron A., Kruk A. 2004. Growth of barbel, *Barbus barbus* (L.), in the upper Warta River, Odra River system. *Ecohydrology and Hydrobiology*, 4 (2): 183–190. https://www.academia.edu/16255727/Growth_of_barbel_Barbus_barbus_L._in_the_upper_Warta_River_Odra_River_system
22. Copp G., Fox M., Przybylski M., Godinho F., Vila-Gispert A. 2004. Life-time growth patterns of pumpkinseed *Lepomis gibbosus* introduced to Europe, relative to native North American populations. *Folia Zoologica*, 53 (3): 237–254.

<http://dugi-doc.udg.edu:8080/bitstream/handle/10256/9378/Life-time-growth.pdf?sequence=1>

23. He J. X., Rudstam L. G., Forney J. L., Van De Valk A. J., Stewart D. J. 2005. Long-term patterns in growth of Oneida Lake walleye: A multivariate and stage-explicit approach for applying the Von Bertalanffy growth function. *Journal of Fish Biology*, 66 (5): 1459–1470.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.0022-1112.2005.00696.x>
24. Treer T., Piria M., Anjcic I., Safner R., Tomljanovic T. 2006. Diet and growth of spirlin, *Alburnoides bipunctatus* in the barbel zone of the Sava River. *Folia Zoologica*, 55: 97–106.
https://www.academia.edu/10423796/Diet_and_growth_of_spirlin_Alburnoides_bipunctatus_in_the_barbel_zone_of_the_Sava_River
25. Britton J. R. 2007. Reference data for evaluating the growth of common riverine fishes in the UK. *Journal of Applied Ichthyology*, 23 (5): 555–560.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0426.2007.00845.x/full>
26. Abaunza P., Gordo, L. S., Santamaría M. T. G., Iversen S. A., Murta A. G., Gallo E. 2008. Life history parameters as basis for the initial recognition of stock management units in horse mackerel (*Trachurus trachurus*). *Fisheries Research*, 89 (2): 167–180.
<http://www.sciencedirect.com/science/article/pii/S0165783607002445>
27. Britton J. R., Davies G. D., Brazier M. 2008. Contrasting life history traits of invasive topmouth gudgeon (*Pseudorasbora parva*) in adjacent ponds in England. *Journal of Applied Ichthyology*, 24 (6): 694–698.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1439-0426.2008.01163.x>
28. Pedicillo G., Bicchi A., Angeli V., Carosi A., Viali P., Lorenzoni M. 2008. Growth of black bullhead *Ameiurus melas* (Rafinesque, 1820) in Corbara Reservoir (Umbria – Italy). *Knowledge and Management of Aquatic Ecosystems*, 389: 05p1–05p15.
<http://www.kmae-journal.org/articles/kmae/pdf/2008/02/kmae08021.pdf>
29. Raykov V., Schlyakhov V., Maximov V., Radu G., Staicu I., Panayotova M., Yankova M., Bikarska I. 2008. Limit and target reference points for rational exploitation of the turbot (*Psetta maxima* L.) and whiting (*Merlangius merlangus euxinus* Nordm.) in the western part of the Black Sea. *Acta Zoologica Bulgarica*, Supplement 2: 305–315.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2008/supplement-2-305-316.pdf>
30. García Vásquez A., Alonso J.-C., Carvajal F., Moreau J., Nuñez J., Renno J.-F., Tello S., Montreuil V., Duponchelle F. 2009. Life-history characteristics of the large Amazonian migratory catfish *Brachyplatystoma rousseauxii* in the Iquitos region, Peru. *Journal of Fish Biology*, 75 (10): 2527–2551.
<https://www.ncbi.nlm.nih.gov/pubmed/20738506>
31. Tedesco P. A., Sagnes P., Laroche J. 2009. Variability in the growth rate of chub *Leuciscus cephalus* along a longitudinal river gradient. *Journal of Fish Biology*, 74 (1): 312–319.
http://horizon.documentation.ird.fr/exl-doc/pleins_textes/divers11-08/010048924.pdf
32. Ivanković P., Treer T., Piria M., Knezović Z. 2010. Diet and growth of the endemic Neretva chub, *Squalius svallize* from the Neretva river area, Bosnia and Herzegovina. *Folia Zoologica*, 59 (1): 51–56.
http://bib.irb.hr/datoteka/456157.7_Ivankovic_ms_1445_sazba.pdf
33. Pedicillo G., Carosi A., Ghetti L., Lorenzoni M. 2010. Population size structure indices and growth standards for *Salmo (trutta) trutta* Linnaeus, 1758 in Central Italy. *Knowledge and Management of Aquatic Ecosystems*, 339 (02): 15.
<http://www.kmae-journal.org/articles/kmae/pdf/2010/04/kmae100016.pdf>

34. Plachá M., Balázová M., Kovác V., Katina S. 2010. Age and growth of non-native monkey goby *Neogobius fluviatilis* (Teleostei, Gobiidae) in the River Ipel', Slovakia. *Folia Zoologica*, 59 (4): 332–340
<https://bioone.org/journals/folia-zoologica/volume-59/issue-4/fozo.v59.i4.a10.2010/Age-and-growth-of-non-native-monkey-goby-Neogobius-fluviatilis/10.25225/fozo.v59.i4.a10.2010.short>
35. Yankova M. H., Raykov V. S., Gerdzhikov D. B., Frateva P. B. 2010. Growth and length-weight relationships of the horse mackerel, *Trachurus mediterraneus ponticus* (Aleev, 1956), off the Bulgarian Black Sea coast. *Turkish Journal of Zoology*, 34 (1): 85–92.
<http://journals.tubitak.gov.tr/zoology/issues/zoo-10-34-1/zoo-34-1-9-0811-10.pdf>
36. Žiliukiene V., Žiliukas V. 2010. Growth of pike *Esox lucius* L. in Lake Rubikiai (Lithuania). *Journal of Applied Ichthyology*, 26 (6): 898–903.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0426.2010.01517.x/full>
37. Duponchelle F., Ruiz Arce A., Waty A., Panfili J., Renno J.-F., Farfan F., Garcia-Vasquez A., Nuñez J. 2012. Contrasted hydrological systems of the Peruvian Amazon induce differences in growth patterns of the silver arowana, *Osteoglossum bicirrhosum*. *Aquatic Living Resources*, 25 (1): 55–66.
<http://www.alr-journal.org/articles/alr/pdf/2012/01/alr120005.pdf>
38. Ragonese S., Vitale S., Mazzola S., Pagliarino E., Bianchini M. L. 2012. Behavior of some growth performance indexes for exploited Mediterranean hake. *Acta Adriatica*, 53 (1): 105–122.
<https://www.semanticscholar.org/paper/Behavior-of-some-growth-performance-indexes-for-Ragonese-Vitale/d47224c7399f52c29d6a0a1d418944712f7a7ae4>
39. Córdoba E. A., León A. V. J., Bonilla-Castillo C. A., Petrere Junior M., Peláez M., Duponchelle F. 2013. Breeding, growth and exploitation of *Brachyplatystoma rousseauxii* Castelnau, 1855 in the Caqueta River, Colombia. *Neotropical Ichthyology*, 11 (3): 637–647.
http://www.scielo.br/scielo.php?pid=S1679-62252013000300637&script=sci_arttext
40. Landa J., Barrado J., Velasco F. 2013. Age and growth of anglerfish (*Lophius piscatorius*) on the Porcupine Bank (west of Ireland) based on illicia age estimation. *Fisheries Research*, 137: 30–40. DOI: 10.1016/j.fishres.2012.07.026
<http://www.sciencedirect.com/science/article/pii/S0165783612002639>
41. Pedicillo G., Lorenzoni M., Carosi A., Ghetti L. 2013. Application of stock density indices as a tool for broad-scale population assessment for four cyprinid species in Central Italy. *North American Journal of Fisheries Management*, 33 (1): 153–162, DOI: 10.1080/02755947.2012.747453
<http://www.tandfonline.com/doi/abs/10.1080/02755947.2012.747453>
42. Vicentin W., dos Santos Costa F. E., Súarez Y. R. 2013. Population ecology of Red-bellied Piranha *Pygocentrus nattereri* Kner, 1858 (Characidae: Serrasalminae) in the Negro River, Pantanal, Brazil. *Environmental Biology of Fishes*, 96 (1): 57–66. DOI: 10.1007/s10641-012-0022-5
<https://link.springer.com/article/10.1007/s10641-012-0022-5>
43. Vilizzi L., Copp G. H., Britton J. R. 2013. Age and growth of European barbel *Barbus barbus* (Cyprinidae) in the small, mesotrophic River Lee and relative to other populations in England. *Knowledge and Management of Aquatic Ecosystems* (409) Article Number: 09. DOI: 10.1051/kmae/2013054
<http://www.kmae-journal.org/articles/kmae/pdf/2013/02/kmae1200100.pdf>
44. Volta P., Jeppesen E., Leoni B., Campi B., Sala P., Garibaldi L., Lauridsen T. L., Winfield I. J. 2013. Recent invasion by a non-native cyprinid (common bream *Abramis brama*)

is followed by major changes in the ecological quality of a shallow lake in southern Europe. Biological Invasions, 15 (9): 2065–2079.

<http://nora.nerc.ac.uk/15239/1/N015239PP.pdf>

45. Busst G. M., Britton J. R. 2014. Precision of the age-length increments of three cyprinids: Effects of fish number and sub-sampling strategy. Journal of Fish Biology, 84 (6): 1926–1939. <https://www.ncbi.nlm.nih.gov/pubmed/24890409>
46. Meyer Ottesen C. A., Hop H., Falk-Petersen S., Christiansen J. S. 2014. Growth of daubed shanny (Teleostei: *Leptoclinus maculatus*) in Svalbard waters. Polar Biology, 37 (6): 809–815.
http://www.academia.edu/download/34568728/Growth_of_daubed_shanny_in_Svalbard_waters_FULL_OFFICIAL_FILE.pdf
47. Zhu F.-Y., Ye S.-W., Li Z.-J., Zhang T.-L., Yuan J., Guo Z.-Q., Tang J.-F., Liu J.-S. 2014. Growth and reproduction of the non-native icefish *Neosalanx taihuensis* Chen, 1956 (Salangidae) in a plateau lake, southwestern China. Journal of Applied Ichthyology, 30 (5): 862–869.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jai.12475>
48. Domagała J., Kirczuk L., Pilecka-Rapacz M. 2015. Annual development cycle of gonads of bream (*Abramis brama* L. 1758) females from the lower Oder River sections influenced differently by the heated effluents from a power station. Journal of Applied Ichthyology, 31 (S1): 41–48.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jai.12723>
49. Landa J., Rodriguez-Marin E., Luque P. L., Ruiz M., Quelle P. 2015. Growth of bluefin tuna (*Thunnus thynnus*) in the North-eastern Atlantic and Mediterranean based on back-calculation of dorsal fin spine annuli. Fisheries Research, 170: 190–198.
<https://onlinelibrary.wiley.com/doi/10.1111/j.1439-0426.2009.01191.x>
50. Vilizzi L., Ekmekçi F. G., Tarkan A. S., Jackson Z. J. 2015. Growth of common carp *Cyprinus carpio* in Anatolia (Turkey), with a comparison to native and invasive areas worldwide. Ecology of Freshwater Fish, 24 (2): 165–180.
<https://onlinelibrary.wiley.com/doi/10.1111/eff.12141>
51. Zaidman P. C., Morsan E. 2015. Growth variability in a metapopulation: The case of the southern geoduck (*Panopea abbreviata*). Fisheries Research, 172: 423–431.
<https://www.sciencedirect.com/science/article/abs/pii/S0165783615300576>
52. Moslemi-Aqdam M., Namin J. I., Sattari M., Lappalainen J., Olin M. 2017. Demographic variables and stock status of pike, *Esox lucius*, in the commercial fishery in the Anzali Wetland (SW Caspian Sea) near the southern limits of its distribution range. Aquatic Living Resources, 30: Article Number 3: 1–15. <https://doi.org/10.1051/alar/2017002>
53. Nyeste K., Kati S., Nagy S. A., Antal L. 2017. Growth features of the Amur sleeper, *Percottus glenii* (Actinopterygii: Perciformes: Odontobutidae), in the invaded Carpathian Basin, Hungary. Acta Ichthyologica et Piscatoria, 47 (1): 33–40. DOI: 10.3750/AIEP/01977. http://real.mtak.hu/54156/1/04_1977_F1.pdf
54. Vilizzi L., Copp G. H. 2017. Global patterns and clines in the growth of common carp *Cyprinus carpio*. Journal of Fish Biology, 91: 3–40. DOI: 10.1111/jfb.13346.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jfb.13346>
55. Nolan E. T., Britton R. 2019. Spatial variability in the somatic growth of pikeperch *Sander lucioperca*, an invasive piscivorous fish. Ecology of Freshwater Fish, 28 (2): 330–340. <https://doi.org/10.1111/eff.12456>

Karapetkova M. S., Dikov T., Živkov M. T., Trichkova T. A. 2003. Changes in the ichthyofauna of the Veleka River (the Black Sea Basin, Bulgaria). Scientific Publications 2, Ecology, Book 1: 235–243. ISSN: 0861-9861

56. Raikova-Petrova G., Velkova S., Hamwi N. 2013. Sex structure and fecundity of pontic shad (*Alosa immaculata* Bennet, 1835) in the Bulgarian Sector of Danube. Bulgarian Journal of Agricultural Science, 19 (Supplement 1): 88–93.
<http://www.agrojournal.org/19/01-15s.pdf>

Živkov M., Dikov T., Trichkova T. 2003. Age, growth and mortality of dominant fish species in the River Veleka, Bulgaria. Acta Universitatis Carolinae Environmentalica (Prague), 17: 49–57.

57. Hamwi N., Raikova-Petrova G., Petrov I. 2005. Age and size composition of chub (*Leuciscus cephalus* L.) in the Middle stream of the Iskar River, Bulgaria. Acta Zoologica Bulgarica, 57 (3): 363–370.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2005/57-3-363-370.pdf>
58. Hamwi N., Raikova-Petrova G., Petrov I. 2007. Growth rate, condition and mortality of chub, *Leuciscus cephalus*, from the middle stream of the Iskar River (Bulgaria) and a comparison with populations from another water bodies. Acta Zoologica Bulgarica, 59 (3): 325–335.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2007/59-3-325-336.pdf>
59. Stefanova E., Uzunova E., Hubenova T., Vasileva P., Terziyski D., Iliev I. 2008. Age and growth of the chub, *Leuciscus cephalus* L. from the Maritsa River (South Bulgaria). Bulgarian Journal of Agricultural Science, 14 (2): 214–220.
<http://www.agrojournal.org/14/02-17-08.pdf>
60. Rozdina D. A., Raikova-Petrova G. N. 2014. Growth rate of *Barbus cyclolepis* (Cyprinidae) in the middle stream of the Maritsa River, Bulgaria. Acta Zoologica Bulgarica, 66 (2): 265–270.
<http://acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/66-2-265-270.pdf>

Živkov M., Belomacheva T., Trichkova T. 2003. Growth rate and condition of rudd (*Scardinius erythrophthalmus* L.) in two Bulgarian reservoirs as compared to other European water bodies. Acta Zoologica Bulgarica, 55 (1): 93–105. ISSN: 0324-0770

61. Tarkan A. S., Lappalainen J., Nurminen L., Horppila J. 2010. Life history strategies of fish: patterns in growth and lifespan of rudd *Scardinius erythrophthalmus* (L.) in Europe. Polish Journal of Ecology, 58 (1): 191–196.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/66-2-247-254.pdf>

Trichkova T. A., Živkov M. T., Karapetkova M. S. 2004. Species composition and conservation status of the ichthyofauna in the West Balkan Mountains. In: Ribalskiy N., Nenov V. (Eds.) **Ecology 2004, Scientific Articles, Book 2: 46–52.** ISBN 954-9368-04-1

- 62.** Uzunova E., Futekova A., Milanova I., Rashkova L. 2012. Effect of river fragmentation on the abundance and size structure of *Barbus petenyi* (Actinopterygii: Cypriniformes: Cyprinidae), the River Iskar, Bulgaria. *Acta Zoologica Bulgarica* (Supplement 4): 201–210.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2012/supplement-4-205-214.pdf>

Živkov M., Prodanov K., Trichkova T., Raikova-Petrova G., Ivanova P. 2005. Fishes in Bulgaria – research priorities, conservation and sustainable use. Pp.: 247-282. In: Petrova A., Dimitrova D., Vladimirov V. (Eds.) **Current State of Bulgarian Biodiversity – Problems and Perspectives, Bulgarian Biodiversity Platform, Ministry of Environment and Water, Sofia, Drakon Publishing House, 565 pp.** (In Bulgarian, English summary) ISBN: 954-9746-12-7

- 63.** Vasil'eva E., Vasil'ev V. 2006. *Cobitis pontica* sp. nova – a new spined loach species (Cobitidae) from the Bulgarian waters. *Journal of Ichthyology*, 46, Supplement 1: 15–20. <https://link.springer.com/article/10.1134/S003294520610002X>
- 64.** Stefanov T., Holcik J. 2007. The lampreys of Bulgaria. *Folia zoologica*, 56 (2): 213–224. https://www.ivb.cz/wp-content/uploads/56_213-224.pdf
- 65.** Uzunova E., Zlatanova S. 2007. A review of the fish introductions in Bulgarian freshwaters. *Acta Ichthyologica et Piscatoria*, 37 (1): 55–61.
<http://yadda.icm.edu.pl/yadda/element/bwmeta1.element.agro-article-6b2df8cf-4a15-4a3e-be7e-c514857ae6ac>
- 66.** Holcik J., Stefanov T. 2008. Taxonomic status of salmonids in the Bulgarian stretch of the Danube River and their bionomic strategy. *Journal of Applied Ichthyology*, 24 (5): 605–609. <https://doi.org/10.1111/j.1439-0426.2008.01082.x>
- 67.** Tserkova F., Boyadzhieva-Doychinova D., Gevezova M., Petrova-Klisarova D., Denev I. 2013. Molecular taxonomic study of horse mackerel (*Trachurus mediterraneus*) using ITS1 variability. *Bulgarian Journal of Agricultural Science*, 19 (Supplement 1): 55–61. http://www.academia.edu/download/32102070/CARANGIDAE_01-11s.pdf
- 68.** Stefanov T., Kutsarov Y. 2018. First record of Brauner's tadpole-goby *Benthophiloides brauneri* Beling & Iljin, 1927 (Actinopterygii: Gobiidae) in the Bulgarian stretch of the Danube River. *Acta Zoologica Bulgarica*, 70 (4): 599–602.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2018/70-4-599-602.pdf>

Ondračková M., Trichkova T., Jurajda P. 2006. Present and historical occurrence of metazoan parasites in *Neogobius kessleri* (Pisces: Gobiidae) in the Bulgarian section of the Danube River. *Acta Zoologica Bulgarica*, 58 (3): 401–408. ISSN: 0324-0770

- 69.** Mineeva O. V. 2016. Infestation of fish with the alien parasite *Nicolla skrjabini* (Iwanitzky, 1928) (Trematoda, Opecoelidae) in the Saratov Reservoir. *Russian Journal of Biological Invasions*, 7 (3): 268–274.
<http://link.springer.com/article/10.1134/S2075111716030073>

- 70.** Hohenadler M. A. A., Nachev M., Thielen F., Taraschewski H., Grabner D., Sures B. 2018. *Pomphorhynchus laevis*: An invasive species in the river Rhine? *Biological Invasions*, 20 (1): 207–217.
<https://link.springer.com/article/10.1007/s10530-017-1527-9>
- Stefanov T., Trichkova T. 2006. The ichthyofauna of the Western Rhodopes (Bulgaria). Pp.: 843-861. In: Beron P. (Ed.) Biodiversity of Bulgaria, Vol. 3. Biodiversity of Western Rhodopes (Bulgaria and Greece), Part I. Pensoft Publishers and National Museum of Natural History, Sofia, 974 pp. P-ISBN: 9546422797; P-ISSN: 1312-0174**
- 71.** Kolev V. 2013. Species composition of the ichthyofauna of some tributaries of the Maritsa River. *Forestry Ideas*, 19, No. 2 (46): 129–139.
http://forestry-ideas.info/issues/issues_Index.php?journalFilter=49
- 72.** Koutrakis E. T., Sapounidis A., Apostolou A., Vasilev M., Pehlivanov L., Leontrakis P., Tsekov A., Sylaios G., Economidis P. S. 2013. An integrated ichthyofaunal survey in a heavily-modified, cross-border watershed. *Journal of Biological Research-Thessaloniki*, 20: 326–338.
https://www.academia.edu/10083919/An_integrated_ichthyofaunal_survey_in_a_heavily-modified_cross-border_watershed
- Trichkova T. A., Stefanov T. R., Mihov S. D., Vassilev M. V., Živkov M. T. 2006. Species composition and conservation status of the ichthyofauna in the South Black Sea rivers of Bulgaria. In: Ribalskiy N., Nenov V., Pencheva E., Zherelina I., Konecny M. (Eds.) Ecology 2006, Scientific Articles, Part 1: 327–338. (In Bulgarian, English summary) ISBN: 954-9368-16-5**
- 73.** Raikova-Petrova G., Velkova S., Hamwi N. 2013. Sex structure and fecundity of pontic shad (*Alosa immaculata* Bennet, 1835) in the Bulgarian Sector of Danube. *Bulgarian Journal of Agricultural Science*, 19 (Supplement 1): 88–93.
<http://www.agrojournal.org/19/01-15s.pdf>
- Živkov M. T., Trichkova T. A. 2006. Biology of European minnow (*Phoxinus phoxinus*, Pisces: Cyprinidae) in high mountain lakes, the Rila Mountains, Bulgaria. *Acta Zoologica Bulgarica*, 58 (3): 371–386. ISSN: 0324-0770**
- 74.** Svirgsden R., Rohtla M., Albert A., Taal I., Saks L., Verliin A., Vetemaa M. 2018. Do Eurasian minnows (*Phoxinus phoxinus* L.) inhabiting brackish water enter fresh water to reproduce: Evidence from a study on otolith microchemistry. *Ecology of Freshwater Fish*, 27 (1): 89–97. doi:10.1111/eff.12326
<http://onlinelibrary.wiley.com/doi/10.1111/eff.12326/full>
- Vassilev M., Trichkova T. 2007. *Salmo labrax* Pallas, 1811 (Pisces: Salmonidae) – a new record for the Bulgarian sector of the Danube River. *Acta Zoologica Bulgarica*, 59 (1): 97–99. ISSN: 0324-0770**
- 75.** Aksungur M., Zengin M., Tabak İ., Aksungur N., Alkan A. 2011. Migration characteristics of the Black Sea Trout (*Salmo trutta labrax*, Pallas, 1814) in the Eastern Black Sea coasts and streams. *Turkish Journal of Fisheries and Aquatic Sciences* 11: 623–630. DOI: 10.4194/1303-2712-v11_4_17

http://www.trjfas.org/uploads/pdf_697.pdf

Polačik M., Janáč M., Jurajda P., Vassilev M., Trichkova T. 2008. The sampling efficiency of electrofishing for *Neogobius* species in a riprap habitat: a field experiment. *Journal of Applied Ichthyology*, 24 (5): 601–604. ISSN: 0175-8659; JCR IF (2008): 0.638; SJR (2008): 0.547 (Q2)

76. Hense Z., Martin R. W., Petty J. T. 2010. Electrofishing capture efficiencies for common stream fish species to support watershed-scale studies in the central Appalachians. *North American Journal of Fisheries Management*, 30 (4): 1041–1050.
<https://doi.org/10.1577/M09-029.1>

77. Brandner J., Pander J., Mueller M., Cerwenka A. F., Geist J. 2013. Effects of sampling techniques on population assessment of invasive round goby *Neogobius melanostomus*. *Journal of Fish Biology*, 82 (6): 2063–2079.
<https://doi.org/10.1111/jfb.12137>

78. Jakovlić I., Piria M., Šprem N., Tomljanović T., Matulić D., Treer T. 2015. Distribution, abundance and condition of invasive Ponto-Caspian gobies *Ponticola kessleri* (Günther, 1861), *Neogobius fluviatilis* (Pallas, 1814), and *Neogobius melanostomus* (Pallas, 1814) in the Sava River basin, Croatia. *Journal of Applied Ichthyology*, 31 (5): 888–894. <https://doi.org/10.1111/jai.12803>

79. Hain E. F., Lamphere B. A., Blum M. J., McIntyre P. B., Nelson S. A. C., Gilliam J. F. 2016. Comparison of visual survey and mark–recapture population estimates of a benthic fish in Hawaii. *Transactions of the American Fisheries Society*, 145 (4): 878–887. <https://doi.org/10.1080/00028487.2016.1159610>

80. Piria M., Jakšić G., Jakovlić I., Treer T. 2016. Dietary habits of invasive Ponto-Caspian gobies in the Croatian part of the Danube River basin and their potential impact on benthic fish communities. *Science of the Total Environment*, 540: 386–395.
<https://doi.org/10.1016/j.scitotenv.2015.05.125>

81. Simonović P., Piria M., Zuliani T., Ilić M., Marinković N., Kračun-Kolarević M., Paunović M. 2017. Characterization of sections of the Sava River based on fish community structure. *Science of the Total Environment*, 574 (1): 264–271.
<https://doi.org/10.1016/j.scitotenv.2016.09.072>

Polačik M., Janáč M., Trichkova T., Vassilev M., Keckeis H., Jurajda P. 2008. The distribution and abundance of the *Neogobius* fishes in their native range (Bulgaria) with notes on the non-native range in the Danube River. *Fundamental and Applied Limnology/ Archiv für Hydrobiologie*, 166 (1–2); *Large Rivers* 18 (1–2): 193–208. ISSN: 1863-9135; DOI: 10.1127/lr/18/2008/193

82. Piria M., Šprem N., Jakovlić I., Tomljanović T., Matulić D., Treer T., Aničić I., Safner R., 2011. First record of round goby, *Neogobius melanostomus* (Pallas, 1814) in the Sava River, Croatia. *Aquatic Invasions*, 6, Supplement 1: S153–S157. DOI: 10.3391/ai.2011.6.S1.034.

http://aquaticinvasions.net/2011/Supplement/AI_2011_6_S1_Piria_et.al.pdf

83. Zogaris S., Apostolou A. 2011. First record of Pontian Monkey Goby, *Neogobius fluviatilis* (Pallas, 1814) in the Evros River (Greece); Is it an alien species? *Mediterranean Marine Science*, 12 (2): 454–461. <http://dx.doi.org/10.12681/mms.47>

84. Kaminski R., Korwin-Kossakowski M., Wolnicki J. 2012. Effects of photothermal manipulation on the artificial reproduction of barbel, *Barbus brbus* (Actinopterygii: Cypriniformes: Cyprinidae): a pilot study. *Acta Ichthyologica et Piscatoria*, 42 (4):

329–333.

http://search.ebscohost.com/login.aspx?direct=true&profile=ehost&scope=site&authy_pe=crawler&jrnl=01371592&AN=85361768&h=SjhRZ%2BrgKGWv73H1IRrxMiT0WAyfw0Ih9r12BGzZ18PTDVo0JvZ6alN7IleQun76%2BZAgCNWHv9z2WocESc59uw%3D%3D&crl=c

85. Brandner J., Cerwenka A. F., Schliewen U. K., Geist J. 2013. Bigger is better: Characteristics of Round Gobies forming an invasion front in the Danube River. PLoS ONE, 8 (9), Article Number: e73036, DOI: 10.1371/journal.pone.0073036
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0073036>
86. Nowak M., Klaczak A., Szczerbik P., Mendelm J., Popek W. 2013. Rapid range expansion of the “whitefin” gudgeon *Romanogobio* cf. *belingi* (Teleostei: Cyprinidae) in a lowland tributary of the Vistula River (Southeastern Poland). Annales de Limnologie – International Journal of Limnology, 49 (4): 319–326.
<http://www.limnology-journal.org/articles/limn/pdf/2013/04/limn130027.pdf>
87. Delić A., Šanda R., Bučar M., Mihoci I., Vilenica M., Vukić J., Suval L., Kučinić M. 2014. New data on distribution of the monkey goby, *Neogobius fluviatilis* (Pallas, 1814) in Bosnia and Herzegovina and Croatia with notes on ecology and associated fish fauna. Natura Croatica, 23 (2): 297–302. <http://hrcak.srce.hr/file/193471>
88. Loisl F., Singer G., Keckeis H. 2014. Method-integrated fish assemblage structure at two spatial scales along a free-flowing stretch of the Austrian Danube. Hydrobiologia, 729 (1): 77–94. <http://link.springer.com/article/10.1007/s10750-013-1588-4>
89. Pavlova M., Rabadjiev Y. 2014. Effect of some environmental parameters on the composition of fish communities in the riparian zone of the Bulgarian Danube River section. Acta Zoologica Bulgarica, Supplement 7: 185–190.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/supplement-7-185-190.pdf>
90. Jakovlić I., Piria M., Šprem N., Tomljanović T., Matulić D., Treer T. 2015. Distribution, abundance and condition of invasive Ponto-Caspian gobies *Ponticola kessleri* (Günther, 1861), *Neogobius fluviatilis* (Pallas, 1814), and *Neogobius melanostomus* (Pallas, 1814) in the Sava River basin, Croatia. Journal of Applied Ichthyology, 31 (5): 888–894.
http://www.academia.edu/download/37890216/Jakovlic_et_al_2015_distribution_and_abundance_P-C_gobies_JAI_early_view.pdf
91. Błońska D., Kobak J., Kakareko T., Grabowska J. 2016. Can the presence of alien Ponto–Caspian gobies affect shelter use by the native European bullhead? Aquatic Ecology, 50 (4): 653–665. <http://link.springer.com/article/10.1007/s10452-016-9584-1>
92. Grabowski M., Hupało K., Bylak A., Kukuła K., Grabowska J. 2016. Double origin of the racer goby (*Babka gymnotrachelus*) in Poland revealed with mitochondrial marker. Possible implications for the species alien/native status. Journal of Limnology, 75 (1): 101–108. <https://jlimnol.it/index.php/jlimnol/article/view/jlimnol.2015.1253/776>
93. Piria M., Jakšić G., Jakovlić I., Treer T. 2016. Dietary habits of invasive Ponto-Caspian gobies in the Croatian part of the Danube River basin and their potential impact on benthic fish communities. Science of the Total Environment 540: 386–395.
http://bib.irb.hr/datoteka/801954.Piria_et_al_2015_STOTEN_Dietary_habits_invasive_PCgobies_386-395.pdf
94. Kvach Y., Kutsokon Y. 2017. The non-indigenous fishes in the fauna of Ukraine: a potentia ad actum. BioInvasions Records, 6 (3): 269–279.
http://www.reabic.net/journals/bir/2017/3/BIR_2017_Kvach_Kutsokon.pdf
95. Piria M., Simonović P., Kalogianni E., Vardakas L., Koutsikos N., Zanella D., Ristovska M., Apostolou A., Adrović A., Mrdak D., Tarkan A. S., Milošević D., Zanella L. N,

Bakiu R., Ekmekçi F. G., Povž M., Korro K., Nikolić V., Škrijelj R., Kostov V., Gregori A., Joy M. K. 2018. Alien freshwater fish species in the Balkans—Vectors and pathways of introduction. *Fish and Fisheries*, 9 (1): 138–169.
<http://onlinelibrary.wiley.com/doi/10.1111/faf.12242/full>

Polačik M., Trichkova T., Janáč M., Vassilev M., Jurajda P. 2008. The ichthyofauna of the shoreline zone in the longitudinal profile of the Danube River, Bulgaria. *Acta Zoologica Bulgarica*, 60 (1): 77–88. ISSN: 0324-0770

96. Verreycken H., Breine J. J., Snoeks J., Belpaire C. 2011. First record of the round goby, *Neogobius melanostomus* (Actinopterygii: Perciformes: Gobiidae) in Belgium. *Acta Ichthyologica et Piscatoria*, 41 (2): 137–140. dx.doi.org/10.3750/AIP2011.41.2.11
97. Kaminski R., Korwin-Kossakowski M., Wolnicki J. 2012. Effects of photothermal manipulation on the artificial reproduction of barbel, *Barbus barbus* (Actinopterygii: Cypriniformes: Cyprinidae): a pilot study. *Acta Ichthyologica et Piscatoria*, 42 (4): 329–333.
http://search.ebscohost.com/login.aspx?direct=true&profile=ehost&scope=site&authy_pe=crawler&jrnl=01371592&AN=85361768&h=SjhRZ%2BrgKGWv73H1IRrxMiT0WAfvw0Ih9r12BGzZ18PTDVo0JvZ6alN7IleQun76%2BZAgCNWHv9z2WocESc59uw%3D%3D&crl=c
98. Zarev V. Y. 2012. Some life-history traits of *Gambusia holbrooki* (Pisces: Poeciliidae) from Bulgaria. *Acta Zoologica Bulgarica*, 64 (3): 263–272.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2012/64-3-263-272.pdf>
99. Pavlova M., Rabadjiev Y. 2014. Effect of some environmental parameters on the composition of fish communities in the riparian zone of the Bulgarian Danube River section. *Acta Zoologica Bulgarica*, Supplement 7: 185–190.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/supplement-7-185-190.pdf>
100. Kováč V. 2015 Current status of fish communities in the Danube. *Handbook of Environmental Chemistry*, 39: 359–388.
http://link.springer.com/chapter/10.1007/698_2015_377
101. Jarić I., Jaćimović M., Cvijanović G., Knežević-Jarić J., Lenhardt M. 2015. Demographic flexibility influences colonization success: profiling invasive fish species in the Danube River by the use of population models. *Biological Invasions* 17 (1): 219–229 <http://link.springer.com/article/10.1007/s10530-014-0721-2>
102. Reshetnikov A. N., Karyagina A. S. 2015. Further evidence of naturalisation of the invasive fish *Percottus glenii* Dybowski, 1877 (Perciformes: Odontobutidae) in Germany and necessity of urgent management response. *Acta Zoologica Bulgarica*, 67 (4): 553–556. <http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2015/67-4-553-556.pdf>
103. Jakšić G., Jadan M., Piria M. 2016. The review of ecological and genetic research of Ponto-Caspian gobies (Pisces, Gobiidae) in Europe. *Croatian Journal of Fisheries*, 74, (3): 110–123. <https://content.sciendo.com/view/journals/cjf/74/3/article-p110.xml>
104. Lenhardt M. B., Pekarik L., Skorić S. B., Smederevac-Lalić M. M., Hegediš A. E., Jaćimović M. L., Djikanović V. D. 2017. Influence of the twilight period and different sampling methods on catch of gobiids (Gobiidae) at four locations in the inshore parts of the Danube River. *Acta Zoologica Bulgarica*, Supplement 9: 225–229.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-225-229.pdf>

- 105.** Năstase A., Oțel V., Năvodaru I. 2017. Ecological status of fish fauna in arms of the Danube Delta (Danube Delta Biosphere Reserve, Romania) at the beginning of the third millennium. *Acta Zoologica Bulgarica*, 69 (3): 349–360.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/69-3-349-360.pdf>
- 106.** Chunchukova M., Kirin D., Kuzmanova D. 2018. Gastrointestinal helminth fauna and helminth communities of bleak (*Alburnus alburnus*, L. 1758) from lower section of Danube River, Bulgaria. *Bulgarian Journal of Veterinary Medicine*, pp. 1–9.
<http://www.uni-sz.bg/bjvm/M.%20Chunchukova%20OnFirst.pdf>
- 107.** Stefanov T., Kutsarov Y. 2018. First record of Brauner's tadpole-goby *Benthophiloides brauneri* Beling & Iljin, 1927 (Actinopterygii: Gobiidae) in the Bulgarian stretch of the Danube River. *Acta Zoologica Bulgarica*, 70 (4): 599–602.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2018/70-4-599-602.pdf>

Trichkova A., Živkov M., Apostolou A. 2008. Some biological characteristics of gibel carp (*Carassius gibelio*) from three localities in the Bulgarian stretch of the Danube River. *Journal of International Scientific Publications: Ecology & Safety*, 2 (2): 385–394. (In Bulgarian, English summary) ISSN: 1313-2563

- 108.** Pavlova M., Rabadjiev Y. 2014. Effect of some environmental parameters on the composition of fish communities in the riparian zone of the Bulgarian Danube River section. *Acta Zoologica Bulgarica*, Supplement 7: 185–190.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/supplement-7-185-190.pdf>

Polačík M., Janáč M., Jurajda P., Adámek Z., Ondračková M., Trichkova T., Vassilev M. 2009. Invasive gobies in the Danube: invasion success facilitated by availability and selection of superior food resources. *Ecology of Freshwater Fish*, 18 (4): 640–649. ISSN: 0906-6691; JCR IF (2009): 1.512; SJR (2009): 0.831 (Q2)

- 109.** Piria M., Šprem N., Jakovlić I., Tomljanović T., Matulić D., Treer T., Aničić I., Safner R. 2011. First record of round goby, *Neogobius melanostomus* (Pallas, 1814) in the Sava River, Croatia. *Aquatic Invasions*, 6, Supplement 1: S153–S157.
http://aquaticinvasions.net/2011/Supplement/AI_2011_6_S1_Piria_et.al.pdf

- 110.** Lopez D. P., Jungman A. A., Rehage J. S. 2012. Nonnative African jewelfish are more fit but not bolder at the invasion front: A trait comparison across an Everglades range expansion. *Biological Invasions*, 14 (10): 2159–2174.
<http://www.evergladeshub.com/lit/pdf12/Lopez12-BioInvas14.2159-74-JewelfishInvasEG.pdf>

- 111.** Kipp R., Hébert I., Lacharité M., Ricciardi A. 2012. Impacts of predation by the Eurasian round goby (*Neogobius melanostomus*) on molluscs in the upper St. Lawrence River. *Journal of Great Lakes Research*, 38 (1): 78–89. <http://caisn.ca/publications/KIpp.pdf>

- 112.** Ruetz III C. R., Reneski M. R., Uzarski D. G. 2012. Round goby predation on *Dreissena* in coastal areas of eastern Lake Michigan. *Journal of Freshwater Ecology*, 27 (2): 171–184. <http://www.tandfonline.com/doi/full/10.1080/02705060.2011.644702>

- 113.** Zargar U. R., Chishti M. Z., Yousuf A. R., Fayaz A. 2012. Infection level of monogenean gill parasite, *Diplozoon kashmirensis* (Monogenea, Polyopisthocotylea) in the Crucian Carp, *Carassius carassius* from lake ecosystems of an altered water quality: What

factors do have an impact on the Diplozoon infection? Veterinary Parasitology, 189 (2–4): 218–226. <https://www.ncbi.nlm.nih.gov/pubmed/22608705>

114. Zargar U. R., Chishti M. Z., Yousuf A. R., Ahmed F. 2012. Infection level of the Asian tapeworm (*Bothriocephalus acheilognathi*) in the cyprinid fish, *Schizothorax niger*, from Anchar Lake, relative to season, sex, length and condition factor. Parasitology Research, 110 (1): 427–435.
<http://link.springer.com/article/10.1007/s00436-011-2508-z>
115. Borcherding J., Hertel A., Breiden B. 2013. Activity and competitive behaviour of invasive *Neogobius melanostomus* and *Ponticola kessleri* (Gobiidae) from the River Rhine, Germany. Ethology Ecology and Evolution 25 (4): 351–365.
<http://www.tandfonline.com/doi/abs/10.1080/03949370.2013.806361>
116. Brandner J., Auerswald K., Cerwenka A. F., Schliewen U. K., Geist J. 2013. Comparative feeding ecology of invasive Ponto-Caspian gobies, Hydrobiologia, 703 (1): 113–131.
http://www.academia.edu/download/42329561/Comparative_feeding_ecology_of_invasive_20160207-11024-wk747k.pdf
117. Brandner J., Cerwenka A. F., Schliewen U. K., Geist J. 2013. Bigger is better: Characteristics of Round Gobies forming an invasion front in the Danube River. PLoS ONE, 8 (9), Article Number: e73036, DOI: 10.1371/journal.pone.0073036
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0073036>
118. Števove B., Kováč V. 2013. Do invasive bighead goby *Neogobius kessleri* and round goby *N. melanostomus* (Teleostei, Gobiidae) compete for food? Knowledge and Management of Aquatic Ecosystems, 410, Article Number 08: 1–15. DOI: 10.1051/kmae/2013064
<http://www.kmae-journal.org/articles/kmae/pdf/2013/03/kmae120127.pdf>
119. Cerwenka A. F., Alibert P., Brandner J., Geist J., Schliewen U. K. 2014. Phenotypic differentiation of Ponto-Caspian gobies during a contemporary invasion of the upper Danube River. Hydrobiologia, 721 (1): 269–284, DOI: 10.1007/s10750-013-1668-5
<https://link.springer.com/article/10.1007/s10750-013-1668-5>
120. Thompson H. A., Simon T. P. 2014. Diet shift response in round goby, *Neogobius melanostomus*, based on size, sex, depth, and habitat in the western basin of Lake Erie. Journal of Applied Ichthyology, 30 (5): 955–961.
http://www.academia.edu/download/44874336/Thompson_and_Simon_2014_jai1244_1.pdf
121. Agostinho A. A., Suzuki H. I., Fugi R., Alves D. C., Tonella L. H., Espindola L. A. 2015. Ecological and life history traits of *Hemiodus orthonops* in the invasion process: looking for clues at home. Hydrobiologia, 746 (1): 415–430.
<https://link.springer.com/article/10.1007/s10750-014-2030-2>
122. Błońska D., Grabowska J., Kobak J., Jermacz L., Bacela-Spychalska K. 2015. Feeding preferences of an invasive Ponto-Caspian goby for native and non-native gammarid prey. Freshwater Biology, 60 (10): 2187–2195.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/fwb.12647>
123. Grabowska J., Przybylski M. 2015. Life-history traits of non-native freshwater fish invaders differentiate them from natives in the Central European bioregion. Reviews in Fish Biology and Fisheries, 25 (1): 165–178.
<http://link.springer.com/content/pdf/10.1007/s11160-014-9375-5.pdf>
124. Kati S., Mozsár A., Árva D., Cozma N. J., Czeglédi I., Antal L., Nagy S. A., Eros T. 2015. Feeding ecology of the invasive Amur sleeper (*Perccottus glenii* Dybowski, 1877) in Central Europe. International Review of Hydrobiology, 100 (3–4): 116–128.
http://real.mtak.hu/31952/1/KatiS_MozsarA_et.al_IRH_ms.pdf

125. Pettitt-Wade H., Wellband K. W., Heath D. D., Fisk A. T. 2015. Niche plasticity in invasive fishes in the Great Lakes. *Biological Invasions*, 17 (9): 2565–2580.
http://www.academia.edu/download/37315433/Pettitt-Wade_et_al._2015_accepted.pdf
126. Skabeikis A., Lesutiene J. 2015. Feeding activity and diet composition of round goby (*Neogobius melanostomus*, Pallas 1814) in the coastal waters of SE Baltic Sea. *Oceanological and Hydrobiological Studies*, 44 (4): 508–519.
<https://www.degruyter.com/view/j/ohs.2015.44.issue-4/ohs-2015-0048/ohs-2015-0048.xml>
127. Szalóky Z., Bammer V., György Á. I., Pehlivanov L., Schabuss M., Zornig H., Weiperth A., Erős T. 2015. Offshore distribution of invasive gobies (Pisces: Gobiidae) along the longitudinal profile of the Danube River. *Fundamental and Applied Limnology / Archiv für Hydrobiologie*, 187 (2): 127–133.
<https://www.ingentaconnect.com/content/schweiz/fal/2015/00000187/00000002/art00004>
128. Beggel S., Brandner J., Cerwenka A. F., Geist J. 2016. Synergistic impacts by an invasive amphipod and an invasive fish explain native gammarid extinction. *BMC Ecology*, 16 (1): Article number 32. <https://doi.org/10.1186/s12898-016-0088-6>
129. Jakšić G., Jadan M., Piria M. 2016. The review of ecological and genetic research of Ponto-Caspian gobies (Pisces, Gobiidae) in Europe. *Croatian Journal of Fisheries*, 74 (3): 110–123. <https://content.sciendo.com/view/journals/cjf/74/3/article-p110.xml>
130. Piria M., Jakšić G., Jakovlić I., Treer T. 2016. Dietary habits of invasive Ponto-Caspian gobies in the Croatian part of the Danube River basin and their potential impact on benthic fish communities. *Science of the Total Environment*, 540 (1): 386–395. <https://doi.org/10.1016/j.scitotenv.2015.05.125>
131. Van Kessel N., Dorenbosch M., Kranenborg J., van der Velde G., Leuven R. S. E. W. 2016. Invasive Ponto-Caspian gobies rapidly reduce the abundance of protected native bullhead. *Aquatic Invasions*, 11 (2): 179–188.
http://www.aquaticinvasions.net/2018/AI_2018_Pompei_eta.pdf
132. Farwell M., Hughes G., Smith J. L., Clelland E., Loe S. J., Semeniuk C., Scott A. P., Li W., Zielinski B. 2017. Differential female preference for individual components of a reproductive male round goby (*Neogobius melanostomus*) pheromone. *Journal of Great Lakes Research*, 43 (2): 379–386. <http://dx.doi.org/10.1016/j.jglr.2016.12.007>
133. Foley C. J., Henebry M. L., Happel A., Bootsma H. A., Czesny S. J., Janssen J., Jude D. J., Rinchard J., Höök T. O. 2017. Patterns of integration of invasive round goby (*Neogobius melanostomus*) into a nearshore freshwater food web. *Food Webs*, 10: 26–38. <https://doi.org/10.1016/j.fooweb.2016.10.001>
134. Zargar U. R., Chishti M. Z., Rather M. I., Khanday S. A. 2017. Infection dynamics of Caryophyllaeid tapeworm, *Adenoscolex oreini* Fotedar, 1958 and impacts of intra-lake pollution gradient on intermediate host (copepods) and health attributes of *Schizothorax* spp. *Parasitology Open*, 3, e6: 1–13.
https://www.cambridge.org/core/services/aop-cambridge-core/content/view/C8D77CC2143AC4ACA655C9AD8C246514/S2055709417000061a.pdf/infection_dynamics_of_caryophyllaeid_tapeworm_adenoscolex_oreini_fotedar_1958_and_impacts_of_intralake_pollution_gradient_on_intermediate_host copepods_and_health_attributes_of_schizothorax_spp.pdf
135. Zargar U. R., Chishti M. Z., Rather M. I., Rehman M., Zargar N. 2017. Biomonitoring potential of a Caryophyllaeid tapeworm: Evaluation of *Adenoscolex oreini* infection level and health status in three fish species of the genus *Schizothorax* across

eutrophication and pollution gradients. Ecological Indicators, 81: 503–513. <https://doi.org/10.1016/j.ecolind.2017.06.025>

136. Herlevi H., Aarnio K., Puntilla-Dodd R., Bonsdorff E. 2018. The food web positioning and trophic niche of the non-indigenous round goby: a comparison between two Baltic Sea populations. Hydrobiologia, 822 (1): 111–128.
<https://link.springer.com/article/10.1007/s10750-018-3667-z>
137. McNeish R. E., Kim L. H., Barrett H. A., Mason S. A., Kelly J. J., Hoellein T. J. 2018. Microplastic in riverine fish is connected to species traits. Scientific Reports, 8 (1): 11639. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6076259/>
138. Nagelkerke LAJ, van Onselen E, van Kessel N, Leuven RSEW (2018) Functional feeding traits as predictors of invasive success of alien freshwater fish species using a food-fish model. PLoS ONE 13 (6): e0197636.
<https://journals.plos.org/plosone/article?id=10.1371/journal.pone.0197636>

Trichkova, T., Stefanov T., Vassilev M., Zivkov M. 2009. Fish species diversity in the rivers of the North-West Bulgaria. Transylvanian Review of Systematical and Ecological Research “The Wetlands Diversity”, 8: 161–168. Print ISSN: 1841-7051; Online ISSN: 2344-3219

139. Tzankov N. D., Slavchev M. 2016. Diversity and relationships of vertebrate fauna of Pastrina Hill, a poorly studied hot-spot karstic region in North-western Bulgaria. Acta Zoologica Bulgarica, 68 (1): 55–70.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2016/68-1-55-70.pdf>

Vassilev M. V., Trichkova T. A., Ureche D., Stoica I., Battes K., Zivkov M. T. 2009. Distribution of gobiid species (Gobiidae, Pisces) in the Yantra River (Danube Basin, Bulgaria). Pp.: 163–172. In: Velcheva I. G., Tsekov A. G. (Eds.) Proceedings of the Anniversary Scientific Conference of Ecology, 1 November 2008, Plovdiv, 587 pp. ISBN: 978-954-423-507-9

140. Cammaerts R., Spikmans F., van Kessel N., Verreycken H., Chérot F., Demol1 T., Richez S. 2012. Colonization of the Border Meuse area (The Netherlands and Belgium) by the non-native western tubenose goby *Proterorhinus semilunaris* (Heckel, 1837) (Teleostei, Gobiidae). Aquatic Invasions, 7 (2): 251–258.
http://www.aquaticinvasions.net/2012/Supplements/AI_2012_2_Cammaerts_et_al_Supplement.pdf

Dávidová M., Blažek R., Trichkova T., Koutrakis E., Gaygusuz Ö., Ercan E., Ondračková M. 2011. The role of the European bitterling (*Rhodeus amarus*, Cyprinidae) in parasite accumulation and transmission in riverine ecosystems. Aquatic Ecology, 45 (3): 377–387. ISSN: 1386-2588, 1573-5125; JCR IF (2011): 1.365; SJR (2011): 0.731 (Q2)

141. De Waal P. J., Gous A., Clift S. J., Greeff J. M. 2012. High within-host genetic variation of the nematode Spirocerca lupi in a high-density urban dog population. Veterinary Parasitology. 187 (1–2): 259–266. <https://doi.org/10.1016/j.vetpar.2011.12.008>
142. Fernández M. V., Semenas L., Viozzi G. 2015. The helminth communities structure of *Galaxias maculatus* (Osmeriformes: Galaxiidae) in different sites of an Argentinean Patagonian lake [La estructura de las comunidades de helmintos de *Galaxias*

maculatus (Osmeriformes: Galaxiidae) en diferentes sitios de un lago de la Patagonia argentina]. Ecología Austral, 25 (3): 2012–220.

http://www.scielo.org.ar/scielo.php?script=sci_arttext&pid=S1667-782X2015000300006

Ondračková M., Slováčková I., Trichkova T., Polačík M., Jurajda P. 2012. Shoreline distribution and parasite infection of black-striped pipefish *Syngnathus abaster* Risso, 1827 in the lower River Danube. Journal of Applied Ichthyology, 28 (4): 590–596. ISSN: 0175-8659; JCR IF (2012): 0.902; SJR (2012): 0.479 (Q3)

143. Khrystenko D., Kotovska G., Novitskij R. 2015. Length-weight relationships and morphological variability of black-striped pipefish *Syngnathus abaster* Risso, 1827 in the Dnieper river basin. Turkish Journal of Fisheries and Aquatic Sciences, 15 (3): 609–618. <https://www.semanticscholar.org/paper/Length-Weight-Relationships-and-Morphological-of-in-Khrystenko-Kotovska/e931a72f6140024785d0a79b1c1aa31b314f0659>
144. Chai J.-Y., Jung B.-K. 2017. Fishborne zoonotic heterophyid infections: An update. Food and Waterborne Parasitology, 8–9: 33–63. <https://doi.org/10.1016/j.fawpar.2017.09.001>
145. Kudlai O., Oros M., Kostadinova A., Georgieva S. 2017. Exploring the diversity of *Diplostomum* (Digenea: Diplostomidae) in fishes from the River Danube using mitochondrial DNA barcodes. Parasites & Vectors, 10592: 1–27. <https://doi.org/10.1186/s13071-017-2518-5>
146. Didenko A., Kruzhylina S., Gurbyk A. 2018. Feeding patterns of the black-striped pipefish *Syngnathus abaster* in an invaded freshwater habitat. Environmental Biology of Fishes, 101 (6): 917–931. <https://link.springer.com/article/10.1007/s10641-018-0747-x>

Polačík M., Janáč M., Vassilev M., Trichkova T. 2012. Morphometric comparison of native and non-native populations of round goby *Neogobius melanostomus* from the River Danube. Folia Zoologica, 61 (1): 1–8. ISSN: 0139-7893; JCR IF (2012): 0.494; SJR (2012): 0.222 (Q4)

147. Brandner J., Cerwenka A. F., Schliewen U. K., Geist J. 2013. Bigger is better: Characteristics of Round Gobies forming an invasion front in the Danube River. PLoS ONE, 8 (9), Article Number: e73036, DOI: 10.1371/journal.pone.0073036 <http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0073036>
148. Nowak M., Klaczak A., Szczerbik P., Mendelm J., Popek W. 2013. Rapid range expansion of the “whitefin” gudgeon *Romanogobio* cf. *belingi* (Teleostei: Cyprinidae) in a lowland tributary of the Vistula River (Southeastern Poland). Annales de Limnologie – International Journal of Limnology, 49 (4): 319–326. <http://www.limnology-journal.org/articles/limn/pdf/2013/04/limn130027.pdf>
149. Cerwenka A. F., Alibert P., Brandner J., Geist J., Schliewen U. K. 2014. Phenotypic differentiation of Ponto-Caspian gobies during a contemporary invasion of the upper Danube River. Hydrobiologia, 721 (1): 269–284, DOI: 10.1007/s10750-013-1668-5 <https://link.springer.com/article/10.1007/s10750-013-1668-5>
150. Adrian-Kalchhauser I., Hirsch P. E., Behrmann-Godel J., N'Guyen A., Watzlawczyk S., Gertzen S., Borcherding J., Burkhardt-Holm P. 2016. The invasive bighead goby *Ponticola kessleri* displays large-scale genetic similarities and small-scale genetic differentiation in relation to shipping patterns. Molecular Ecology, 25 (9): 1925–1943.

<http://onlinelibrary.wiley.com/doi/10.1111/mec.13595/pdf>

151. Jakšić G., Jadan M., Piria M. 2016. The review of ecological and genetic research of Ponto-Caspian gobies (Pisces, Gobiidae) in Europe. Croatian Journal of Fisheries, 74 (3): 110–123.
<https://content.sciendo.com/view/journals/cjf/74/3/article-p110.xml>
152. Jůza T., Zemanová J., Tušer M., Sajdlová Z., Baran R., Vašek M., Ricard D., Blabolil P., Wagenvoort A. J., Ketelaars H. A. M., Kubečka J. 2016. Pelagic occurrence and diet of invasive round goby *Neogobius melanostomus* (Actinopterygii, Gobiidae) juveniles in deep well-mixed European reservoirs. Hydrobiologia, 768 (1): 197–209.
<https://link.springer.com/article/10.1007/s10750-015-2548-y>
153. Masson L., Brownscombe J. W., Fox M. G. 2016. Fine scale spatio-temporal life history shifts in an invasive species at its expansion front. Biological Invasions, 18 (3): 775–792. <http://link.springer.com/article/10.1007/s10530-015-1047-4>
154. Bleeker K., de Jong K., van Kessel N., Hinde C. A., Nagelkerke L. A. J. 2017. Evidence for ontogenetically and morphologically distinct alternative reproductive tactics in the invasive Round Goby *Neogobius melanostomus*. PLoS One, 12(4): e0174828.
<http://journals.plos.org/plosone/article?id=10.1371/journal.pone.0174828>

Evtimova V., Pandourksi I., Trichkova T. 2015. Zooplankton and its contribution to the diet of European perch (*Perca fluviatilis*) in two lowland reservoirs in Northwestern Bulgaria. Acta Zoologica Bulgarica, 67 (1): 85–96. ISSN: 0324-0770; JCR IF (2015): 0.310; SJR (2015): 0.235 (Q4)

155. Kozuharov D., Stanachkova M. 2015. Long-term changes in zooplankton community in zhrebchevo reservoir, central Bulgaria. Acta Zoologica Bulgarica, 67 (4): 541–552.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2015/67-4-541-552.pdf>

Stefanov T., Trichkova T. 2015. Critically endangered species. Fish. *Cottus gobio* Linnaeus, 1758. P.: 109. In: Golemansky V. et al. (Eds.) Red Data Book of the Republic of Bulgaria. Volume 2. Animals. Bulgarian Academy of Sciences, Ministry of Environment and Water of Bulgaria, Sofia, 372 pp.

156. Uzunova E. P. 2011. Assessment of the conservation status of endemic sculpin *Cottus haemusi* (Cottidae) in the river Vit (Danube Tributary), northwest Bulgaria. Knowledge and Management of Aquatic Ecosystems, 403 (10): 10p1-10p13. (ISSN (Electronic Edition): 1961–9502.
<https://www.kmae-journal.org/articles/kmae/pdf/2011/04/kmae110046.pdf>

Bănăduc D., Rey S., Trichkova T., Lenhardt M., Curtean-Bănăduc A. 2016. The Lower Danube River – Danube Delta – North West Black Sea: A pivotal area of major interest for the past, present and future of its fish fauna – A short review. Science of The Total Environment, 545–546: 137–151. ISSN: 0038-9697; JCR IF (2016): 4.900; SJR (2016): 1.652 (Q1)

157. Adopo K. L., N'Guessan M. Y., Sandu A. V., Romanescu G., Sandu I. G., 2016. The spatial distribution and characterization of sediments and the bottom morphology of the hydroelectric lake in Ayamé 2 (Ivory Coast). International Journal of Conservation Science; 7 (2): 567–578. http://www.ijcs.uaic.ro/public/IJCS-16-31_Adopo.pdf

- 158.** Hapciuc O.-E., Romanescu G., Minea I., Iosub M., Enea A., Sandu I. 2016. Flood susceptibility analysis of the cultural heritage in the Sucevita catchment (Romania). International Journal of Conservation Science, 7 (2): 501–510.
http://www.ijcs.uaic.ro/public/IJCS-16-26_Hapciuc.pdf
- 159.** Romanescu G., Miftode D., Pintilie A. M., Stoleriu C. C., Sandu I. 2016. Water quality analysis in mountain freshwater: Poiana Uzului Reservoir in the Eastern Carpathians. Revista de Chimie. 67 (11): 2318–2326.
<http://www.revistadechimie.ro/pdf/ROMANESCU%20Gh%2011%2016.pdf>
- 160.** Takács P., Czeglédi I., Ferincz Á., Sály P., Specziár A., Vitál Z., Weiperth A., Erős T. 2017. Non-native fish species in Hungarian waters: historical overview, potential sources and recent trends in their distribution. Hydrobiologia 795 (1): 1–22.
<http://link.springer.com/article/10.1007%2Fs10750-017-3147-x#enumeration>
- 161.** Romanescu G. 2018. Les villes de l'Antiquité grecque sur la côte roumaine de la mer noire: Géopolitique et fonctionnalité [Greek antiquity cities on the Romanian coast of the Black Sea: geopolitics and functionality]. Geo-Eco-Trop, 42 (1): 227–236.
http://www.geoecotrop.be/uploads/publications/pub_421_16.pdf
- Kvach Y., Jurajda P., Bryjová A., Trichkova T., Ribeiro F., Přikrylová I., Ondračková M.** 2017. European distribution for metacercariae of the North American digenous *Posthodiplostomum* cf. *minimum centrarchi* (Strigeiformes: Diplostomidae). Parasitology International, 66 (5): 635–642. JCR IF (2017): 2.055; SJR (2017): 0.914 (Q2)
- 162.** Kalogianni E., Kmentová N., Harris E., Zimmerman B., Giakoumi S., Chatzinikolaou Y., Vanhove M. P. M. 2017. Occurrence and effect of trematode metacercariae in two endangered killifishes from Greece. Parasitology Research, 116 (11): 3007–3018.
<https://link.springer.com/article/10.1007/s00436-017-5610-z>
- 163.** Stoyanov B., Mutafchiev Y., Pankov P., Georgiev B. B. 2017. Helminth parasites in the alien *Lepomis gibbosus* (L.) (Centrarchidae) from the Lake Atanasovsko wetlands, Bulgaria: Survey of species and structure of helminth communities. Acta Zoologica Bulgarica, 69 (4): 555–574.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/69-4-555-574.pdf>
- 164.** Boone E. C., Laursen J. R., Colombo R. E., Meiners S. J., Romani M. F., Keeney D. B. 2018. Infection patterns and molecular data reveal host and tissue specificity of *Posthodiplostomum* species in centrarchid hosts. Parasitology, 145 (11): 1458–1468.
<https://www.ncbi.nlm.nih.gov/pubmed/29526167>
- 165.** Locke S. A., Van Dam A., Caffara M., Pinto H. A., López-Hernández D., Blanar C. A. 2018. Validity of the Diplostomoidea and Diplostomida (Digenae, Platyhelminthes) upheld in phylogenomic analysis. International Journal for Parasitology 48 (13): 1043–1059. <https://www.sciencedirect.com/science/article/pii/S0020751918302340>
- 166.** Locke S. A., Van Dam A., Caffara M., Pinto H. A., López-Hernández D., Blanar C. A. 2018. Nuclear and mitochondrial phylogenomics of the Diplostomoidea and Diplostomida (Digenae, Platyhelminthes). International Journal for Parasitology. doi: 10.1016/j.ijpara.2018.07.001. <https://www.biorxiv.org/content/10.1101/333518v1>
- 167.** López-Hernández D., Locke S. A., de Melo A. L., Mara É., Rabelo L., Pinto H. A. 2018. Molecular, morphological and experimental assessment of the life cycle of *Posthodiplostomum nanum* Dubois, 1937 (Trematoda: Diplostomidae) from Brazil, with phylogenetic evidence of the paraphyly of the genus *Posthodiplostomum* Dubois, 1936. Infection, Genetics and Evolution, 63: 95–103.

<https://www.sciencedirect.com/science/article/pii/S1567134818302673>

168. Anastácio P. M., Ribeiro F., Capinha C., Banha F., Cama M., Filipe A. F., Rebelo R., Sousa R. 2019. Non-native freshwater fauna in Portugal: A review. *Science of The Total Environment*, 650 (Part 2): 1923-1934.
<https://doi.org/10.1016/j.scitotenv.2018.09.251>
169. Hamouda A. H., Bazh E. K. A. 2019. First report of *Posthodiplostomum minimum* metacercariae and resulting histopathological changes in *Bagrus bajad* from Lake Nasser, Egypt. *Journal of Parasitic Diseases*, 43 (1): 14–21.
<https://link.springer.com/article/10.1007/s12639-018-1031-x>

II. Цитирания на други научни трудове (извън конкурса)

- Kalchev R., Botev I., Hristozova M., Naidenow W., Raikova-Petrova G., Stoyneva M., Temniskova-Topalova D., Trichkova T. 2004. Ecological relations and temporal changes in the pelagic of high mountain lakes in the Rila Mountains (Bulgaria). *Journal of Limnology*, 63 (1): 90-100.
170. Marchetto A., Rogora M. 2004. Measured and modelled trends in European mountain lakes: Results of fifteen years of cooperative studies. *Journal of Limnology*, 63 (1): 55–62. <http://www.jlimnol.it/index.php/jlimnol/article/download/jlimnol.2004.55/290>
171. Stoichev S. 2004. The benthic invertebrates in the Marichini Ezera glacial lakes, Eastern Rila Mountains, South-West Bulgaria. *Acta Zoologica Bulgarica*, 56 (3): 277–282.
172. Bhatti Z. 2005. Lake and reservoir management. *Water Environment Research*, 77 (6): 2383–2432.
173. Johansson H., Brolin A. A., Håkanson L. 2007. New approaches to the modelling of lake basin morphometry. *Environmental Modeling and Assessment*, 12 (3): 213–228. <http://link.springer.com/article/10.1007/s10666-006-9069-z>
174. Boteva S., Kenarova A., Traykov I., Bogoev V. 2009. Vertical distribution of bacterioplankton in Dolnoto Lake – Seven Rila Lakes. *Biotechnology and Biotechnological Equipment* 23 (Special edition/on-line): 365–368. <http://www.tandfonline.com/doi/pdf/10.1080/13102818.2009.10818440>
175. Kernan M., Brancelj A., Clarke G., Lami A., Straškrábová V., Stuchlík E., Velle G., Ventura M. 2009. Environmental and biological characteristics of high altitude lochs in Scotland. *Advances in Limnology*, 62: 379–417. https://www.schweizerbart.de/papers/adv_limnology/detail/62/77975/Environmental_and_biological_characteristics_of_high_altitude_lochs_in_Scotland
176. Straškrábová V., Bertoni R., Blažo M., Callieri C., Forsström L., Kernan M., Macek M., Stuchlík E., Tolotti M. 2009. Structure of pelagic microbial assemblages in European mountain lakes during ice-free season. *Fundamental and Applied Limnology / Special Issue Advances in Limnology* 62: 19–53. https://www.schweizerbart.de/papers/adv_limnology/detail/62/77972/Structure_of_pelagic_microbial_assemblages_in_European_mountain_lakes_during_ice_free_season
177. Boteva S., Traykov I., Kenarova A., Bogoev V. 2010. Abundance and spatial dynamics of bacterioplankton in the Seven Rila Lakes, Bulgaria. *Chinese Journal of Oceanology and Limnology*, 28 (3): 451–458. https://www.academia.edu/1962565/Abundance_and_spatial_dynamics_of_bacterioplankton_in_the_Seven_Rila_Lakes_Bulgaria
178. Cheshmedjieva S., Belkinova D., Mladenov R., Dimitrova-Dyulgerova I., Gecheva G. 2010. Phytoplankton based assessment of the ecological status and ecological potential of lake types in Bulgaria. *Biotechnology and Biotechnological Equipment*, 24 (Special edition/on-line): 14–25. <http://www.tandfonline.com/doi/pdf/10.1080/13102818.2010.10817803>
179. Boteva S., Kenarova A., Radeva G., Traykov I., Bogoev V. 2011. Community dynamics of pelagic bacteria in the high mountain lake Sulzata – Rila Mountain, Bulgaria. *Biotechnology and Biotechnological Equipment*, 25 (4): 2620–2626. <http://www.tandfonline.com/doi/df/10.5504/BBEQ.2011.0063>
180. Gecheva G. M., Cheshmedjieva S. D., Dimitrova-Dyulgerova I. Z. 2011. Macrophyte-based assessment of the ecological status of lakes in Bulgaria. *Ecologia Balkanica*, 3 (2): 25–40.

http://web.uni-plovdiv.bg/mollov/EB/2011/Ecologia_Balkanica_2011_vol3_2.pdf#page=33

181. Kaňa J., Kopáček J., Camarero L., Garcia-Pausas J. 2011. Phosphate sorption characteristics of European alpine soils. Soil Science Society of America Journal, 75 (3): 862–870. <https://ui.adsabs.harvard.edu/abs/2011SSASJ..75..862K/abstract>
182. De los Ríos-Escalante P., Hauenstein E., Acevedo P., Romero-Miéres M., Pandourski I. 2012. Regulatory factors in crustacean zooplankton assemblages in mountain lakes of northern Chilean Patagonia (38–41°S): A comparison with Bulgarian counterparts (42°N). Latin American Journal of Aquatic Research, 40 (2): 473–479. <http://www.scielo.cl/pdf/lajar/v40n2/art24.pdf>
183. Boteva S., Kenarova A., Radeva G., Traykov I., Bogoev V. 2013. Community dynamics of pelagic bacteria in the high mountain lake Bubreka, Rila Mountain, Bulgaria. Comptes rendus de l'Académie bulgare des Sciences, 66 (11): 1579–1586. https://www.academia.edu/5372152/COMMUNITY_DYNAMICS_OF_PELAGIC_BACTERIA_IN_THE_HIGH_MOUNTAIN_LAKE_BUBREKA_RILA_MOUNTAIN_BULGARIA
184. De los Ríos-Escalante P., Acevedo P., Pandourski I. 2016. Spectral properties observations: A first comparison of Bulgarian and chilean mountain lakes. Polish Journal of Environmental Studies, 25 (6): 2701–2704. <https://pdfs.semanticscholar.org/710a/2eae26674e48b554c514d7a647d77e2159e9.pdf>

Jurajda P., Vassilev M., Polačik M., Trichkova T. 2006. First record of exotic *Percottus glenii* (Perciformes: Odontobutidae) in the Bulgarian Danube River. Acta Zoologica Bulgarica, 58 (2): 279–282.

185. Hegedis A., Lenhardt M., Mickovic B., Cvijanovic G., Jaric I., Gacic Z., 2007. Amur sleeper (*Percottus glenii* Dubowski, 1877) spreading in the Danube River Basin. Journal of Applied Ichthyology, 23: 705–706. <http://onlinelibrary.wiley.com/doi/10.1111/j.1439-0426.2007.00867.x/full>
186. Uzunova E., Zlatanova S. 2007. A review of the fish introductions in Bulgarian freshwaters. Acta Ichthyologica et Piscatoria, 37 (1): 55–61. <http://agris.fao.org/agris-search/search.do?recordID=PL2007000946>
187. Nowak M., Popek W., Epler P. 2008. Range expansion of an invasive alien species, Chinese sleeper, *Percottus glenii* Dybowski, 1877 (Teleostei: Odontobutidae) in the Vistula River drainage. Acta Ichthyologica et Piscatoria 38 (1): 37–40. https://www.aiep.pl/volumes/2000/8_1/pdf/05_812_FULLTEXT_Nowak_et_al_P_3.pdf
188. Grabowska J., Grabowski M., Pietraszewski D., Gmur J. 2009. Non-selective predator – the versatile diet of Amur sleeper (*Percottus glenii* Dybowski, 1877) in the Vistula River (Poland), a newly invaded ecosystem. Journal of Applied Ichthyology, 25 (4): 451–459. <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1439-0426.2009.01240.x>
189. Ćaleta M., Jelić D., Buj I., Zanella D., Marčić Z., Mustafić P., Mrakovčić M. 2010. First record of the alien invasive species rotan (*Percottus glenii* Dybowski, 1877) in Croatia. Journal of Applied Ichthyology 27(1): 146–147. <https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1439-0426.2010.01612.x>
190. Mierzejewska K., Martyniak A., Kakareko T., Hliwa P. 2010. First record of *Nippotaenia mogurndae* Yamaguti and Miyata, 1940 (Cestoda, Nippotaeniidae), a parasite introduced with Chinese sleeper to Poland. Parasitology Research, 106 (2): 451–456. <https://www.ncbi.nlm.nih.gov/pubmed/19943065>

- 191.** Reshetnikov A. N. 2010. The current range of Amur sleeper *Percottus glenii* Dybowski, 1877 (Odontobutidae, Pisces) in Eurasia. Russian Journal of Biological Invasions, 1 (2): 119–126. <http://link.springer.com/article/10.1134/S2075111710020116>
- 192.** Copilaş-Ciocianu D., Pârvulescu L. 2011. New record of the Amur sleeper *Percottus glenii* Dybowski, 1877 (Pisces: Odontobutidae), the first record in the Romanian Mureş River Basin. Biharean Biologist 5 (1): 73–74, Article No. 101201. <http://biozoojournals.ro/bihbiol/cont/v5n1/bb.101201.Copilas.pdf>
- 193.** Covaci-Marcov S.-D., Telcean I. C., Ferenți S. 2011. Range extension of *Percottus glenii* Dybowski, 1877 in Western Romania, a new distribution route in the Danube River Basin? Journal of Applied Ichthyology, 27 (1): 144–145. <https://doi.org/10.1111/j.1439-0426.2010.01597.x>
- 194.** Grabowska J., Pietraszewski D., Przybylski M., Tarkan A. S., Marszał L., Lampart-Kahužniacka M. 2011. Life-history traits of Amur sleeper, *Percottus glenii*, in the invaded Vistula River: early investment in reproduction but reduced growth rate. Hydrobiologia, 661 (1): 197–210. <http://link.springer.com/article/10.1007/s10750-010-0524-0>
- 195.** Lukina I. I. 2011. Distribution of the Amur sleeper (*Percottus glenii* Dybowski, 1877) in Belarus. Russian Journal of Biological Invasions, 2 (2–3): 209–212. <https://link.springer.com/article/10.1134/S2075111711030088>
- 196.** Reshetnikov A. N., Ficetola G. F. 2011. Potential range of the invasive fish rotan (*Percottus glenii*) in the Holarctic. Biological Invasions, 13 (12): 2967–2980. <https://link.springer.com/article/10.1007/s10530-011-9982-1>
- 197.** Jarić I., Cvijanović G., Hegediš A., Lenhardt M. 2012. Assessing the range of newly established invasive species in rivers using probabilistic methods. Hydrobiologia, 680 (1): 171–178. <http://link.springer.com/article/10.1007/s10750-011-0914-y>
- 198.** Kvach Y. 2012. First record of the Chinese sleeper *Percottus glenii* Dybowski, 1877 in the Ukrainian part of the Danube delta. BioInvasions Records, 1 (1): 25–28. https://www.reabic.net/journals/bir/2012/1/BIR_2012_1_Kvach.pdf
- 199.** Mierzejewska K., Kvach Y., Woźniak M., Kosowska A., Dziekońska-Rynko J. 2012. Parasites of an Asian fish, the Chinese Sleeper *Percottus glenii*, in the Włocławek Reservoir on the Lower Vistula River, Poland: In search of the key species in the host expansion process. Comparative Parasitology, 79 (1): 23–29. <http://dx.doi.org/10.1654/4519.1>
- 201.** Yang P.-M., Jin G.-H., Liu Y.-X., Li J.-W., Hu Z.-Y. 2012. Early development of the Amur sleeper (*Percottus glenii*, Dybowski, 1877): a remarkable invasive species in Eurasia. Iranian Journal of Fisheries Sciences, 11 (3): 590–601. <http://jifro.ir/article-1-631-en.pdf>
- 202.** Reshetnikov A. N. 2013. Spatio-temporal dynamics of the expansion of rotan *Percottus glenii* from West-Ukrainian centre of distribution and consequences for European freshwater ecosystems. Aquatic Invasions, 8 (2): 193–206. http://www.aquaticinvasions.net/2013/AI_2013_2_Reshetnikov.pdf
- 203.** Luca M., Ureche D., Nicuță D., Ghiorghiță G., Druică R. C., Gorgan L. D. 2014. The genetic variability of the invasive *Percottus glenii* from Siret River, using the cytochrome b gene. Annals of the Romanian Society for Cell Biology (R. S. C. B.), 19 (1): 11–20. <http://search.proquest.com/openview/6d6318710cbca418ea08a35289501ac2/1?pq-orignsite=gscholar&cbl=2031963>
- 204.** Kati S., A. Mozsár, D. Árva, N. J. Cozma, I. Czeglédi, L. Antal, S. A. Nagy, T. Erős. 2015. Feeding ecology of the invasive Amur sleeper (*Percottus glenii* Dybowski, 1877) in Central Europe. International Review of Hydrobiology, 100 (3–4): 116–128.

<http://onlinelibrary.wiley.com/doi/10.1002/iroh.201401784/abstract>

205. Rechulicz J., Płaska W., Nawrot D. 2015. Occurrence, dispersion and habitat preferences of Amur sleeper (*Percottus glenii*) in oxbow lakes of a large river and its tributary. *Aquatic Ecology*, 49 (3): 389–399.
<http://link.springer.com/article/10.1007/s10452-015-9532-5>
206. Reshetnikov A. N., Karyagina A. S. 2015. Further evidence of naturalisation of the invasive fish *Percottus glenii* Dybowski, 1877 (Perciformes: Odontobutidae) in Germany and necessity of urgent management response. *Acta Zoologica Bulgarica*, 67 (4): 553–556.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2015/67-4-553-556.pdf>
207. Ferincz Á., Staszny Á., Weiperth A., Takács P., Urbányi B., Vilizzi L., Paulovits G., Copp G. H. 2016. Risk assessment of non-native fishes in the catchment of the largest Central-European shallow lake (Lake Balaton, Hungary). *Hydrobiologia*, 780 (1): 85–97. <http://dx.doi.org/10.1007/s10750-016-2657-2>
208. Bartáková V., Reichard M. 2017. No effect of recent sympatry with invasive zebra mussel on the oviposition decisions and reproductive success of the bitterling fish, a brood parasite of unionid mussels. *Hydrobiologia*, 794 (1): 153–166.
<https://link.springer.com/article/10.1007/s10750-017-3089-3>
209. Rau M. A., Plavan G., Strungaru S. A., Nicoara M., Rodriguez-Lozano P., Mihu-Pintilie A., D. Ureche, Klimaszyk P. 2017. The impact of amur sleeper (*Percottus glenii* Dybowsky, 1877) on the riverine ecosystem: food selectivity of amur sleeper in a recently colonized river. *Oceanological and Hydrobiological Studies*, 46 (1): 96–107.
<https://doi.org/10.1515/ohs-2017-0010>
210. Skorić S., Mićković B., Nikolić D., Hegediš A., Cvijanović G. 2017. A weight-length relationship of the Amur Sleeper (*Percottus glenii* Dubowski, 1877) (Odontobutidae) in the Danube River Drainage Canal, Serbia. *Acta Zoologica Bulgarica*, Supplement 9: 155–159.
211. Piria M., Simonović P., Kalogianni E., Vardakas L., Koutsikos N., Zanella D., Ristovska M., Apostolou A., Adrović A., Mrdak D., Tarkan A. S., Milošević D., Zanella L. N., Bakiu R., Ekmekçi F. G., Povž M., Korro K., Nikolić V., Škrijelj R., Kostov V., Gregori A., Joy M. K. 2018. Alien freshwater fish species in the Balkans – Vectors and pathways of introduction. *Fish and Fisheries*, 9 (1): 138–169.
<http://onlinelibrary.wiley.com/doi/10.1111/faf.12242/full>

Trichkova T. 2007. Zoobenthos of non-lotic Bulgarian wetlands. Pp.: 185–195. In: Michev T. M., Stoyneva M. P. (Eds.) Inventory of Bulgarian Wetlands and their Biodiversity. Part 1: Non-Lotic Wetlands. Publishing House Elsi-M, Sofia, 364 pp. + CD supplement.

212. Vidinova Y., Tyufekchieva V., Varadinova E., Stoichev S., Kenderov L., Dedov I., Uzunov Y. 2016. Taxonomic list of benthic macroinvertebrate communities of inland standing water bodies in Bulgaria. *Acta Zoologica Bulgarica*, 68 (2): 147–158.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2016/68-2-147-158.pdf>
213. Georgieva G. N., Radeva K. L., Uzunov Y. I. 2017. New data on bottom invertebrates of the Negovan marshes and the adjacent Lesnovska River. *Acta Zoologica Bulgarica*, 69 (1): 89–94.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/69-1-89-94.pdf>

Hubenov Z., Trichkova T. 2007. *Dreissena bugensis* (Mollusca: Bivalvia: Dreissenidae) – new invasive species for the Bulgarian malacofauna. *Acta Zoologica bulgarica*, 59 (2): 203–210.

- 214.** Lyashenko A. V., Zorina-Sakharova K., Makovskiy V. V. 2010. *Dreissena bugensis* Andr. (Mollusca, Bivalvia) in the Kiliya Delta of the Danube River. *Hydrobiological Journal*, 46 (3): 112–115.
[https://www.researchgate.net/publication/250057632 Dreissena bugensis Andr Moll usca Bivalvia in the Kiliya Delta of the Danube River](https://www.researchgate.net/publication/250057632_Dreissena_bugensis_Andr_Moll_usca_Bivalvia_in_the_Kiliya_Delta_of_the_Danube_River)
- 215.** Schloesser D. W., Schmuckal C. 2012. Bibliography of *Dreissena polymorpha* (Zebra Mussels) and *Dreissena rostriformis bugensis* (Quagga Mussels): 1989 to 2011. *Journal of Shellfish Research*, 31 (4): 1205–1263.
<http://dx.doi.org/10.2983/035.031.0432>
- 216.** Raković M., Popovic N., Kalafatic V., Martinovic-Vitanovic V. 2013. Spreading of *Dreissena rostriformis bugensis* (Andrusov, 1897) in the Danube River (Serbia). *Acta Zoologica Bulgarica*, 65 (3): 349–357.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2013/65-3-349-358.pdf>
- 217.** Collas F. P. L., Koopman K. R., Hendriks A. J., van der Velde G., Verbrugge L. N. H., Leuven R. S. E. W. 2014. Effects of desiccation on native and non-native molluscs in rivers. *Freshwater Biology*, 59 (1): 41–55.
<https://onlinelibrary.wiley.com/doi/10.1111/fwb.12244>

Zivkov M., Ivanchev I., Raikova-Petrova G., Trichkova T. 2007. First data on the population structure, growth rate and ontogenetic allometry of the tortoise *Testudo hermanni* in Eastern Stara Planina (Bulgaria). *Comptes rendus de l'Academie bulgare des Sciences, Biologie, Ecologie*, 60 (9): 1015–1022.

- 218.** Tichý L., Kintrová K. 2010. Specimen identification from time-series photographs using plastron morphometry in *Testudo graeca ibera*. *Journal of Zoology*, 281 (3): 210–217.
<http://onlinelibrary.wiley.com/doi/10.1111/j.1469-7998.2010.00693.x/full>
- 219.** Dobrev V., Boev Z., Arkumarev V., Dobrev D., Kret E., Saravia V., Bounas A., Vavylis D., Nikolov S. C., Oppel S. 2016. Diet is not related to productivity but to territory occupancy in a declining population of Egyptian Vultures *Neophron percnopterus*. *Bird Conservation International*, 26 (3): 273–285
http://lifeneophron.eu/files/docs/1474908488_268.pdf

Kozuharov D., Trichkova T., Hubenov Z., Botev I., Kostoski G., Kostoska J., Živkov M. 2009: Distribution of *Dreissena polymorpha* in human-made lakes along the Lesnovska River (tributary of Iskar River, Danube drainage basin). Pp.: 152-162. In: Velcheva I. & Tsekov A. (eds.): Proceedings of the Anniversary Scientific Conference of Ecology, 1 November 2008, Plovdiv: 587 pp.

- 220.** Savchovska M., Tosheva A., Traykov I. 2013. Macrophytes mapping and spatial heterogeneity of some physicochemical parameters in Ognyanovo Reservoir. *Bulgarian Journal of Agricultural Science*, 19 (2): 267–270.
<http://www.agrojournal.org/19/02-66s.pdf>

- 221.** Uzunova E. P., Studenkov S., Simeonovska-Nikolova D. 2014. A field study on using artificial substrate for nesting of introduced pumpkinseed sunfish *Lepomis gibbosus* (Linnaeus, 1758). Animal Biology, 64 (1): 115–124.
https://brill.com/view/journals/ab/64/1/article-p115_9.xml
- 222.** Georgieva G. N., Radeva K. L., Uzunov Y. I. 2017. New data on bottom invertebrates of the Negovan marshes and the adjacent Lesnovska River. Acta Zoologica Bulgarica, 69 (1): 89–94.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/69-1-89-94.pdf>
- 223.** Terziyski D. I., Beshkova M. B., Kalchev R. K., Kalcheva H. V., Iliev I. Z. 2018. Relationships of water column transparency, total phosphorus and chlorophyll-a in reservoirs with and without *Dreissena* spp. (Bivalvia: Mollusca). Acta Zoologica Bulgarica, 70 (3): 389–395.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2018/70-3-389-395.pdf>
- Kozuharov D., Trichkova T., Botev I., Hubenov Z., Füreder L. 2009. Invasion of *Dreissena polymorpha* (Pallas, 1771) to reservoirs in the Struma River basin (Aegean Sea Drainage Basin, Southwest Bulgaria). Biotechnology and Biotechnological Equipment, 23 (Supplement 1): 192-196.**
- 224.** Николов Б. Н., Салапатийска С. Д., Георгиев Д. Г. 2009. Изследване на преживяемост и устойчивост към кислороден дефицит при зеброва мида *Dreissena polymorpha* (Pallas, 1771) при третиране с цинк (Zn). Ecologia Balkanica, 1: 5–8.
http://web.uni-plovdiv.bg/mollov/EB/2009_PRINT/EB-01-2009_RA_02_PRINT.pdf
- 225.** Traykov I., Tosheva A., Uzunova E. 2010. Physicochemical characteristics of dam lakes in Southwestern Bulgaria. Bulgarian Journal of Agricultural Science, 16 (3): 350–357.
<http://www.agrojournal.org/16/03-13-10.pdf>
- 226.** Schloesser D. W., Schmuckal C. 2012. Bibliography of *Dreissena polymorpha* (Zebra Mussels) and *Dreissena rostriformis bugensis* (Quagga Mussels): 1989 to 2011. Journal of Shellfish Research, 31 (4): 1205–1263.
<http://dx.doi.org/10.2983/035.031.0432>
- 227.** Traykov I., Vladimirova M. 2015. Relationships between trophic state and physicochemical variables of some standing water bodies on the territory of East-Aegean River Basin Directorate, Bulgaria. Bulgarian Journal of Agricultural Science, Supplement 1, 21: 126–136. <https://www.agrojournal.org/21/01s-20.pdf>
- 228.** Terziyski D. I., Beshkova M. B., Kalchev R. K., Kalcheva H. V., Iliev I. Z. 2018. Relationships of water column transparency, total phosphorus and chlorophyll-a in reservoirs with and without *Dreissena* spp. (Bivalvia: Mollusca). Acta Zoologica Bulgarica, 70 (3): 389–395.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2018/70-3-389-395.pdf>

Kozuharov D., Trichkova T., Borisova P., Stanachkova M. 2009. The zooplankton composition in two reservoirs in the North-West Bulgaria in relation to *Dreissena* spp. occurrence. *Biotechnology and Biotechnological Equipment*, 23 (Special Edition/ On-Line): 271-275.

229. Güher H., Erdogan S., Kırız T., Çamur-Elipek B. 2011. The dynamics of zooplankton in National Park of Lake Gala (Edirne-Turkey). *Acta Zoologica Bulgarica*, 63 (2): 157–168.

<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2011/63-2-157-168.pdf>

230. Güher H. 2012. The investigation of zooplanktonic organisms (Rotifera, Copepoda, Cladocera) of Meric River (Turkey). *Journal of Animal and Veterinary Advances*, 11 (24): 4673–4677. <http://medwelljournals.com/abstract/?doi=javaa.2012.4673.4677>

231. Schloesser D. W., Schmuckal C. 2012. Bibliography of *Dreissena polymorpha* (Zebra Mussels) and *Dreissena rostriformis bugensis* (Quagga Mussels): 1989 to 2011. *Journal of Shellfish Research* 31 (4): 1205–1263.

<https://www.bioone.org/doi/full/10.2983/035.031.0432>

232. Yotinov I., Lincheva S., Topalova Y. 2014. Vertical fluctuations of key parameter of the self-purification in the “Middle Iskar” cascade’s reservoir Lakatnik. *Bulgarian Journal of Agricultural Science*, 20 (Supplement 1): 113–117.

https://journal.agrojournal.org/page/en/details.php?article_id=878

233. Kalcheva H., Beshkova M., Kalchev R. 2017. Bacterioplankton and its relations to environmental factors and the presence of invasive mussels *Dreissena* spp. in three Bulgarian reservoirs. *Acta Zoologica Bulgarica*, Supplement 9: 161–170.

<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-161-170.pdf>

Živkov M. T., Raikova-Petrova G. N., Trichkova T. A. 2009. Population biology and ontogenetic allometry of *Testudo hermanni boettgeri* Mojsisovics, 1889, in a marginal population in Bulgaria. *Herpetozoa* 22 (1/2): 11-26.

234. Arsovski D., Tomović L., Golubović A., Nikolić S., Sterijovski B., Ajtić R., Ballouard J.-M., Bonnet X. 2018. When carapace governs size: variation among age classes and individuals in a free-ranging ectotherm with delayed maturity. *Oecologia*, 186 (4): 953–963. <https://link.springer.com/article/10.1007/s00442-018-4090-x>

Gozlan R. E., Andreou D., Asaeda T., Beyer K., Bouhadad R., Burnard D., Caiola N., Cakic P., Djikanovic V., Esmaeili H. R., Falka I., Golicher D., Harka A., Jeney G., Kováč V., Musil J., Nocita A., Povz M., Poulet N., Virbickas T., Wolter C., Tarkan A. S., Tricarico E., Trichkova T., Verreycken H., Witkowski A., Zhang C. G., Zweimueller I., Britton J. R. 2010. Pan-continental invasion of *Pseudorasbora parva*: towards a better understanding of freshwater fish invasions. *Fish and Fisheries*, 11 (4): 315-340.

235. Fukuda S., De Baetis B., Mouton A. M., Waegeman W., Nakajima J., Mukai T., Hiramatsu K., Onikura N. 2011. Effect of model formulation on the optimization of a genetic Takagi-Sugeno fuzzy system for fish habitat suitability evaluation. *Ecological Modelling*, 222 (8): 1401–1413.

<http://www.sciencedirect.com/science/article/pii/S030438001100055X>

- 236.** Fukuda S., De Baets B., Waegeman W., Mouton A. M., Nakajima J., Mukai T., Onikura N. 2011. A discussion on the accuracy-complexity relationship in modelling fish habitat preference using genetic Takagi-Sugeno fuzzy systems. IEEE SSCI 2011: Symposium Series on Computational Intelligence – GEFS 2011: 2011 IEEE 5th International Workshop on Genetic and Evolutionary Fuzzy Systems 5949490, pp. 81–86.
<https://kyushu-u.pure.elsevier.com/en/publications/a-discussion-on-the-accuracy-complexity-relationship-in-modelling>
- 237.** Keller R. P., Geist J., Jeschke J. M., Kühn L. 2011. Invasive species in Europe: Ecology, status, and policy. Environmental Sciences Europe, 23 (1), Article number: 23.
<https://enveurope.springeropen.com/articles/10.1186/2190-4715-23-23>
- 238.** Aparicio E., Peris B., Torrijos L., Prenda J., Nieva A., Perea S. 2012. Expansion of the invasive *Pseudorasbora parva* (Cyprinidae) in the Iberian Peninsula: First record in the Guadiana River basin. Cybium, 36 (4): 585–586.
<http://sfi-cybium.fr/en/expansion-invasive-pseudorasbora-parva-cyprinidae-iberian-peninsula-first-record-guadiana-river>
- 239.** Bódis E., Borza P., Potyó I., Puky M., Weipert A., Guti G. 2012. Invasive mollusc, crustacean, fish and reptile species along the Hungarian stretch of the River Danube and some connected waters. Acta Zoologica Academiae Scientiarum Hungaricae, 58 (Supplement 1): 29–45.
<http://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.465.5724&rep=rep1&type=pdf>
- 240.** Ribeiro F., Leunda P. M. 2012. Non-native fish impacts on Mediterranean freshwater ecosystems: Current knowledge and research needs. Fisheries Management and Ecology 19 (2): 142–156.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1365-2400.2011.00842.x>
- 241.** Douda K., Lopes-Lima M., Hinzmann M., Machado J., Varandas S., Teixeira A., Sousa R. 2013. Biotic homogenization as a threat to native affiliate species: Fish introductions dilute freshwater mussel's host resources. Diversity and Distributions, 19 (8): 933–942, <https://onlinelibrary.wiley.com/doi/full/10.1111/ddi.12044>
- 242.** Fukuda S., De Baets B., Onikura N., Nakajima J., Mukai T., Mouton A. M. 2013. Modelling the distribution of the pan-continental invasive fish *Pseudorasbora parva* based on landscape features in the Northern Kyushu Island, Japan. Aquatic Conservation: Marine and Freshwater Ecosystems, 23 (6): 901–910.
<http://onlinelibrary.wiley.com/doi/10.1002/aqc.2336/full>
- 243.** Ishikawa T., Takada M., Tokunaga K., Tachihara K. 2013. Current status and distribution patterns of non-native freshwater fish on Okinawa-jima Island. Japanese Journal of Conservation Ecology, 18 (1): 5–18.
- 244.** Karabanov D. P., Kodukhova Y. V. 2013. Stone moroco *Pseudorasbora parva* (Cyprinidae): New species in the ichthyofauna of Vietnam. Journal of Ichthyology, 53 (3): 235–239. <https://link.springer.com/article/10.1134%2FS0032945213020057>
- 245.** Kim K.-Y., Ko M.-H., Liu H., Tang Q., Chen X., Miyazaki J.-I., Bang I.-C. 2013. Phylogenetic relationships of *Pseudorasbora*, *Pseudopungtungia*, and *Pungtungia* (Teleostei; Cypriniformes; Gobioninae) inferred from multiple nuclear gene sequences. BioMed Research International, Vol. 2013, Article Number: 347242, 6 pages. <http://downloads.hindawi.com/journals/bmri/2013/347242.pdf>
- 246.** Maceda-Veiga A., Escribano-Alacid J., de Sostoa A., García-Berthou E. 2013. The aquarium trade as a potential source of fish introductions in southwestern Europe. Biological Invasions, 15 (12): 2707–2716.
<https://link.springer.com/article/10.1007/s10530-013-0485-0>

- 247.** Makhrov A. A., Artamonova V. S., Karabanov D. P. 2013. Finding of topmouth gudgeon *Pseudorasbora parva* (Temminck et Schlegel) (Actinopterygii: Cyprinidae) in the Brahmaputra River basin (Tibetan Plateau, China). Russian Journal of Biological Invasions, 4 (3): 174–179.
<https://www.semanticscholar.org/paper/Finding-of-topmouth-gudgeon-Pseudorasbora-parva-et-Makhrov-Artamonova/7c0841d3e8673aa181cd8ce7d5122a9ba75bcd83>
- 248.** Meraner A., Venturi A., Ficetola G. F., Rossi S., Candiotti A., Gandolfi A. 2013. Massive invasion of exotic *Barbus barbus* and introgressive hybridization with endemic *Barbus plebejus* in Northern Italy: Where, how and why? Molecular Ecology, 22 (21): 5295–5312. <https://www.ncbi.nlm.nih.gov/pubmed/24103005>
- 249.** Nowak M., Klaczak A., Szczerbik P., Mendel J., Popek W. 2013. Rapid range expansion of the “whitefin” gudgeon *Romanogobio* cf. *belingi* (Teleostei: Cyprinidae) in a lowland tributary of the Vistula River (Southeastern Poland). Annales Limnologie – International Journal of Limnology, 49: 319–326.
<http://www.limnology-journal.org/articles/limn/pdf/2013/04/limn130027.pdf>
- 250.** Puntilla R., Vilizzi L., Lehtiniemi M., Copp G. H. 2013. First application of FISK, the freshwater fish invasiveness screening kit, in Northern Europe: Example of southern Finland. Risk Analysis, 33 (8): 1397–1403.
<https://www.ncbi.nlm.nih.gov/pubmed/23711016>
- 251.** Spikmans F., van Tongeren T., van Alen T. A., van der Velde G., Op den Camp H. J. M. 2013. High prevalence of the parasite *Sphaerothecum destruens* in the invasive top mouth gudgeon *Pseudorasbora parva* in the Netherlands, a potential threat to native freshwater fish. Aquatic Invasions, 8 (3): 355–360.
http://www.aquaticinvasions.net/2013/AI_2013_3_Spikmans_et.al.pdf
- 252.** Tang J., Ye S., Li W., Liu J., Zhang T., Guo Z., Zhu F., Li Z. 2013. Status and historical changes in the fish community in Erhai Lake. Chinese Journal of Oceanology and Limnology, 31 (4): 712–723.
<https://link.springer.com/article/10.1007/s00343-013-2324-7>
- 253.** Wang T., Huang D., Zhao Y., Wang H., Hu S., Shen J. 2013. Age, growth and mortality of invasive sharpbelly, *Hemiculter leucisculus* (Basilewski, 1855) in Erhai Lake, China. Journal of Applied Ichthyology, 29 (6): 1279–1285.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/jai.12287>
- 254.** Yamaki A., Yamamuro M. 2013. Floating-leaved and emergent vegetation as habitat for fishes in a eutrophic temperate lake without submerged vegetation. Limnology, 14 (3): 257–268. <https://link.springer.com/article/10.1007/s10201-013-0403-2>
- 255.** Záhorská E., Balážová M., Šúrová M. 2013. Morphology, sexual dimorphism and size at maturation in topmouth gudgeon (*Pseudorasbora parva*) from the heated Lake Licheńskie (Poland). Knowledge and Management of Aquatic Ecosystems, 411, Article Number: 07.
<http://www.kmae-journal.org/articles/kmae/pdf/2013/04/kmae130038.pdf>
- 256.** Zareian H., Esmaeili H. R., Gholamhosseini A., Sayyadzadeh G. 2013. New records and geographical distribution of *Alburnus hohenackeri* Kessler, 1870 (Teleostei: Cyprinidae) in Iran. Check List, 9 (4): 829–831.
<https://checklist.pensoft.net/article/18736/>
- 257.** Csorbai B., Pereszlényi A., Kovács R., Urbányi B., Horváth L. 2014. The habitat use and selectivity by topmouth gudgeon (*Pseudorasbora parva*). Acta Zoologica Academiae Scientiarum Hungaricae, 60 (4): 389–400.
http://real.mtak.hu/24328/1/ActaZH_2014_Vol_60_4_389.pdf
- 258.** Dierking J., Phelps L., Præbel K., Ramm G., Prigge E., Borcherding J., Brunke M., Eizaguirre C. 2014. Anthropogenic hybridization between endangered migratory and

commercially harvested stationary whitefish taxa (*Coregonus* spp.). Evolutionary Applications, 7 (9): 1068–1083.

<http://onlinelibrary.wiley.com/doi/10.1111/eva.12166/full>

259. Gavriloaie C., Burlacu L., Bucur C., Berkesy C. 2014. Notes concerning the distribution of Asian fish species, *Pseudorasbora parva*, in Europe. AACL Bioflux, 7 (1): 43–50. <http://www.bioflux.com.ro/docs/2014.43-50.pdf>
260. Jarić I., Jaćimović M., Cvijanović G., Knežević-Jarić J., Lenhardt M. 2014. Demographic flexibility influences colonization success: profiling invasive fish species in the Danube River by the use of population models. Biological Invasions, 17 (1): 219–229. <http://link.springer.com/article/10.1007/s10530-014-0721-2>
261. Jourdan J., Miesen F. W., Zimmer C., Gasch K., Herder F., Schleucher E., Plath M., Bierbach D. 2014. On the natural history of an introduced population of guppies (*Poecilia reticulate* Peters, 1859) in Germany. BioInvasions Records, 3 (3): 175–184. <https://www.semanticscholar.org/paper/On-the-natural-history-of-an-introduced-population-Jourdan-Miesen/65c9e924e014a4cb3ac38331ddb789f38031fb1e>
262. Kapusta A., Kutsokon Y., Bogacka-Kapusta E. 2014. Comparisons of morphometrics recently established population of topmouth gudgeon (*Pseudorasbora parva*) from a heated lakes in Poland. Folia Oecologica, 6 (2): 4–8. <https://www.unipo.sk/public/media/30383/AUP-Folia%20Oecologica-2014-Vol.6.%20No.2.pdf#page=5>
263. Musil M., Novotná K., Potužák J., Hůda J., Pechar L. 2014. Impact of topmouth gudgeon (*Pseudorasbora parva*) on production of common carp (*Cyprinus carpio*) – question of natural food structure. Biologia (Poland), 69 (12): 1757–1769. [https://www.degruyter.com/view/j/biolog.2014.69.issue-12/s11756-014-0483-4.xml](https://www.degruyter.com/view/j/biolog.2014.69.issue-12/s11756-014-0483-4/s11756-014-0483-4.xml)
264. Zhang X., Sui X., Lü Z., Chen Y. 2014. A prediction of the global habitat of two invasive fishes (*Pseudorasbora parva* and *Carassius auratus*) from East Asia using Maxent. Biodiversity Science, 22 (2): 182–188. (In Chinese, English summary) <http://www.biodiversity-science.net/EN/10.3724/SP.J.1003.2014.13163>
265. Bariche M., Torres M., Smith C., Sayar N., Azzurro E., Baker R., Bernardi G. 2015. Red Sea fishes in the Mediterranean Sea: A preliminary investigation of a biological invasion using DNA barcoding. Journal of Biogeography, 42 (12): 2363–2373. http://bernardi.eeb.ucsc.edu/wp-content/uploads/2015/11/2015_barcodes.pdf
266. Chu L., Wang W., Zhu R., Yan Y., Chen Y., Wang L. 2015. Variation in fish assemblages across impoundments of low-head dams in headwater streams of the Qingyi River, China: effects of abiotic factors and native invaders. Environmental Biology of Fishes, 98 (1): 101–112. <https://link.springer.com/article/10.1007/s10641-014-0239-6>
267. Clavero M., Esquivias J., Qninba A., Riesco M., Calzada J., Ribeiro F., Fernández N., Delibes M. 2015. Fish invading deserts: Non-native species in arid Moroccan rivers. Aquatic Conservation: Marine and Freshwater Ecosystems, 25 (1): 49–60. <https://mail.google.com/mail/u/0/#inbox>
268. Dana E. D., de Lomas J. G., García-Ocaña D. M., Gámez V., Ortíz J. M., Galindo F. J., Rubio S., Ceballos G. 2015. Primer hallazgo de *Pseudorasbora parva* (Temminck & Schlegel, 1846) (Cyprinidae) en la Cuenca Sur de España [First record of *Pseudorasbora parva* (Temminck & Schlegel, 1846) (Cyprinidae) in the Cuenca Sur of Spain]. Limnetica, 34 (2): 311–320. http://limnetica.com/Limnetica/Limne34/L34b311_Pseudorasbora_parva_Cuenca_Sur.pdf

269. Grabowska J., Przybylski M. 2015. Life-history traits of non-native freshwater fish invaders differentiate them from natives in the Central European bioregion. *Reviews in Fish Biology and Fisheries*, 25 (1): 165–178.
<http://link.springer.com/content/pdf/10.1007/s11160-014-9375-5.pdf>
270. Jarić I., Jaćimović M., Cvijanović G., Knežević-Jarić J., Lenhardt M. 2015. Demographic flexibility influences colonization success: profiling invasive fish species in the Danube River by the use of population models. *Biological Invasions* 17 (1): 219–229. <http://link.springer.com/article/10.1007/s10530-014-0721-2>
271. Kapusta A., Bogacka-Kapusta E. 2015. Non-native fish species in heated lakes: Origins and present status. *Archives of Polish Fisheries*, 23 (2): 121–129.
<https://www.degruyter.com/downloadpdf/j/aopf.2015.23.issue-2/aopf-2015-0014/aopf-2015-0014.xml>
272. Kawase S., Hosoya K. 2015. *Pseudorasbora pugnax*, a new species of minnow from Japan, and redescription of *P. puntilla* (Teleostei: Cyprinidae). *Ichthyological Exploration of Freshwaters*, 25 (4): 289–298.
https://www.pfeil-verlag.de/wp-content/uploads/2015/05/ief25_4_01.pdf
273. Kim K.-Y., Ko M.-H., Cho S. J., Kim W., Son M. H., Bang I.-C. 2015. A natural hybrid of intergeneric mating between a female *Pungtungia herzi* and a male *Pseudorasbora parva* (Cypriniformes: Cyprinidae). *Fisheries and Aquatic Science*, 18 (1): 99–107.
http://central.oak.go.kr/journallist/journaldetail.do?article_seq=15851&tabname=abst&resource_seq=-1&keywords=null
274. Lemmens P., Mergeay J., Vanhove T., De Meester L., Declerck S. A. J. 2015. Suppression of invasive topmouth gudgeon *Pseudorasbora parva* by native pike *Esox lucius* in ponds. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 25 (1): 41–48. <https://doi.org/10.1002/aqc.2479>
275. Ye S., Lin M., Li L., Liu J., Song L., Li Z. 2015. Abundance and spatial variability of invasive fishes related to environmental factors in a eutrophic Yunnan Plateau lake, Lake Dianchi, southwestern China. *Environmental Biology of Fishes*, 98 (1): 209–224. <http://link.springer.com/article/10.1007/s10641-014-0252-9>
276. Carosi A., Ghetti L., Lorenzoni M. 2016. Status of *Pseudorasbora parva* in the Tiber River Basin (Umbria, central Italy) 20 years after its introduction. *Knowledge and Management of Aquatic Ecosystems*, 417, Article number 22, 11 pages. <https://doi.org/10.1051/kmae/2016009>
277. Charrier A., Peudpiece M., Lesne M., Daniel P. 2016. First report of the intracellular fish parasite *Sphaerotilus destruens* associated with the invasive topmouth gudgeon (*Pseudorasbora parva*) in France. *Knowledge and Management of Aquatic Ecosystems*, 417, Article number 44, 4 pages. <https://doi.org/10.1051/kmae/2016031>
278. Dana E. D., García-De-Lomas J., Bañón J. L. J., Esteban E., Ortiz J. M., Ceballos G. 2016. Análisis para la detección de *Sphaerotilus destruens* en una población invasora de *Pseudorasbora parva* (Temminck & Schlegel, 1846) [Analysis to detect *Sphaerotilus destruens* in an invasive population of *Pseudorasbora parva* (Temminck & Schlegel, 1846)]. *Limnetica*, 35 (1): 89–94.
http://www.limnetica.com/Limnetica/Limne35/L35a089_Deteccion_Sphaerotilus_de_struens.pdf
279. Ferincz Á., Staszny Á., Weiperth A., Takács P., Urbányi B., Vilizzi L., Paulovits G., Copp G. H. 2016. Risk assessment of non-native fishes in the catchment of the largest Central-European shallow lake (Lake Balaton, Hungary). *Hydrobiologia*, 780 (1): 85–97. <https://link.springer.com/article/10.1007/s10750-016-2657-2>

280. Nitta M., Nagasawa K. 2016. New geographical records of three gill monogeneans (Platyhelminthes) parasitic on *Pseudorasbora parva* (Cypriniformes: Cyprinidae) in Japan. *Species Diversity*, 21 (1): 1–7.
https://www.jstage.jst.go.jp/article/specdiv/21/1/21_1/_pdf
281. Rakauskas V., Stakėnas S., Virbickas T., Bukelskis E. 2016. Non-indigenous fish in the northern branch of the central European invasion corridor. *Reviews in Fish Biology and Fisheries*, 26 (3): 491–508.
<https://link.springer.com/article/10.1007/s11160-016-9438-x>
282. Tereshchenko V. G., Khrystenko D. S., Kotovska G. O., Tereshchenko L. I. 2016. Characteristics of stone moroko population dynamics at different stages of naturalization in lake- and steam-type Dnieper reservoirs. *Russian Journal of Ecology*, 47 (4): 364–370. <https://rd.springer.com/article/10.1134/S1067413616030140>
283. Tidbury H. J., Taylor N. G. H., Copp G. H., Garnacho E., Stebbing P. D. 2016. Predicting and mapping the risk of introduction of marine non-indigenous species into Great Britain and Ireland. *Biological Invasions*, 18 (11): 3277–3292.
<https://doi.org/10.1007/s10530-016-1219-x>
284. Wang T., Jakovlić I., Huang D., Wang J.-G., Shen J.-Z. 2016. Reproductive strategy of the invasive sharpbelly, *Hemiculter leucisculus* (Basilewsky 1855), in Erhai Lake, China. *Journal of Applied Ichthyology*, 32 (2): 324–331.
<https://doi.org/10.1111/jai.13001>
285. Yasuno N., Chiba Y., Fujimoto Y., Shindo K., Shimada T., Shikano S., Kikuchi E. 2016. Zoobenthos are minor dietary components of small omnivorous fishes in a shallow eutrophic lake. *Marine and Freshwater Research*, 67 (10): 1562–1568.
<https://doi.org/10.1071/MF15156>
286. Záhorská E. 2016. Climate warming and invasive fish species: Will they replace native fish species in waters of temperate zones? *Biologia (Poland)*, 71 (7): 727–735.
<https://doi.org/10.1515/biolog-2016-0101>
287. Gandolfi A., Ferrari C., Crestanello B., Girardi M., Lucentini L., Meraner A. 2017. Population genetics of pike, genus *Esox* (Actinopterygii, Esocidae), in Northern Italy: evidence for mosaic distribution of native, exotic and introgressed populations. *Hydrobiologia*, 794 (1): 73–92.
<http://link.springer.com/article/10.1007/s10750-016-3083-1>
288. Laverty C., Green K. D., Dick J. T. A., O'Neill D. B., Mensink P. J., Médoc V., Spataro T., Caffrey J. M., Lucy F. E., Boets P., Britton J. R., Pegg J., Gallagher C. 2017. Assessing the ecological impacts of invasive species based on their functional responses and abundances. *Biological Invasions*, 19 (5): 1653–1665.
<http://link.springer.com/article/10.1007/s10530-017-1378-4>
289. Lin F., Zhang J., Fan L. Q., Li S. Q., Zhou Q. H. 2017. Length-weight relationship of 12 fish species from the Lhasa River and surrounding area in Tibet, China. *Journal of Applied Ichthyology*, 33 (5): 1047–1050. <https://doi.org/10.1111/jai.13419>
290. Slyntko Y. V., Slyntko E. E., Karpova E. P., Boltachev A. R. 2017. Genetic variation of the mtDNA *cyt b* locus in topmouth gudgeon introduced into water bodies in the northern part of the Black Sea region. *Russian Journal of Genetics*, 53 (1): 91–99.
<https://link.springer.com/article/10.1134/S1022795416120140>
291. Wennerström L., Olsson J., Ryman N., Laikre L. 2017. Temporally stable, weak genetic structuring in brackish water northern pike (*Esox lucius*) in the Baltic Sea indicates a contrasting divergence pattern relative to freshwater populations. *Canadian Journal of Fisheries and Aquatic Sciences*, 74 (4): 562–571.
<https://doi.org/10.1139/cjfas-2016-0039>

- 292.** Ye F., Easy R. H., King S. D., Cone D. K., You P. 2017. Comparative analyses within *Gyrodactylus* (Platyhelminthes: Monogenea) mitochondrial genomes and conserved polymerase chain reaction primers for gyrodactylid mitochondrial DNA. *Journal of Fish Diseases* 40 (4): 541–555. <https://doi.org/10.1111/jfd.12539>
- 293.** Chen H., Zeng X., Mu L., Hou L., Yang B., Zhao J., Schlenk D., Dong W., Xie L., Zhang Q. 2018. Effects of acute and chronic exposures of fluoxetine on the Chinese fish, topmouth gudgeon *Pseudorasbora parva*. *Ecotoxicology and Environmental Safety*, 160: 104–113. <https://doi.org/10.1016/j.ecoenv.2018.04.061>
- 294.** Clusa L., García-Vázquez E. 2018. A simple, rapid method for detecting seven common invasive fish species in Europe from environmental DNA. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 28 (3): 619–629. <https://doi.org/10.1002/aqc.2890>
- 295.** Czerniejewski P., Rybczyk A., Linowska A., Sobecka E. 2018. New location, food composition, and parasitic fauna of the invasive fish *Pseudorasbora parva* (Temminck & Schlegel, 1846) (Cyprinidae) in Poland. *Turkish Journal of Zoology*, 42: 1–12. <http://online.journals.tubitak.gov.tr/openAcceptedDocument.htm?fileID=1070471&no=245637>
- 296.** Iberahim N. A., Trusch F., van West P. 2018. *Aphanomyces invadans*, the causal agent of Epizootic Ulcerative Syndrome, is a global threat to wild and farmed fish. *Fungal Biology Reviews*, 32 (3): 11–130. <https://doi.org/10.1016/j.fbr.2018.05.002>
- 297.** Ma S., Zeng X., Chen H., Geng S., Yan L., Luo Y., Xie L., Zhang Q. 2018. The differences in bioaccumulation and effects between Se(IV) and Se (VI) in the topmouth gudgeon *Pseudorasbora parva*. *Scientific Reports*, 8 (1), Article number: 13860. <https://www.nature.com/articles/s41598-018-32270-z>
- 298.** Ma S., Zhou Y., Chen H., Hou L., Zhao J., Cao J., Geng S., Luo Y., Schlenk D., Xie L. 2018. Selenium accumulation and the effects on the liver of topmouth gudgeon *Pseudorasbora parva* exposed to dissolved inorganic selenium. *Ecotoxicology and Environmental Safety*, 160: 240–248. <https://doi.org/10.1016/j.ecoenv.2018.05.047>
- 299.** Malinovskyi O., Veselý L., Blecha M., Křišťan J., Polícar T. 2018. The substrate selection and spawning behaviour of pikeperch *Sander lucioperca* L. broodstock under pond conditions. *Aquaculture Research*, 49 (11): 3541–3547. <https://doi.org/10.1111/are.13819>
- 300.** Zhao S., Cheng F., Hou G., Hu Z., Xie S. 2018. Opportunistic-tended life history traits of *Siniperca kneri* in the Three Gorges Reservoir, China: potential responses to impoundment. *Journal of Oceanology and Limnology*, pp. 1–12. <https://link.springer.com/article/10.1007/s00343-019-7364-1>
- 301.** Ding H., Gu X., Zhang Z., Huo B., Li D., Xie C. 2019. Growth and feeding habits of invasive *Pseudorasbora parva* in the Chabalang Wetland (Lhasa, China) and its trophic impacts on native fish. *Journal of Oceanology and Limnology* 37: 628–639. <https://link.springer.com/article/10.1007/s00343-019-8004-5>

Stanachkova M., Kozuharov D., Trichkova T., Botev I., Tyufekchieva V. 2010. Changes in zooplankton community of Zhrebchevo Reservoir before and after infestation by *Dreissena polymorpha* (Pallas, 1771). Proceedings Scientific Conference for Young Scientists „Klimentovi Dni”, 22-23 November, 2010, Sofia, 38-42.

- 302.** Traykov I., Vladimirova M. 2015. Relationships between trophic state and physicochemical variables of some standing water bodies on the territory of East-Aegean River Basin Directorate, Bulgaria. *Bulgarian Journal of Agricultural Science*, 21 Supplement 1: 126–136. <https://www.agrojournal.org/21/01s-20.pdf>

Stanachkova M., Kozuharov D., Botev I., Trichkova T., Topalova Y. 2012. Development of zooplankton of Ogosta Dam within 2009-2010 period in relationship with mussels from genus *Dreissena*. In: Proceedings International Conference “Ecology – Interdisciplinary Science and Practice”, Sofia, Bulgaria, 25-26 October 2012. Part One, PublishScieSet-Eco – Publisher, 108-115.

- 303.** Traykov I., Vladimirova M. 2015. Relationships between trophic state and physicochemical variables of some standing water bodies on the territory of East-Aegean River Basin Directorate, Bulgaria. Bulgarian Journal of Agricultural Science, Supplement 1, 21: 126–136. <https://www.agrojournal.org/21/01s-20.pdf>

Katsanevakis S., Genovesi P., Gaiji S., Hvid H. N., Roy H., Nunes A. L., Aguado F. S., Bogucarskis K., Debusscher B., Deriu I., Harrower C., Josefsson M., Lucy F. E., Marchini A., Richards G., Trichkova T., Vanderhoeven S., Zenetos A., Cardoso A. C. 2013. Implementing the European policies for alien species – networking, science, and partnership in a complex environment. Management of Biological Invasions 4 (1): 3-6.

- 304.** Brine O., Hunt L., Costello M. J. (2013). Marine biofouling on recreational boats on swing moorings and berths. Management of Biological Invasions, 4 (4): 327–341. http://www.reabic.net/%5C/journals/mbi/2013/4/MBI_2013_Brine_et.al.pdf

- 305.** Campbell M. L. 2013. The pointy end of the stick: managing biological invasions. Management of Biological Invasions, 4 (1): 1–2. http://www.reabic.net/journals/mbi/2013/1/MBI_2013_1_Editorial.pdf

- 306.** Azzurro E., Castriota L., Falautano M., Giardina F., Andaloro F. 2014. The silver-cheeked toadfish *Lagocephalus sceleratus* (Gmelin, 1789) reaches Italian waters. Journal of Applied Ichthyology, 30 (5): 1050–1052. <https://doi.org/10.1111/jai.12471>

- 307.** Sambrook K., Holt R. H. F., Sharp R., Griffith K., Roche R. C., Newstead R. G., Wyn G., Jenkins S. R. 2014. Capacity, capability and cross-border challenges associated with marine eradication programmes in Europe: The attempted eradication of an invasive non-native ascidian, *Didemnum vexillum* in Wales, United Kingdom. Marine Policy 48: 51–58. <https://app.dimensions.ai/details/publication/pub.1006095046>

- 308.** Matthews J., Schipper A. M., Hendriks A. J., Yen Le T. T., Bij de Vaate A., van der Velde G., Leuven R. S. E. W. 2015. A dominance shift from the zebra mussel to the invasive quagga mussel may alter the trophic transfer of metals. Environmental Pollution, 203: 183–190. <https://www.ncbi.nlm.nih.gov/pubmed/25910461>

- 309.** Boets P., Brosens D., Lock K., Adriaens T., Aelterman B., Mertens J., Goethals P. L. M. 2016. Alien macroinvertebrates in Flanders (Belgium). Aquatic Invasions, 11 (2): 131–144. http://www.aquaticinvasions.net/2016/AI_2016_Boets_et.al.pdf

- 310.** Brundu G., Richardson D. M. 2016. Planted forests and invasive alien trees in Europe: A Code for managing existing and future plantings to mitigate the risk of negative impacts from invasions. NeoBiota 30: 5–47. http://neobiota.pensoft.net/article_preview.php?id=7015

- 311.** Benito M., Mosteo R., Rubio E., LaPlante D., Ormad M. P., Goñ P. 2017. Bioaccumulation of inorganic elements in *Dreissena polymorpha* from the Ebro River, Spain: Could Zebra Mussels be used as a bioindicator of the impact of human activities? River Research and Applications, 33 (3): 718–728. <https://doi.org/10.1002/rra.3126>

Trichkova T., Botev I., Hubenov Z., Kenderov L., Todorov M., Kozuharov D., Deltshev C., Füreder L. 2013. Freshwater crayfish (Decapoda: Astacidae) distribution and conservation in Bulgaria. Freshwater Crayfish, 19 (2): 243–248.

312. Kouba A., Petrusk A., Kozák P. 2014. Continental-wide distribution of crayfish species in Europe: update and maps. Knowledge and Management of Aquatic Ecosystems, 413, 05: 1–31.
<https://www.kmae-journal.org/articles/kmae/abs/2014/02/kmae130143/kmae130143.html>

Trichkova T., Tyufekchieva V., Kenderov L., Vidinova Y., Botev I., Kozuharov D., Hubenov Z., Uzunov Y., Stoichev S., Cheshmedjiev S. 2013. Benthic macroinvertebrate diversity in relation to environmental parameters, and ecological potential of reservoirs, Danube River Basin, North-West Bulgaria. Acta Zoologica Bulgarica, 65 (3): 337-348.

313. Pârvulescu L., Pîrvu M., Moroşan L.-G., Zaharia C. 2015. Plasticity in fecundity highlights the females' importance in the spiny-cheek crayfish invasion mechanism. Zoology, 118 (6): 424–432. <https://doi.org/10.1016/j.zool.2015.08.003>
314. Alves Abreu Da Costa T. R., Weber O. B., Pestana C. J., Capelo-Neto J. 2017. Bioindicators assessing water quality and environmental impacts of water treatment plant sludge. International Journal of Environment and Sustainable Development, 16 (1): 25–42.
<http://www.inderscienceonline.com/doi/abs/10.1504/IJESD.2017.080837>
315. Kalcheva H., Beshkova M., Kalchev R. 2017. Bacterioplankton and its relations to environmental factors and the presence of invasive mussels *Dreissena* spp. in three Bulgarian reservoirs. Acta Zoologica Bulgarica, Supplement 9: 161-170.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-161-170.pdf>
316. Haddadi Moghaddam K., Soltani M., Kamali A., Abdolhay H. A. 2018. The impact assessment of cage culture of rainbow trout (*Oncorhynchus mykiss* Walbaum, 1792) on benthic communities using biological indicators in the South Caspian Sea, Iran. Iranian Journal of Fisheries Sciences.
http://jifro.areo.ir/article_117032_0.html

Kalchev R. K., Beshkova M. B., Botev I. S., Kalcheva H. V., Kozuharov D. S., Trichkova T. A. 2013. Effect of *Dreissena polymorpha* (Molusca, Dreissenidae) on physicochemical characteristics of Zhrebchevo Reservoir (Central Bulgaria.). Proceedings of the Bulgarian Academy of Sciences, 66 (11): 1571-1578.

317. Yotinov I., Lincheva S., Y. Topalova 2014. Vertical fluctuations of key parameter of the self-purification in the “Middle Iskar” cascade’s reservoir Lakatnik. Bulgarian Journal of Agricultural Science, 20 (Supplement 1): 113–117.
https://www.academia.edu/13718414/Vertical_fluctuations_of_key_parameters_of_the_self-purification_in_the_Middle_Iskar_cascade_s_reservoir_Lakatnik
318. Traykov I., Vladimirova M. 2015. Relationships between trophic state and physicochemical variables of some standing water bodies on the territory of East-Aegean River Basin Directorate, Bulgaria. Bulgarian Journal of Agricultural Science, Supplement 1, 21: 126–136. <https://www.agrojournal.org/21/01s-20.pdf>

- 319.** Mezzanotte V., Marazzi F., Bissa M., Pacchioni S., Binelli A., Parolini M., Magni S., Ruggeri F. M., De Giuli Morghen C., Zanotto C., Radaelli A. 2016. Removal of enteric viruses and *Escherichia coli* from municipal treated effluent by zebra mussels. *Science of the Total Environment*, 539: 395–400.
<https://www.sciencedirect.com/science/article/pii/S0048969715306689>
- Hubenov Z., Trichkova T., Kenderov L., Kozuharov D. 2013. Distribution of *Corbicula fluminea* (Mollusca: Bivalvia: Corbiculidae) over eleven-year period of its invasion in Bulgaria. *Acta Zoologica Bulgarica* 65 (3): 315–326.**
- 320.** Cupsa D. 2014. *Corbicula fluminea* upstream expansion in crisuri rivers, Tisa hydrographical basin (Hungarian-Romanian cross-border). *North-Western Journal of Zoology*, 10 (2): 438–440.
https://www.academia.edu/17119850/Corbicula_fluminea_upstream_expansion_in_Crisuri_Rivers_Tisa_hydrographical_basin_Hungarian-Romanian_cross-border
- 321.** Ihtimanska M., Varadinova E., Kazakov S., Hristova R., Naumova S., Pehlivanov L. 2014. Preliminary results about the distribution of macrozoobenthos along the bulgarian stretch of the Danube River with respect to loading of nutrients, heavy metals and arsenic. *Acta Zoologica Bulgarica*, 66 (Suppl. 7): 165–171.
<http://acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2014/supplement-7-165-171.pdf>
- 322.** Minchin D. 2014. The distribution of the Asian clam *Corbicula fluminea* and its potential to spread in Ireland. *Management of Biological Invasions*, 5 (2): 165–177.
http://www.reabic.net/journals/mbi/2014/2/MBI_2014_Minchin.pdf
- 323.** Bódis E., Tóth B., Sousa R. 2016. Freshwater mollusc assemblages and habitat associations in the Danube River drainage, Hungary. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 26 (2): 319–332. <https://doi.org/10.1002/aqc.2585>
- 324.** Liu H., Chen X., Kang I. J., Shimasaki Y., Oshima Y., Yang J. 2016. The valve movement response of three freshwater mussels *Corbicula fluminea* Müller 1774, *Hyriopsis cumingii* Lea 1852, and *Anodonta woodiana* Lea 1834 exposed to copper. *Hydrobiologia*, 770 (1): 1–13.
<http://link.springer.com/article/10.1007/s10750-015-2560-2>
- 325.** Serdar S. 2016. A new bivalvia species in the West Aegean; Asian clam *Corbicula fluminea* (Müller 1774). *Fisheries and Aquatic Sciences*, 33 (4): 329–334.
<http://dergipark.gov.tr/download/article-file/235203>
- 326.** Guo X. Y., Li R. F., Feng C. H., Han Z. 2017. A review of biological toxicity response of Asian clam *Corbicula fluminea* to contaminated environment. *Asian Journal of Ecotoxicology*, 12 (3): 86–109. (in Chinese)
http://www.stdlx.bj.cn/ch/reader/create_pdf.aspx?file_no=20161012002
- 327.** Patrick C. H., Waters M. N., Golladay S. W. 2017. The distribution and ecological role of *Corbicula fluminea* (Müller, 1774) in a large and shallow reservoir. *BioInvasions Records* 6 (1): 39–48.
http://www.reabic.net/journals/bir/2017/1/BIR_2017_Patrick_et.al.pdf
- 328.** Pereira J. L., Vidal T., Mendes C., Ré A., Santos J. I., Gonçalves F., Castro B. B. 2017. Invasive Asian clam distribution pattern reveals minimal constraints to downstream dispersal and imperceptible ecological impacts. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 27 (5): 953–964. <https://doi.org/10.1002/aqc.2777>
- 329.** Sîrbu I., Benedek A.-M. 2017. Native relict versus alien molluscs in thermal waters of North-Western Romania, including the first record of *Melanoides tuberculata* (O. F.

Müller, 1774) (Gastropoda: Thiaridae) from Romania. *Acta Zoologica Bulgarica*, 69 (1): 31–36. [http://www.acta-zoologica-bulgarica.eu/azb_en.php?q=69%20\(1\)](http://www.acta-zoologica-bulgarica.eu/azb_en.php?q=69%20(1))

330. Xiaoyu G., Rufeng L., Chenghong F., Zhihua H. 2017. A review of biological toxicity response of Asian Clam *Corbicula fluminea* to contaminated environment. *Asian Journal of Ecotoxicology*, 12 (3): 86–109.
http://www.stdlxn.cn/ch/reader/create_pdf.aspx?file_no=20161012002
331. Bespalaya Y. V., Bolotov I. N., Aksanova O. V., Kondakov A. V., Gofarov M. Y., Laenko T. M., Sokolova S. E., Shevchenko A. R., Travina O. V. 2018. Aliens are moving to the Arctic frontiers: an integrative approach reveals selective expansion of androgenic hybrid *Corbicula* lineages towards the North of Russia. *Biological Invasions*, 20 (8): 2227–2243.
<https://link.springer.com/article/10.1007/s10530-018-1698-z>
332. Bonk M., Zajac K., Lipińska A. M. 2018. Rapid expansion of the Asian clam *Corbicula fluminea* (O. F. Müller, 1774): a new alien species in the mollusk community of the Vistula. *Oceanological and Hydrobiological Studies*, 47 (1): 75–86.
<http://yadda.icm.edu.pl/yadda/element/bwmeta1.element.baztech-8ddbff07-c8f6-416d-8a89-97bea6c9ef0d>
333. Pavel A. B., Dutu L., Patriche N. 2018. The benthic fauna associations from the meanders area of Danube – Sfantu Gheorghe branch, in the period 2016-2017. *Geo-Eco-Marina*, 23: 233–244.
http://journal.geoecomar.ro/geo-eco-marina/article/view/18_2017
334. Zhivoglyadova L. A., Revkov N. K. 2018. First records of *Corbicula fluminea* (O. F. Müller, 1774) (Mollusca: Bivalvia) from the Lower Don. *Ecologica Montenegrina*, 17: 46–52. <https://www.biota.org/em/article/viewFile/38127/32394>

Ognjanova-Rumenova N. G., Rashkova L. E., Botev I. S., Trichkova T. A. 2013. Diversity of benthic diatoms in relation to environmental factors in two Bulgarian reservoirs. *Phytologia Balcanica*, 19 (3): 307–322.

335. Dochin K., Kuneva V., Iliev I. 2017. Principal component analysis of the phytoplankton interactions with the environmental factors in two reservoirs in Bulgaria. *Bulgarian Journal of Agricultural Science*, 23 (6): 1037–1046.
<https://www.agrojournal.org/23/06-23.pdf>

Kozuharov, D., Trichkova T., Stanachkova M., Borisova P., Botev I. 2013. Comparative analysis of zooplankton composition in reservoirs of North-West Bulgaria: Relation to water physicochemical parameters and *Dreissena* infestation. *Acta Zoologica Bulgarica*, 65 (3): 359–370.

336. Terziyski D., Tzavkova V., Kalchev R., Iliev I. 2015. Impact of the fish cage aquaculture on the zooplankton community in „Kardzhali“ Dam lake, Bulgaria. *Bulgarian Journal of Agricultural Science*, 21: 45–55. <http://www.agrojournal.org/21/01s-08.pdf>
337. Tyor A. K., Kumar P., Tanwar S. 2018. Preliminary investigation of physico-chemical parameters and plankton biodiversity of recreational Lake Tilyar, Rohtak (Haryana) India. *Journal of Biological and Chemical Research*, 35 (1): 80–90.
[http://jbcr.co.in/Current_Issue/Volume%2035%20\(1\)%20Part%20A,%20January%200%20June%202018/10.%20Manuscript%20corrected%2080-90.pdf](http://jbcr.co.in/Current_Issue/Volume%2035%20(1)%20Part%20A,%20January%200%20June%202018/10.%20Manuscript%20corrected%2080-90.pdf)

Kalchev R. K., Beshkova M. B., Botev I. S., Kalcheva H. V., Kenderov L. A., Kozuharov D. S., Trichkova T. A. 2014. Relation of transparency, dissolved oxygen and pH to *Dreissena* spp. occurrence in Bulgarian standing waters. *Acta Zoologica Bulgarica*, 66 (3): 389–397.

- 338.** Serdar S., Bulut H., Eden M., Özdemir Y. 2019. Determining bioecological and biometric properties of freshwater mussels (*Unio crassus* Philipsson, 1788). *Polish Journal of Environmental Studies*, 28 (3): 1917–1924.
<http://www.pjoes.com/Determining-Bioecological-and-Biometric-nProperties-of-Freshwater-Mussels-n-Unio,90621,0,2.html>

Kenderov L., Pavlova M., Trichkova T., Tyufekchieva V., Vidinova Y., Kozuharov D., Botev I., Hubenov Z., Uzunov Y., Stoichev S., Beshkova M., Kalcheva H., Kalchev R. 2014. Trophic state and trophic structure in three Bulgarian reservoirs. *Acta Zoologica Bulgarica*, 66 (2): 247–254.

- 339.** Iliev I., Yahubyan G., Marhova M., Apostolova E., Gozmanova M., Gecheva G., Kostadinova S., Ivanova A., Baev V. 2017. Metagenomic profiling of the microbial freshwater communities in two Bulgarian reservoirs. *Journal of Basic Microbiology*, 57 (8): 669–679. <https://onlinelibrary.wiley.com/doi/abs/10.1002/jobm.201700137>

Todorov M., Andonova V., Hubenov Z., Ihtimanska M., Kenderov L., Trichkova T., Varadinova E., Deltshev C. 2014. Distribution and current status of stone crayfish populations *Austropotamobius torrentium* (Decapoda: Astacidae) in Natura 2000 protected areas in Bulgaria. *Acta Zoologica Bulgarica*, 66 (2): 181–202.

- 340.** Kouba A., Petrusk A., Kozák P. 2014. Continental-wide distribution of crayfish species in Europe: update and maps. *Knowledge and Management of Aquatic Ecosystems*, 413 (05): 1–31.
<https://www.kmae-journal.org/articles/kmae/abs/2014/02/kmae130143/kmae130143.html>

- 341.** Chucholl C., Schrimpf A. 2016. The decline of endangered stone crayfish (*Austropotamobius torrentium*) in southern Germany is related to the spread of invasive alien species and land-use change. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 26 (1): 44–56.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/aqc.2568>

- 342.** Perdikaris C., Konstantinidis E., Georgiadis E., Kouba A. 2017. Freshwater crayfish distribution update and maps for Greece: combining literature and citizen-science data. *Knowledge & Management of Aquatic Ecosystems*, 418, 51: 1–12.
<https://www.kmae-journal.org/articles/kmae/pdf/2017/01/kmae170082.pdf>

- 343.** Petrusk A., Pešek P., Leština D., Martin P., Fischer D., Kozák P., Vlach P. 2017. Mitochondrial DNA provides evidence of a double origin for the stone crayfish *Austropotamobius torrentium* in the Elbe basin. *Limnologica: Ecology and Management of Inland Waters* 62: 77–83.
<http://dx.doi.org/doi:10.1016/j.limno.2016.11.004>

- 344.** Policar T., Bondarenko V., Bezusyj O., Stejskal V., Kristan J., Malinovskyi O., Imentai A., Blecha M., Pylypenko Y. 2018. Crayfish in Central and Southern Ukraine with special focus on populations of indigenous crayfish *Astacus pachypus* (Rathke, 1837)

and their conservation needs. Aquatic Conservation: Marine and Freshwater Ecosystems, 28 (1): 6–16. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/aqc.2798>

Stanachkova M., Kozuharov D., Zlatanova D., Trichkova T. 2015. Dynamics of *Dreissena* spp. veliger larvae in some Bulgarian reservoirs. Biotechnology & Biotechnological Equipment 29: 527–532.

- 345.** Kalcheva H., Beshkova M., Kalchev R. 2017. Bacterioplankton and its relations to environmental factors and the presence of invasive mussels *Dreissena* spp. in three Bulgarian reservoirs. Acta Zoologica Bulgarica, Supplement 9: 161–170.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2017/supplement-9-161-170.pdf>

Todorov M., Grozева S., Hubenov Z., Kenderov L., Trichkova T. 2016. Taxonomic status and distribution of medicinal leeches of the genus *Hirudo* L. (Hirudinea) in Bulgaria. Acta Zoologica Bulgarica, 68 (2), 2016: 171–182.

- 346.** Sağlam N., Özbay Ö., Demir T., Balcı M., Pala A., Kılıç A. 2018. Effect of water quality on monthly density variation of the endangered southern medicinal leech *Hirudo verbana* Carena, 1820 (Hirudinea: Arhynchobdellida: Hirudinidae). Acta Zoologica Bulgarica, 70 (3): 433–441.
<http://www.acta-zoologica-bulgarica.eu/downloads/acta-zoologica-bulgarica/2018/70-3-433-441.pdf>

Lopes-Lima M., Sousa R., Geist J., Aldridge D., Araujo R., Bergengren J., Bespalaya Y., Bódis E., Burlakova L., Van Damme D., Douda K., Froufe E., Georgiev D., Gumpinger C., Karatayev A., Kebapçı Ü., Killeen I., Lajtner J., Larsen B., Lauceri R., Legakis A., Lois S., Lundberg S., Moorkens E., Motte G., Nagel K.-O., Ondina P., Outeiro A., Paunovic M., Prié V., Von Proschwitz T., Riccardi N., Rudzīte M., Rudzītis M., Scheder C., Seddon M., Şereflişan H., Simić V., Sokolova S., Stoeckl K., Taskinen J., Teixeira A., Thielen F., Trichkova T., Varandas S., Vicentini H., Zajac K., Zajac T., Zogaris S. 2016. Conservation status of freshwater mussels in Europe: State of the art and future challenges. Biological Reviews, 92 (1): 572–607.

- 347.** Johnson N. A., McLeod J. M., Holcomb J., Rowe M., Williams J. D. 2016. Early life history and spatiotemporal changes in distribution of the rediscovered Suwannee moccasinshell *Medionidus walkeri* (Bivalvia: Unionidae). Endangered Species Research, 31 (1): 163–175. <https://www.int-res.com/articles/esr2016/31/n031p163.pdf>

- 348.** Bartáková V., Reichard M. 2017. No effect of recent sympatry with invasive zebra mussel on the oviposition decisions and reproductive success of the bitterling fish, a brood parasite of unionid mussels. Hydrobiologia, 794 (1): 153–166.
<https://link.springer.com/article/10.1007/s10750-017-3089-3>

- 349.** Cao Y., Cummings K., Hinz L., Douglass S. A., Stodola A. P., Holtrop A. M. 2017. Reconstructing the natural distribution of individual unionid mussel species and species diversity in wadeable streams of Illinois, USA, with reference to stream bioassessment. Freshwater Science, 36 (3): 669–682.
<https://www.journals.uchicago.edu/doi/abs/10.1086/692819>

- 350.** Colin N., Maceda-Veiga A., Monroy M., Ortega-Ribera M., Llorente M., de Sostoa A. 2017. Trends in biomarkers, biotic indices, and fish population size revealed

contrasting long-term effects of recycled water on the ecological status of a Mediterranean river. Ecotoxicology and Environmental Safety, 145: 340–348.

<https://doi.org/10.1016/j.ecoenv.2017.07.048>

351. Ferreira-Rodríguez N., Pardo I. 2017. The interactive effects of temperature, trophic status, and the presence of an exotic clam on the performance of a native freshwater mussel. Hydrobiologia, 797 (1): 171–182. <https://doi.org/10.1007/s10750-017-3170-y>
352. Filipsson K., Brijs J., Näslund J., Wengström N., Adamsson M., Závorka L., Österling E. M., Höjesjö J. 2017. Encystment of parasitic freshwater pearl mussel (*Margaritifera margaritifera*) larvae coincides with increased metabolic rate and haematocrit in juvenile brown trout (*Salmo trutta*). Parasitology Research, 116 (4): 1353–1360. <https://doi.org/10.1007/s00436-017-5413-2>
353. Gopko M., Mironova E., Pasternak A., Mikheev V. 2017. Freshwater mussels (*Anodonta anatina*) reduce transmission of a common fish trematode (eye fluke, *Diplostomum pseudospathaceum*). Parasitology, 144 (14): 1971–1979. <https://www.cambridge.org/core/journals/parasitology/article/freshwater-mussels-anodonta-anatina-reduce-transmission-of-a-common-fish-trematode-eye-fluke-diplostomum-pseudospathaceum/05CFAD6C1C3FFA68BAD1C7D2CF7C11C7>
354. Helama S., Valovirta I., Nielsen J. K. 2017. Growth characteristics of the endangered thick-shelled river mussel (*Unio crassus*) near the northern limit of its natural range. Aquatic Conservation: Marine and Freshwater Ecosystem, 27 (2): 476–491. <http://onlinelibrary.wiley.com/doi/10.1002/aqc.2698/full>
355. Liu X., Cao Y., Xue T., Wu R., Zhou Y., Zhou C., Zanatta D. T., Ouyang S., Wu X. 2017. Genetic structure and diversity of *Nodularia douglasiae* (Bivalvia: Unionida) from the middle and lower Yangtze River drainage. PLoS ONE, 12 (12): e0189737. <https://doi.org/10.1371/journal.pone.0189737>
356. Markich S. J. 2017. Sensitivity of the glochidia (larvae) of freshwater mussels (Bivalvia: Unionida: Hyriidae) to cadmium, cobalt, copper, lead, nickel and zinc: Differences between metals, species and exposure time. Science of The Total Environment, 601–602: 1427–1436. <https://doi.org/10.1016/j.scitotenv.2017.06.010>
357. Salonen J. K., Luhta P.-L., Moilanen E., Oulavirta P., Turunen J., Taskin J. 2017. Atlantic salmon (*Salmo salar*) and brown trout (*Salmo trutta*) differ in their suitability as hosts for the endangered freshwater pearl mussel (*Margaritifera margaritifera*) in northern Fennoscandian rivers. Freshwater Biology, 62 (8): 1346–1358. <http://onlinelibrary.wiley.com/doi/10.1111/fwb.12947/full>
358. Schneider L. D., Nilsson P. A., Höjesjö J., Österling E. M. 2017. Local adaptation studies and conservation: Parasite–host interactions between the endangered freshwater mussel *Unio crassus* and its host fish. Aquatic Conservation: Marine and Freshwater Ecosystems 27 (6): 1261–1269. <https://doi.org/10.1002/aqc.2816>
359. St. John White B., Ferreri C. P., Lellis W. A., Wicklow B. J., Cole J. C. 2017. Geographic variation in host fish use and larval metamorphosis for the endangered dwarf wedge mussel. Aquatic Conservation: Marine and Freshwater Ecosystems, 27 (6): 909–918. <http://onlinelibrary.wiley.com/doi/10.1002/aqc.2782/full>
360. Vikhrev I. V., Koopleva E. S., Gofarov M. Y., Kondakov A. V., Chapurina Y. E., Bolotov I. N. 2017. A tropical biodiversity hotspot under the new threat: Discovery and DNA barcoding of the invasive Chinese Pond Mussel *Sinanodonta woodiana* in Myanmar. Tropical Conservation Science, 10: 1–11. <http://journals.sagepub.com/doi/pdf/10.1177/1940082917738151>
361. Bouska K. L., Rosenberger A., McMurray S. E., Lindner G. A., Key K. N. 2018. State-Level Freshwater Mussel Programs: Current status and a research framework to aid in mussel management and conservation. Fisheries, 43 (8): 345–360.

<https://onlinelibrary.wiley.com/doi/abs/10.1002/fsh.10106>

362. Cao Y.-L., Liu X.-J., Wu R.-W., Xue T.-T., Li L., Zhou C.-H., Ouyang S., Wu X.-P. 2018. Conservation of the endangered freshwater mussel *Solenaia carinata* (Bivalvia, Unionidae) in China. *Nature Conservation*, 26: 3–53.
https://natureconservation.pensoft.net/article_preview.php?id=25334
363. Chowdhury M., Salonen J., Marjomäki T., Taskinen J. 2018. Interaction between the endangered freshwater pearl mussel *Margaritifera margaritifera*, the duck mussel *Anodonta anatina* and the fish host (*Salmo*): acquired and crossimmunity. *Hydrobiologia*, 810 (1): 273–281.
<https://link.springer.com/article/10.1007/s10750-017-3114-6>
364. Collas F. P. L., Buijse A. D., Hendriks A. J., van der Velde G., Leuven R. S. E. W. 2018. Sensitivity of native and alien freshwater bivalve species in Europe to climate-related environmental factors. *Ecosphere*, 9 (5): e02184.
<https://onlinelibrary.wiley.com/doi/full/10.1002/ecs2.2184>
365. Daniel W. M., Cooper A. R., Badra P. J., Infante D. M. 2018. Predicting habitat suitability for eleven imperiled fluvial freshwater mussels. *Hydrobiologia* 809 (1): 265–283. <https://link.springer.com/article/10.1007/s10750-017-3473-z>
366. Dzierżyńska-Białończyk A., Jermacz Ł., Maćkiewicz T., Gajewska J., Kobak J. 2018. Mechanisms and impact of differential fouling of the zebra mussel *Dreissena polymorpha* on different unionid bivalves. *Freshwater Biology*, 63 (7): 687–699.
<https://onlinelibrary.wiley.com/doi/abs/10.1111/fwb.13107>
367. Ferreira-Rodríguez N., Fandiño L., Pedreira A., Pardo I. 2018. First evidence of asymmetric competition between the non-native clam *Corbicula fluminea* and the native freshwater mussel *Unio delphinus* during a summer heat wave. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 28 (5): 1105–1113.
<https://onlinelibrary.wiley.com/doi/abs/10.1002/aqc.2964>
368. Filipsson K., Petersson T., Höjesjö J., Piccolo J. J., Näslund J., Wengström N., Österling E. M. 2018. Heavy loads of parasitic freshwater pearl mussel (*Margaritifera margaritifera* L.) larvae impair foraging, activity and dominance performance in juvenile brown trout (*Salmo trutta* L.). *Ecology of Freshwater Fish*, 27 (1): 70–77.
<https://onlinelibrary.wiley.com/doi/full/10.1111/eff.12324>
369. Genç T. O., Po B. H. K., Yılmaz F., Lau T.-C., Wu R. S. S., Chiu J. M. Y. 2018. Differences in metal profiles revealed by native mussels and artificial mussels in Sarıçay Stream, Turkey: implications for pollution monitoring. *Marine and Freshwater Research* 69 (9): 1372–1378. <https://doi.org/10.1071/MF17293>
370. Gopko M., Chowdhury M. M. R., Taskinen J. 2018. Interactions between two parasites of brown trout (*Salmo trutta*): Consequences of preinfection. *Ecology and Evolution*, 8: 9986–9997. <https://onlinelibrary.wiley.com/doi/pdf/10.1002/ece3.4406>
371. Koopman K. R., Collas F. P. L., Breure A. M., Lenders H. J. R., van der Velde G., Leuven R. S. E. W. 2018. Predicting effects of ship-induced changes in flow velocity on native and alien molluscs in the littoral zone of lowland rivers. *Aquatic Invasions*, 13 (4): 481–490.
<https://repository.ubn.ru.nl/bitstream/handle/2066/198136/198136.pdf?sequence=1>
372. Mrkvicka A. C. 2018. Populations of *Microcondylaea bonellii* (Férussac 1827), Unionidae – an European freshwater mussel at rapid decline – and *Unio mancus* in Istria, Croatia. *Ecologica Montenegrina*, 17: 53–59.
<https://www.biota.org/em/article/view/38214>
373. Nakamura K., Cucala L., Mestre A., Mesquita-Joanes F., Elbaile E., Salinas C., Muñoz-Yanguas M. Á. 2018. Modelling growth in the critically endangered freshwater mussel

Margaritifera auricularia (Spengler, 1793) in the Ebro basin. *Hydrobiologia* 810 (1): 375–391. <http://link.springer.com/article/10.1007/s10750-017-3103-9>

374. Renaut S., Guerra D., Hoeh W. R., Stewart D. T., Bogan A. E., Ghiselli F., Milani L., Passamonti M., Breton S. 2018. Genome survey of the freshwater mussel *Venustaconcha ellipsiformis* (Bivalvia: Unionida) using a hybrid de novo assembly approach. *Genome Biology and Evolution*, 10 (7): 1637–1646.
<http://dx.doi.org/10.1093/gbe/evy117>
375. Robicheau B. M., Chase E. E., Hoeh W. R., Harris J. L., Stewart D. T., Breton S. 2018. Evaluating the utility of the female-specific mitochondrial *f-orf* gene for population genetic, phylogeographic and systematic studies in freshwater mussels (Bivalvia: Unionida). *PeerJ* 6: e5007. <https://doi.org/10.7717/peerj.5007>
376. Sansom B. J., Bennett S. J., Atkinson J. F., Vaughn C. C. 2018. Long-term persistence of freshwater mussel beds in labile river channels. *Freshwater Biology*, 63 (11): 1469–1481. <https://onlinelibrary.wiley.com/doi/abs/10.1111/fwb.13175>
377. Schneider L. D., Nilsson P. A., Österling E. M. 2018. Evaluating temperature- and host-dependent reproduction in the parasitic freshwater mussel *Unio crassus*. *Hydrobiologia*, 810 (1): 283–293. <https://doi.org/10.1007/s10750-017-3217-0>
378. Sîrbu I., Benedek A. M. 2018. Trends in Unionidae (Mollusca, Bivalvia) communities in Romania: an analysis of environmental gradients and temporal changes. *Hydrobiologia*, 810 (1): 295–314. <https://doi.org/10.1007/s10750-017-3173-8>
379. Strayer D. L., Malcom H. M. 2018. Long-term responses of native bivalves (Unionidae and Sphaeriidae) to a *Dreissena* invasion. *Freshwater Science*, 37 (4): 697–711.
<https://www.journals.uchicago.edu/doi/pdfplus/10.1086/700571>
380. Tuttle-Raycraft S., Ackerman J. D. 2018. Does size matter? Particle size vs. quality in bivalve suspension feeding. *Freshwater Biology*, 63 (12): 1560–1568.
<https://doi.org/10.1111/fwb.13184>
381. Vaughn C. C., Hoellein T. J. 2018. Bivalve impacts in freshwater and marine ecosystems. *Annual Review of Ecology, Evolution, and Systematics*, 49: 183–208.
<https://www.annualreviews.org/doi/abs/10.1146/annurev-ecolsys-110617-062703>
382. Vikhrev I. V., Bolotov I. N., Altun A., Gofarov M. Y., Dvoryankin G. A., Kondakov A. V., Ozcan T., Ozcan G. 2018. The revenant: rediscovery of *Margaritifera homsensis* from Orontes drainage with remarks on its taxonomic status and conservation (Bivalvia: Margaritiferidae). *Systematics and Biodiversity*, 16 (1): 69–80.
<http://dx.doi.org/10.1080/14772000.2017.1343876>
383. Wang N., Ivey C. D., Dorman R. A., Ingersoll C. G., Steevens J., Hammer E. J., Bauer C. R., Mount D. R. 2018. Acute toxicity of sodium chloride and potassium chloride to a unionid mussel (*Lampsilis siliquoidea*) in water exposures. *Environmental Toxicology and Chemistry*, 37 (12): 3041–3049. <https://doi.org/10.1002/etc.4206>
384. Wang N., Kunz J. L., Dorman R. A., Ingersoll C. G., Steevens J. A., Hammer E. J., Bauer C. R. 2018. Evaluation of chronic toxicity of sodium chloride or potassium chloride to a unionid mussel (*Lampsilis siliquoidea*) in water exposures using standard and refined toxicity testing methods. *Environmental Toxicology and Chemistry*, 37 (12): 3050–3062. <https://setac.onlinelibrary.wiley.com/doi/pdf/10.1002/etc.4258>
385. Leppänen J. J. 2018. Establishing minimum counts for semiquantitative bank-to-bank river transect mussel studies in species-poor rivers. *River Research and Applications*, 35 (2): 197–202. <https://doi.org/10.1002/rra.3394>
386. Jourdan J., Plath M., Tonkin J. D., Ceylan M., Dumeier A. C., Gellert G., Graf W., Hawkins C. P., Kiel E., Lorenz A. W., Matthaei C. D., Verdonschot P. F. M., Verdonschot R. F. M., Haase P. 2019. Reintroduction of freshwater

macroinvertebrates: challenges and opportunities. Biological Reviews, 94 (2): 368–387. <https://onlinelibrary.wiley.com/doi/abs/10.1111/bry.12458>

387. Pohle I., Helliwell R., Aube C., Gibbs S., Spencer M., Spezia L. 2019. Citizen science evidence from the past century shows that Scottish rivers are warming. Science of The Total Environment, 659: 53–65. <https://doi.org/10.1016/j.scitotenv.2018.12.325>
388. Schneider L. D., Nilsson P. A., Höjesjö J., Österling E. M. 2019. Effects of mussel and host fish density on reproduction potential of a threatened unionoid mussel: prioritization of conservation locations in management trade-offs. Biodiversity and Conservation, 28: 259–273. <https://link.springer.com/content/pdf/10.1007/s10531-018-1652-5.pdf>

Kozuharov D., Kalchev R., Beshkova M., Stanachkova M., Kenderov L., Vasilev V., Trichkova T. 2017. Occurrence of the alien freshwater jellyfish *Craspedacusta sowerbii* Lankester, 1880 (Cnidaria: Hydrozoa) in some Bulgarian reservoirs. Acta Zoologica Bulgarica, Supplement 9: 67–72.

389. Medina-Gavilán J. L., González-Duarte-Graellsia M. M. 2018. A synthesis of known Iberian localities for *Craspedacusta sowerbii* Lankester, 1880 (Cnidaria: Hydrozoa): new record for Spain from low Guadalquivir River. Graellsia, 74 (2): e072. <http://graellsia.revistas.csic.es/index.php/graellsia/article/view/576>

Roy H. E., Rabitsch W., Scalera R., Stewart A., Gallardo B., Genovesi P., Essl F., Adriaens T., Bacher S., Booy O., Branquart E., Brunel S., Copp G. H., Dean H., D'hondt B., Josefsson M., Kenis M., Kettunen M., Linnamagi M., Lucy F., Martinou A., Moore N., Nentwig W., Nieto A., Pergl J., Peyton J., Roques A., Schindler S., Schönrogge K., Solarz W., Stebbing P. D., Trichkova T., Vanderhoeven S., van Valkenburg J., Zenetos A. 2018. Developing a framework of minimum standards for the risk assessment of alien species. Journal of Applied Ecology, 55 (2): 526–538.

390. Castellanos-Galindo G. A., Moreno X., Robertson D. R. 2018. Risks to eastern Pacific marine ecosystems from sea-cage mariculture of alien Cobia. Management of Biological Invasions, 9 (3): 323–327. http://www.reabic.net/journals/mbi/2018/3/MBI_2018_Castellanos-Galindo_et.al.pdf

391. Dorrough J., Oliver I., Wall J. 2018. Consensus when experts disagree: A priority list of invasive alien plant species that reduce ecological restoration success. Management of Biological Invasions, 9 (3): 329–341. http://www.reabic.net/journals/mbi/2018/3/MBI_2018_Dorrough_et.al.pdf

392. Hill J. E., Tuckett Q. M., Watson C. A. 2018. Court ruling creates opportunity to improve management of nonnative fish and wildlife in the United States. Fisheries, 43 (5): 225–230. <https://onlinelibrary.wiley.com/doi/abs/10.1002/fsh.10071>

393. Reijns N., Casaer J., De Smet L., Devos K., Huysentruyt F., Robertson P. A., Verbeke T., Adriaens T. 2018. Cost-benefit analysis for invasive species control: the case of greater Canada goose *Branta canadensis* in Flanders (northern Belgium). PeerJ 6: e4283. <https://doi.org/10.7717/peerj.4283>

394. Roberts C. G., Britton J. R. 2018. Trophic interactions in a lowland river fish community invaded by European barbel *Barbus barbus* (Actinopterygii, Cyprinidae). Hydrobiologia, 819 (1): 259–273. <https://link.springer.com/article/10.1007/s10750-018-3644-6>

- 395.** Top N., Karakuş U., Tepeköy E. G., Britton J. R., Tarkan A. S. 2018. Plasticity in life history traits of the native *Proterorhinus semilunaris* suggests high adaptive capacity in its invasive range. *Knowledge and Management of Aquatic Ecosystems*, 419, Article Number 48, 1–10.
https://www.edp-open.org/articles/kmae/full_html/2018/01/kmae180047/kmae180047.html
- 396.** Wilson J. R. U., Faulkner K. T., Rahlao S. J., Richardson D. M., Zengeya T. A., van Wilgen B. W. 2018. Indicators for monitoring biological invasions at a national level. *Journal of Applied Ecology*, 55 (6): 2612–2620.
<https://besjournals.onlinelibrary.wiley.com/doi/pdf/10.1111/1365-2664.13251>