

СПИСЪК НА ЦИТИРАНИЯТА

на д-р Гергана Петрунова Василева

доцент в секция “Биоразнообразие и екология на паразитите”

Институт по биоразнообразие и екосистемни изследвания

(във връзка с участието в конкурса за академична длъжност „професор“

по научната специалност „Паразитология и хелминтология“,

юли 2022 г.)

Представен е хронологичен списък на всички намерени цитирания в статии в научни издания, сборници и книги; не са включени цитирания в дисертации. С (IF) или (SJR) са обозначени цитиранията в статии от списания, индексирани в *Web of Science* или Scopus.

Общ брой: 261

В статии индексирани в *Web of Science* или Scopus: 184 (в т.ч. 157 с IF и 27 с SJR)

Georgiev B.B., Vasileva G.P., Genov T (1995) *Dictyterina cholodkowskii* (Cestoda, Paruterinidae): morphology, synonymy and distribution. *Folia Parasitologica* 42: 55-60.

1. Hromada M., Dudinák V., Yosef R. (2000) An inside-out perspective of the true shrikes: a review of the helminthofauna. *Ring* 22, 1: 185-204
2. De Souza A.J.S., Malheiros A.P., Alves M.M., das Chagas A.A.C., de Sá L.R.M., Soares M.D.C.P. (2019) A paruterinid metacestode in the liver of a Neotropical bat (*Molossus molossus*). *Parasitology International*, 70, 46-50. <https://doi.org/10.1016/j.parint.2019.01.007> (IF)
3. Marinova M. (2020) Review of cestodes (Platyhelminthes: Cestoda) recorded from birds and mammals in Sarnena Sredna Gora Mountains and adjacent territories. In: Georgiev, D., Bechey, D. & Yancheva, V. (Eds.) *Fauna of Sarnena Sredna Gora Mts, Part 1. ZooNotes*, Supplement 9, 66-85.

Genov T., Vasileva G.P., Georgiev B.B. (1996) *Paranoplocephala aquatica* n. sp. (Cestoda, Anoplocephalidae) from *Arvicola terrestris* and *Ondatra zibethica* (Rodentia), with redescriptions and comments on related species. *Systematic Parasitology* 34: 135-152.

4. Gerasimov S. (1998) Class Mammalia (Mammals). In: Michev T., Georgiev B. B., Petrova A. V., Stoyneva M. P. (Eds) *Biodiversity of the Srebarna Biosphere Reserve*. Checklist and bibliography. Sofia: Co-published by Context and Pensoft, 93-95.
5. Tenora F. (1998) - *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis* 46: 57-72.
6. Gubanyi A., Tenora F., Murai E. (1998) *Paranoplocephala genovi* sp. n. (Cestoda, Anoplocephalidae) from the muskrat (*Ondatra zibethicus* L.). *Parasitologia Hungarica* 31: 33-38
7. Tenora F., Gubanyi A., Murai E. (1999) *Paranoplocephala maseri* n. sp. (Cestoda, Anoplocephalidae), a parasite of sagebrush voles *Lemmiscus curtatus* (Rodentia) in the USA. *Systematic Parasitology* 42 (2): 153-158. (IF)
8. Haukisalmi V., Henttonen H. (2000) Description and morphometric variability of *Paranoplocephala serrata* n. sp. (Cestoda: Anoplocephalidae) in collared lemmings (*Dicrostonyx* spp., Arvicolinae) from Arctic Siberia and North America. *Systematic Parasitology* 45 (3): 219-231. (IF)
9. Haukisalmi V., Wickstrom L.M., Hantula J., Henttonen H. (2001) Taxonomy, genetic differentiation and Holarctic biogeography of *Paranoplocephala* spp. (Cestoda: Anoplocephalidae) in collared lemmings (*Dicrostonyx*; Arvicolinae). *Biological Journal of the Linnean Society*, 74 (2): 171-196. (IF)
10. Haukisalmi V., Henttonen H. (2001) Biogeography of helminth parasitism in *Lemmus* Link (Arvicolinae), with the description of *Paranoplocephala fellmani* n. sp. (Cestoda: Anoplocephalidae) from the Norwegian lemming *L. lemmus* (Linnaeus). *Systematic Parasitology* 49 (1): 7-22. (IF)

11. Wickstrom L.M., Hantula J., Haukisalmi V., Henttonen H. (2001) Genetic and morphometric variation in the Holarctic helminth parasite *Andrya arctica* (Cestoda, Anoplocephalidae) in relation to the divergence of its lemming hosts (*Dicrostonyx* spp.). *Zoological Journal of the Linnean Society, London* 131 (4): 443-457 <https://doi.org/10.1111/j.1096-3642.2001.tb01321.x> (IF)
12. Haukisalmi V., Henttonen H., Niemimaa J., Rausch R.L. (2002) Description of *Paranoplocephala etholeni* n. sp.(Cestoda: Anoplocephalidae) in the Meadow Vole *Microtus pennsylvanicus*, with a Synopsis of *Paranoplocephala* s.l. in Holarctic Rodents. *Parasite* 9: 305-314. (IF)
13. Tenora F., Koubkova B., Feliu C. (2002) Redescription of *Andrya cuniculi* (Blanchard, 1891) (Cestoda: Anoplocephalidae), a parasite of *Oryctolagus cuniculus* (Lagomorpha) in Spain. *Folia Parasitologica* 49 (1): 50-54. (IF)
14. Gubányi A., Murai É. (2002) New anoplocephalid parasites (Cestoda: Anoplocephalidae, *Paranoplocephala*) from the Fertő–Hanság National Park. In: *The fauna of the Fertő–Hanság National Park, Budapest*, Hungarian Natural History Museum, pp. 111–120.
15. Haukisalmi V., Henttonen H. (2003) What is *Paranoplocephala macrocephala* (Douthitt, 1915) (Cestoda: Anoplocephalidae)? *Systematic Parasitology* 54 (1): 53-69. (IF)
16. Tenora F., Borkovcová M. (2003) - *Acta universitatis agriculturae et silviculturae mendelianae brunensis* 51 (9): 65-69.
17. Tenora F. (2004) Corrections in the taxonomic position of the helminth-fauna of *Apodemus* spp. (Rodentia) in the Czech Republic. *Acta universitatis agriculturae et silviculturae mendelianae brunensis* 52 (2): 7-14.
18. Sichanov D., Chipev N., Biserkov V. (2004) Spatial distribution of terrestrial small mammals in the region of Srebarna Reserve. *Annuaire de l' Université de Sofia "St. Kliment Ohridski"*, 96, Livre 4, 411-421.
19. Wickström L.M., Haukisalmi V., Varis S., Hantula J., Henttonen H. (2005) Molecular phylogeny and systematics of anoplocephalinae cestodes in rodents and lagomorphs. *Systematic Parasitology* 62: 83-99. (IF)
20. Haukisalmi V., Raush R., Henttonen H. (2005) Morphological characterisation of *Paranoplocephala bairdi* (Schad, 1954) (Cestoda: Anoplocephalidae) in heather voles *Phenacomys* spp. and tree voles *Arborimus* spp., and related species in voles and lemmings (Muridae: Arvicoline). *Folia Parasitologica* 52: 311-321. (IF)
21. Haukisalmi V., Wickström L.M. (2005) Morphological characterisation of *Andrya* Railliet, 1893, *Neandrya* n.g. and *Paranoplocephala* Lühe, 1910 (Cestoda: Anoplocephalidae) in rodents and lagomorphs. *Systematic Parasitology* 62: 209-219. (IF)
22. Haukisalmi V., Henttonen H. (2005) Description of *Paranoplocephala yoccozi* n. sp. (Cestoda: Anoplocephalidae) from the snow vole *Chionomys nivalis* in France, with a review of anoplocephalid cestodes of snow voles in Europe. *Parasite* 12: 203-211. (IF)
23. Sichanov D., Popov V., Biserkov V., Zidarova S., Chipev N. (2006) Spatial pattern and diversity of small mammal assemblages in the area of the Srebarna Managed Natural Reserve (NE Bulgaria). *Acta Zoologica Bulgarica* 58(2): 209-222.
24. Haukisalmi V., Henttonen H., Hardman L.M. (2006) Taxonomy, diversity and zoogeography of *Paranoplocephala* spp. (Cestoda: Anoplocephalidae) in voles and lemmings of Beringia, with a description of three new species. *Biological Journal of the Linnean Society* 89(2): 277-299. (IF)
25. Haukisalmi V., Rausch R.L. (2007) *Paranoplocephala sciuri* (Rausch, 1947) (Cestoda: Anoplocephalidae), a parasite of the northern flying squirrel (*Glaucomys sabrinus*), with a discussion of its systematic status. *Comparative Parasitology* 74 (1), 1-8. (IF)
26. Haukisalmi V., Henttonen H. (2007) A taxonomic revision of the *Paranoplocephala primordialis* (Douthitt) complex (Cestoda: Anoplocephalidae) in voles and squirrels. *Zootaxa* (1548), pp. 51-68. (IF)
27. Haukisalmi V. (2009) A taxonomic revision of the genus *Anoplocephaloidea* Baer, 1923 sensu Rausch (1976), with the description of four new genera (Cestoda: Anoplocephalidae). *Zootaxa* 2057, pp. 1–31. (IF)

28. Haukisalmi V., Henttonen H., Hardman L.M., Hardman M., Laakkonen J., Murueva G., Niemimaa J., Shulunov S., Vapalahti O. (2009) Review of tapeworms of rodents in the Republic of Buryatia, with emphasis on anoplocephalid cestodes. *Zookeys*, 8: 1-18. DOI: 10.3897/zookeys.8.58 (IF)
29. Tinnin D.S., Ganzorig S., Gardner S.L. (2011) Helminths of small mammals (Erinaceomorpha, Soricomorpha, Chiroptera, Rodentia, and Lagomorpha) of Mongolia. Special Publications, Museum of Texas Tech University 59: 1-50.
30. Haukisalmi V., Hardman L.M., Hoberg E.P., Henttonen H. (2014) Phylogenetic relationships and taxonomic revision of *Paranoplocephala* Lühe, 1910 sensu lato (Cestoda, Cyclophyllidae, Anoplocephalidae). *Zootaxa*, 3873(4), DOI: <http://dx.doi.org/10.11646/zootaxa.3873.4.3> (IF)
31. Tenora F. (2015) Corrections in the taxonomic position in the helminth-fauna of *Apodemus* spp. (Rodentia) in the Czech Republic. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis*, 52(2): 7-14. DOI: 10.11118/actaun200452020007 (SJR)
- Georgiev B.B., Vasileva G.P., Chipev N.H., Dimitrova Z.M. (1996) Cestodes of seabirds at Livingston Island, South Shetlands. In: Golemansky V.G. & Chipev N.H. (Eds) Bulgarian Antarctic Research. Life Sciences, Pensoft Publishers, Sofia and Moscow, pp. 111-127.**
32. Barbosa A., Palacios M.J. (2009) Health of Antarctic birds: a review of their parasites, pathogens and diseases. *Polar Biology* 32: 1095-1115. (IF)
33. Gonzalez-Acuna D., Cerda F., Lopez J., Ortega R., Mathieu C., Kinsella M. (2009) Checklist of the helminths of the kelp gull, *Larus dominicanus* (Aves: Laridae), with new records from Chile. *Zootaxa* 2297: 27-43. (IF)
34. Vidal V., Ortiz J., Diaz J.I., de Ybanez M.R., Amat M.T., Palacios M.J., Benzal J., Valera F., de la Cruz C., Motas M., Barbosa A. (2012) Gastrointestinal parasites in Chinstrap Penguins from Deception Island, South Shetlands, Antarctica. *Parasitology Research* 111 (2): 723-727 (DOI: 10.1007/s00436-012-2892-z). (IF)
35. González-Acuña D., Hernández J., Moreno L., Herrmann B., Palma R., Latorre A., Medina-Vogel G., Kinsella M.J., Martín N., Araya K., Torres I., Fernandez N., Olsen B. (2013) Health evaluation of wild gentoo penguins (*Pygoscelis papua*) in the Antarctic Peninsula. *Polar Biology*, 36(12): 1749-1760 (DOI: 10.1007/s00300-013-1394-5) (IF)
36. Brandão M.L., Moreira J., Luque J.L. (2014) Checklist of Platyhelminthes, Acanthocephala, Nematoda and Arthropoda parasitizing penguins of the world. *Journal of Biodiversity Data*, 10(3): 562-573 DOI: 10.15560/10.3.562 (SJR)
37. Kleinertz S., Christmann S., Silva L.M., Hirzmann J., Hermosilla C., Taubert A. (2014) Gastrointestinal parasite fauna of Emperor Penguins (*Aptenodytes forsteri*) at the Atka Bay, Antarctica. *Parasitology Research*, 113(11): 4133-4139 DOI: 10.1007/s00436-014-4085-4 (IF)
38. Rocka A. (2017) Cestodes and Nematodes of Antarctic Fishes and Birds. In: (Eds. Klimpel, S., Kuhn, T., Mehlhorn, H.) *Biodiversity and Evolution of Parasitic Life in the Southern Ocean*. Springer International Publishing, 77-107 pp. ISBN: 978-3-319-46343-8. DOI 10.1007/978-3-319-46343-8_6
39. Diaz J.I., Fusaro B., Vidal V., Gonzalez-Acuna D., Costa E.S., Dewar M., Gray R., Power M., Miller G., Blyton M., Vanstreels R., Barbosa A. (2017) Macroparasites in Antarctic Penguins. In: (Eds. Klimpel, S., Kuhn, T., Mehlhorn, H.) *Biodiversity and Evolution of Parasitic Life in the Southern Ocean*. Springer International Publishing, 183-204 pp., ISBN: 978-3-319-46343-8. DOI 10.1007/978-3-319-46343-8_9
40. Fusaro B., Libertelli M., Ansaldo M., Coria N.R., Diaz J.I. (2018) Gastrointestinal helminths of Emperor Penguin (*Aptenodytes forsteri*) from Antarctica. *Polar Biology*, 41 (7): 1353–1358. DOI: <https://doi.org/10.1007/s00300-018-2289-2> (IF)
41. Bennett J., McPherson O., Presswell B. (2021) Gastrointestinal helminths of little blue penguins, *Eudyptula novaehollandiae* (Stephens), from Otago, New Zealand. *Parasitology International*, 80: 102185. <https://doi.org/10.1016/j.parint.2020.102185> (IF)
42. González-Acuña D.A., Moreno L., Wille M., Herrmann B., Kinsella M.J., Palma R.L (2021) Parasites of chinstrap penguins (*Pygoscelis antarctica*) from three localities in the Antarctic Peninsula and a review of their parasitic fauna. *Polar Biology*, 44(11), pp. 2099-2105 <https://doi.org/10.1007/s00300-021-02945-x> (IF)

43. Куклин В.В. (2022) Аспекты биогеографии гельминтов, паразитирующих у птиц баренцева моря: особенности распространения и гостального распределения. *Зоологический журнал* 101(5): 492-517 (IF)

Vasileva G.P., Georgiev B.B., Genov T. (1996) *Pararetinometra lateralacantha* Stock and Holmes, 1981 (Cestoda, Hymenolepididae): the first record in the Palaearctic Region and comments on its morphology and taxonomy. *Canadian Journal of Zoology* 74: 110-117.

44. Macko J.K., Hanelova V., Mackova A. (2000) Morphological observations on *Retinometra longistylosa* (Tseng-Shen, 1932) (Hymenolepididae), with an emphasis on the male copulatory apparatus and comments on the validity of *Retinometra* Spassky, 1955 *Helminthologia*, 37 (1): 35-41. (IF)

45. Storer R.W. (2000) The metazoan parasite fauna of grebes (Aves: Podicipediformes) and its relationship to the birds' biology. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 188: 1-90.

Vasileva G.P., Georgiev B.B., Genov T. (1996) Redescription and new records of *Mackoja podirufi* (Macko, 1962), with an amended diagnosis of *Mackoja* Kornyushin, 1983. *Systematic Parasitology* 34: 171-177.

46. Storer R.W. (2000) The metazoan parasite fauna of grebes (Aves: Podicipediformes) and its relationship to the birds' biology. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 188: 1-90.

47. Dudinak V., Spakulova M. (2005) A survey of helminth species originally described from the territory of Slovakia supplemented by a list of the type material deposited in the East-Slovakian Museum (Východoslovenské múzeum) in Košice. *Helminthologia* 42 (4): 233-245. (IF)

Vasileva G.P., Georgiev B.B., Genov T. (1998) Redescription of *Hymenolepis hoploporus* Dollfus, 1951, with the erection of the new genus *Dollfusilepis* (Cestoda, Hymenolepididae). *Revue Suisse de Zoologie* 105 (2), 319-329.

48. Macko J.K., Hanelova V., Mackova A. (2000) Morphological observations on *Retinometra longistylosa* (Tseng-Shen, 1932) (Hymenolepididae), with an emphasis on the male copulatory apparatus and comments on the validity of *Retinometra* Spassky, 1955. *Helminthologia* 37 (1): 35-41. (IF)

49. Storer R.W. (2000) The metazoan parasite fauna of grebes (Aves: Podicipediformes) and its relationship to the birds' biology. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 188: 1-90.

50. McLaughlin J.D. (2003) An annotated checklist of Hymenolepidid cestodes described from birds: 1983-2002. *Parassitologia* 45(1): 33-45. (SJR)

Vasileva G.P., Georgiev B.B., Genov T. (1999) Palaearctic species of the genus *Confluaria* Ablasov (Cestoda, Hymenolepididae): redescription and synonymy of *C. capillaris* (Rudolphi). *Systematic Parasitology* 43: 49-57.

51. Storer R.W. (2000) The metazoan parasite fauna of grebes (Aves: Podicipediformes) and its relationship to the birds' biology. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 188: 1-90.

52. Storer R.W. (2002) The metazoan parasite fauna of loons (Aves: Gaviiformes), its relationship to the birds' evolutionary history and biology, and a comparison with the parasite fauna of grebes. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 191: 1-44.

53. González-Acuña D., Llanos-Soto S., Landaeta-Aqueveque C., González F., Kinsella J.M., Mironov S., Cicchino A., Barrientos C., Torres-Fuentes G., Moreno L. (2017) Parasites of the Southern silvery grebe *Podiceps occipitalis* (Aves, Podicipedidae) in Chile. *Brazilian Journal of Veterinary Parasitology*, Jaboticabal, 26 (3): 378-382. DOI: <http://dx.doi.org/10.1590/S1984-29612017015>

54. Presswell B., Bennett J. (2022) Gastrointestinal helminth parasites of the threatened Australasian crested grebe (*Podiceps cristatus australis*, Gould 1844) in New Zealand, with descriptions of *Baruscapillaria kamanae* n. sp. (Nematoda: Trichuridae) and *Cryptocotyle micromorpha* n. sp. (Trematoda: Opisthorchiidae). *Systematic Parasitology*, 99(2), pp. 217-239. (IF)

Vasileva G.P., Georgiev B.B., Genov T. (1999) Palaearctic species of the genus *Confluaria* Ablasov (Cestoda, Hymenolepididae): redescriptions of *C. multistriata* (Rudolphi, 1810) and *C. japonica* (Yamaguti, 1935), and a description of *Confluaria* sp. *Systematic Parasitology* 44: 87-103.

55. Storer R.W. (2000) The metazoan parasite fauna of grebes (Aves: Podicipediformes) and its relationship to the birds' biology. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 188: 1-90.
56. Storer R.W. (2002) The metazoan parasite fauna of loons (Aves: Gaviiformes), its relationship to the birds' evolutionary history and biology, and a comparison with the parasite fauna of grebes. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 191: 1-44.
57. González-Acuña D., Llanos-Soto S., Landaeta-Aqueveque C., González F., Kinsella J.M., Mironov S., Cicchino A., Barrientos C., Torres-Fuentes G., Moreno L. (2017) Parasites of the Southern silvery grebe *Podiceps occipitalis* (Aves, Podicipedidae) in Chile. *Brazilian Journal of Veterinary Parasitology*, Jaboticabal, 26 (3): 378-382. DOI: <http://dx.doi.org/10.1590/S1984-29612017015>
58. Presswell B., Bennett J. (2022) Gastrointestinal helminth parasites of the threatened Australasian crested grebe (*Podiceps cristatus australis*, Gould 1844) in New Zealand, with descriptions of *Baruscapillaria kamanae* n. sp. (Nematoda: Trichuridae) and *Cryptocotyle micromorpha* n. sp. (Trematoda: Opisthorchiidae). *Systematic Parasitology*, 99(2), pp. 217-239. (IF)

Vasileva G.P., Georgiev B.B. (1999) Cestode communities in non-breeding populations of four grebe species (Aves: Podicipedidae) from the Bulgarian Black Sea coast. *Parasite* 6: 249-258.

59. Storer R.W. (2002) The metazoan parasite fauna of loons (Aves: Gaviiformes), its relationship to the birds' evolutionary history and biology, and a comparison with the parasite fauna of grebes. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 191: 44 pp.
60. Kanarek G., Zaleśny G. (2014) Extrinsic- and intrinsic-dependent variation in component communities and patterns of aggregations in helminth parasites of great cormorant (*Phalacrocorax carbo*) from N.E. Poland. *Parasitology Research*, 113(3): 837-850 (2014), DOI 10.1007/s00436-013-3714-7, ISSN: 0932-0113 (IF)
61. Sitko J., Heneberg P. (2015) Host specificity and seasonality of helminth component communities in central European grebes (Podicipediformes) and loons (Gaviiformes). *Parasitology International*, 64 (5): 377-388. DOI:10.1016/j.parint.2015.05.012 (IF)

Vasileva G.P., Georgiev B.B., Genov T. (2000) Palaearctic species of the genus *Confluaria* Ablasov (Cestoda, Hymenolepididae): redescriptions of *C. podicipina* (Szymanski, 1905) and *C. furcifera* (Krabbe, 1869), description of *C. pseudofurcifera* n. sp., a key and final comments. *Systematic Parasitology* 45: 109-130.

62. Storer R.W. (2000) The metazoan parasite fauna of grebes (Aves: Podicipediformes) and its relationship to the birds' biology. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 188: 1-90.
63. Storer R.W. (2002) The metazoan parasite fauna of loons (Aves: Gaviiformes), its relationship to the birds' evolutionary history and biology, and a comparison with the parasite fauna of grebes. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 191: 1-44.
64. McLaughlin J.D. (2003) An annotated checklist of Hymenolepidid cestodes described from birds: 1983-2002 - *Parassitologia* 45(1): 33-45. (SJR)
65. González-Acuña D., Llanos-Soto S., Landaeta-Aqueveque C., González F., Kinsella J.M., Mironov S., Cicchino A., Barrientos C., Torres-Fuentes G., Moreno L. (2017) Parasites of the Southern silvery grebe *Podiceps occipitalis* (Aves, Podicipedidae) in Chile. *Brazilian Journal of Veterinary Parasitology*, Jaboticabal, 26 (3): 378-382. DOI: <http://dx.doi.org/10.1590/S1984-29612017015>
66. Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermedio de cestodos en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
67. Guagliardo S.E., Graff M.E., Gigola G., Tanzola R.D. (2020) Biological aspects of the life history of *Confluaria podicipina* (Cestoda, Hymenolepididae) from a hypersaline pampasic lagoon. *Pan-*

68. Presswell B., Bennett J. (2022) Gastrointestinal helminth parasites of the threatened Australasian crested grebe (*Podiceps cristatus australis*, Gould 1844) in New Zealand, with descriptions of *Baruscapillaria kamanae* n. sp.(Nematoda: Trichuridae) and *Cryptocotyle micromorpha* n. sp. (Trematoda: Opisthorchiidae). *Systematic Parasitology*, 99(2), pp.217-239. (IF)

Vasileva G.P., Kornyushin V.V., Genov T. (2001) Hymenolepidid cestodes from grebes (Aves, Podicipedidae) in Ukraine: the genera *Dollfusilepis* and *Parafimbriaria*. *Vestnik Zoologii* 35(2): 3-14.

69. Storer R.W. (2002) The metazoan parasite fauna of loons (Aves: Gaviiformes), its relationship to the birds' evolutionary history and biology, and a comparison with the parasite fauna of grebes. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 191: 1-44.

Vasileva G.P., Kornyushin V.V., Genov T. (2001) Hymenolepidid cestodes from grebes (Aves: Podicipedidae) in Ukraine: the genus *Confluaria*. *Vestnik Zoologii* 35(6): 13-31.

70. Storer R.W. (2002) The metazoan parasite fauna of loons (Aves: Gaviiformes), its relationship to the birds' evolutionary history and biology, and a comparison with the parasite fauna of grebes. *Miscellaneous Publications. Museum of Zoology, University of Michigan* 191: 1-44.

71. Кириленко Н.А., Келембет Н.О. (2011) Огляд досліджень гельмінтофауни птахів водно-болотних угідь України . Висник Одеського національного університета імені І.І. Мечникова, 16 (6), 79-87.

72. González-Acuña D., Llanos-Soto S., Landaeta-Aqueveque C., González F., Kinsella J.M., Mironov S., Cicchino A., Barrientos C., Torres-Fuentes G., Moreno L. (2017) Parasites of the Southern silvery grebe *Podiceps occipitalis* (Aves, Podicipedidae) in Chile. *Brazilian Journal of Veterinary Parasitology*, Jaboticabal, 26 (3): 378-382. DOI: <http://dx.doi.org/10.1590/S1984-29612017015>

73. Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermediario de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf

74. Presswell B., Bennett J. (2022) Gastrointestinal helminth parasites of the threatened Australasian crested grebe (*Podiceps cristatus australis*, Gould 1844) in New Zealand, with descriptions of *Baruscapillaria kamanae* n. sp. (Nematoda: Trichuridae) and *Cryptocotyle micromorpha* n. sp. (Trematoda: Opisthorchiidae). *Systematic Parasitology*, 99(2), pp. 217-239. (IF)

Stoitsova S.R., Georgiev B.B., Vasileva G.P., Jordanova M. (2001) Rostellar apparatus of *Fernandezia spinosissima* (von Linstow, 1894) (Cestoda, Cyclophyllidea, Davaineidae): microanatomy and fine structure. *Acta Zoologica (Stockholm)* 82: 241-250.

75. Conn D.B., Whittaker F.H., Curless, W.W. (2004) Scanning electron microscopy of the scolex and neck of the tapeworm *Catethocephalus thatcheri* (Cestoda, Tetraphyllidea) from the sandbar shark *Carcharhinus plumbeus* (Chondrichthyes, Elasmobranchii). *Acta Parasitologica* 49: 25-30. (IF)

76. Levron C., Poddubnaya L.G., Kuchta R., Freeman M., Wang Y.-H., Scholz T. (2008) SEM and TEM study of the armed male terminal genitalia of the tapeworm *Paraechinophallus japonicus* (Cestoda: Bothriocephalidae). *Journal of Parasitology* 94 (4): 803-810. (IF)

77. Poddubnaya L., Mackiewicz J.S. (2009) Ultrastructure of the cirrus sac of echinophallid tapeworms (Cestoda, Bothriocephalidae) and the terminology of cirrus hard structures. *International Journal for Parasitology*, 39 (3): 381-390. (IF)

78. Chervy L. (2009) Unified terminology for cestode microtriches: A proposal from the International Workshops on Cestode Systematics in 2002-2008. *Folia Parasitologica* 56 (3), pp. 199-230. (IF)

79. Day C, Misra KK (2009) Ultrastructural studies of internuncial processes in the tegument of a cyclophyllid cestode *Raillietina (Fuhrmannetta) echinobothrida*, a parasite of country fowl *Gallus domesticus*. *Proceedings of the Zoological Society*, 62 (1): 29-37.

Georgiev B.B., Vasileva G.P (2001) *Dendrometra ginesi* Jordano and Diaz-Ungria, 1956 transferred to *Orthoskrjabinia* Spasskii, 1947 (Cestoda: Paruterinidae). *Helminthologia* 38 (3): 145-149

80. Mascarenhas C.S., Krüger C., Müller G. (2009) The helminth fauna of the red-crested cardinal (*Paroaria coronata*) Passeriformes: Emberizidae in Brazil. *Parasitology Research* 105 (5), pp. 1359-1363.

Georgiev B.B., Vasileva G.P., Bray R.A., Gibson D.I. (2002) The genus *Biuterina* Fuhrmann, 1902 (Cestoda, Paruterinidae) in the Old World: redescriptions of four species from Afrotropical Passeriformes. *Systematic Parasitology* 52: 111-128

81. de Souza A.J.S., Malheiros A.P., Alves M.M., das Chagas A.A.C., de Sá L.R.M., Soares M.D.C.P. (2019) A paruterinid metacestode in the liver of a Neotropical bat (*Molossus molossus*). *Parasitology International*, 70, 46-50. <https://doi.org/10.1016/j.parint.2019.01.007> (IF)

Vasileva G.P., Dimitrov G.I., Georgiev B.B. (2002) *Phyllobothrium squali* Yamaguti, 1952 (Tetraphyllidea, Phyllobothriidae): redescription and first record in the Black Sea. *Systematic Parasitology* 53 (1): 49-59 (DOI: 10.1023/A:1019981504305)

82. Ruhnke T.R. (2011) Tapeworms of Elasmobranchs (Part III). A monograph on the Phyllobothriidae (Platyhelminthes, Cestoda). *Bulletin of the University of Nebraska State Museum*, 25: xii+208.

83. Caira, J. N. (2011) Synergy advances parasite taxonomy and systematics: an example from elasmobranch tapeworms. *Parasitology* 138 (13): 1675-1687 (DOI: 10.1017/S0031182011000643) (IF)

84. Pickering M., Caira J.N. (2012) A new hyperapolytic species, *Trilocularia eberti* sp n. (Cestoda: Tetraphyllidea), from *Squalus cf. mitsukurii* (Squaliformes: Squalidae) off South Africa with comments on its development and fecundity. *Folia Parasitologica*, 59 (2): 107-114. (IF)

85. Гаевская А.В. (2012) Паразиты и болезни рыб Черного и Азовского морей: I – Морские, солоноватоводные и проходные рыбы. Севастополь: ЭКОСИ – Гидрофизика, 380 с.

86. Kornyushin V., Polyakova T. (2012) *Cairaeanthus* gen. n. (Cestoda, Rhinebothriidea), with the description of two new species from *Dasyatis pastinaca* in the Black Sea and the Sea of Azov. *Vestnik Zoologii*, 46 (4): e-1–e-18 (DOI: 10.2478/v10058-012-0025-x). (SJR)

87. Pickering M., Caira J.N. (2014) Seasonal dynamics of the cestode fauna in spiny dogfish, *Squalus acanthias* (Squaliformes: Squalidae). *Parasitology*, 141(7): 940-947 (IF)

88. Caira J.N., Jensen K. A (2014) Digest of Elasmobranch Tapeworms. *Journal of Parasitology*, 100(4): 373-391, DOI: 10.1645/14-516.1 (IF)

89. Pollerspöck J., Straube N. (2015) Bibliography database of living/fossil sharks, rays and chimaeras (Chondrichthyes: Elasmobranchii, Holocephali). *Host-Parasites List/Parasite-Hosts List*, www.shark-references.com, World Wide Web electronic publication, Version 04/2015; ISSN: 2195-6499; DOI: 10.13140/RG.2.1.3636.6887

90. Polyakova T.A., Gaevskaya A.V., Kornyushin V.V., Bisserova N.M. (2017) Cestodes of elasmobranchs (Chondrichthyes: Elasmobranchii) in the Black sea: the state and perspectives of study. *Parazitologiya*, 51 (3): 189-205. (SJR)

91. Caira, J.N., Bueno, V., Jensen, K. (2021) Emerging global novelty in phyllobothriidean tapeworms (Cestoda: Phyllobothriidea) from sharks and skates (Elasmobranchii). *Zoological Journal of the Linnean Society*, 193 (4): 1336–1363. <https://doi.org/10.1093/zoolinnean/zlaa185> (IF)

92. Caira J.N., Pickering M., Jensen K. (2021) Expanding known global biodiversity of *Yamaguticestus* (Cestoda: Phyllobothriidea) parasitizing catsharks (Pentanchidae and Scyliorhinidae). *Systematics and Biodiversity*, 19(7): 875-894. <https://doi.org/10.1080/14772000.2021.1946617> (IF)

Vasileva G.P., Gibson D.I., Bray R.A. (2003a) Taxonomic revision of *Tatria* Kowalewski, 1904 (Cestoda: Amabiliidae): redescriptions of *T. biremis* Kowalewski, 1904 and *T. minor* Kowalewski, 1904, and the description of *T. gulyaevi* n. sp. from Palaearctic grebes. *Systematic Parasitology* 54: 177-198.

93. Georgiev B.B., Vaucher C. (2004) *Arlenelepis harpippioni* gen. et sp. n. (Cestoda: Dilepididae) from *Harpiprion caerulescens* (Vieillot) (Aves: Threskiornithidae) in Paraguay. *Folia Parasitologica* 51: 327-332. (IF)

- 94.** Гуляев В.Д., Коняев С.В. (2004) [*Isezhia golovkovae* gen. n., sp. n. (Cyclophyllidea, Schistotaeniidae) - a new cestode from little grebes (*Tachybaptus ruficollis*) of Middle Asia.] *Vestnik zoologii* **38** (5): 3-9. (SJR)
- 95.** Gulyaev V.D. (2005) The evolution of the forms of hermaphroditism in Cyclophyllidea (Cestoda). 2. Morphofunctional causes of the formation of tapeworms having a protogynous type of the genital apparatus development. *Parazitologiya* **39** (3): 243-251. (SJR)
- 96.** Konyaev S.V., Gulyaev V.D. (2006) Description of a new cestode species *Mircia shigini* gen. et sp. n. (Cyclophyliidea: Schistotaeniidae). *Parazitologiya* **40** (1): 57-65. (SJR)
- 97.** Galkin A.K., Regel K.V., Mariaux J. (2006) Redescription and new data on *Microsomacanthus jaegerskioeldi* (Fuhrmann, 1913) (Cestoda: Hymenolepididae). *Systematic Parasitology* **64**: 1-11. (IF)
- 98.** Nikolov P.N., Georgiev B.B. (2008) Taxonomic revision and phylogenetic analysis of the cestode genus *Paraprogynotaenia* Rysavy, 1966 (Cyclophyllidea : Progynotaeniidae) *Systematic Parasitology*, **71** (3): 159-187. (IF)
- 99.** Tkach V., Swiderski Z., Młocicki D. (2013) Egg ultrastructure of the amabiliid cestode *Tatria biremis* Kowalewski, 1904 (Cyclophyllidea, Amabiliidae), with an emphasis on the oncospherical envelopes. *Acta Parasitologica*, **58**(3): 269-277 (DOI: 10.2478/s11686-013-0138-6). (IF)
- 100.** Regel, K.V., Pospekhova, N.A. (2014) On morphogenesis of metacestodes from the family Schistotaeniidae (Cyclophyllidea) by the example of euascocercus *Schistotaenia srivastavai* Raush, 1970. *Parazitologiya* (St. Petersburg), **48** (3): 206-219. (SJR)
- 101.** Presswell B., Bennett J. (2022) Gastrointestinal helminth parasites of the threatened Australasian crested grebe (*Podiceps cristatus australis*, Gould 1844) in New Zealand, with descriptions of *Baruscapillaria kamanae* n. sp. (Nematoda: Trichuridae) and *Cryptocotyle micromorpha* n. sp. (Trematoda: Opisthorchiidae). *Systematic Parasitology*, **99**(2), pp. 217-239. (IF)
- Vasileva G.P., Gibson D.I., Bray R.A. (2003b) Taxonomic revision of *Tatria* Kowalewski, 1904 (Cestoda: Amabiliidae): redescriptions of *T. appendiculata* Fuhrmann, 1908 and *T. duodecacaantha* Olsen, 1939, a key and an amended diagnosis of *Tatria* (*sensu stricto*). *Systematic Parasitology* **55**: 97-113**
- 102.** Cielocha J.J., Jensen K. (2011) A revision of *Hexacanalis* Perrenoud, 1931 (Cestoda: Lecanicephalidea) and description of *H. folifer* n. sp from the zonetail butterfly ray *Gymnura zonura* (Bleeker) (Rajiformes: Gymnuridae). *Systematic Parasitology*, **79**(1), 1-16 (DOI: 10.1007/s11230-011-9291-1) (IF)
- 103.** Tkach V., Swiderski Z., Młocicki D. (2013) Egg ultrastructure of the amabiliid cestode *Tatria biremis* Kowalewski, 1904 (Cyclophyllidea, Amabiliidae), with an emphasis on the oncospherical envelopes. *Acta Parasitologica*, **58**(3): 269-277 (DOI: 10.2478/s11686-013-0138-6). (IF)
- 104.** Regel K.V., Pospekhova N.A. (2014) On morphogenesis of metacestodes from the family Schistotaeniidae (Cyclophyllidea) by the example of euascocercus *Schistotaenia srivastavai* Raush, 1970. *Parazitologiya* (St. Petersburg), **48** (3): 206-219. (SJR)
- Vasileva G.P., Gibson D.I., Bray R.A. (2003c) Taxonomic revision of *Joyeuxilepis* Spassky, 1947 (Cestoda: Amabiliidae): Redescriptions of *J. biuncinata* (Joyeux & Baer, 1943), *J. decacantha* (Fuhrmann, 1913) and *J. pilatus* Borgarenko & Gulyaev, 1991. *Systematic Parasitology*, **56** (1), pp. 17-36**
- 105.** Konyaev S.V., Gulyaev V.D. (2006) Description of a new cestode species *Mircia shigini* gen. et sp. n. (Cyclophyliidea: Schistotaeniidae). *Parazitologiya* **40** (1): 57-65. (SJR)
- 106.** Regel K.V., Pospekhova N.A. (2014) On morphogenesis of metacestodes from the family Schistotaeniidae (Cyclophyllidea) by the example of euascocercus *Schistotaenia srivastavai* Raush, 1970. *Parazitologiya* (St. Petersburg), **48** (3): 206-219. (SJR)
- Vasileva G.P., Gibson D.I., Bray R.A. (2003d) Taxonomic revision of *Joyeuxilepis* Spassky, 1947 (Cestoda: Amabiliidae): Redescriptions of *J. acanthorhyncha* (Wedl, 1855) and *J. fuhrmanni* (Solomon, 1932), a key and a new generic diagnosis. *Systematic Parasitology*, **56** (3), pp. 219-233.**
- 107.** Gulyaev, V.D. (2005) The evolution of the forms of hermaphroditism in Cyclophyllidea (Cestoda). 2. Morphofunctional causes of the formation of tapeworms having a protogynous type of the genital apparatus development. *Parazitologiya* **39** (3): 243-251. (SJR)

- 108.**Konyaev S.V., Gulyaev V.D. (2006) Description of a new cestode species *Mircia shigini* gen. et sp. n. (Cyclophyliidea: Schistotaeniidae). *Parazitologiya* **40** (1): 57-65. (**SJR**)
- 109.**Cielocha J.J., Jensen K. (2011) A revision of *Hexacanalis* Perrenoud, 1931 (Cestoda: Lecanicephalidae) and description of *H. folifer* n. sp from the zonetail butterfly ray *Gymnura zonura* (Bleeker) (Rajiformes: Gymnuridae). *Systematic Parasitology*, 79(1), 1-16 (DOI: 10.1007/s11230-011-9291-1) (**IF**)
- 110.**Regel K.V., Pospekhova N.A. (2014) On morphogenesis of metacestodes from the family Schistotaeniidae (Cyclophyllidea) by the example of euascocercus *Schistotaenia srivastavai* Raush, 1970. *Parazitologiya* (St. Petersburg), 48 (3): 206-219. (**SJR**)
- Tkach V.V., Vasileva G.P., Genov T. (2003) Description of *Vaucherilepis trichophorus* sp. nov., gen. nov. (Cyclophyllidea, Hymenolepididae) from water shrews and gammarid crustaceans in Bulgaria and Ukraine. *Acta Parasitologica*, 48 (2), pp. 87-97.**
- 111.**Kokkotis T., McLaughlin J.D. (2006) Pathogenicity of the hymenolepidid cestode *Microsomacanthus hopkinsi* in its intermediate host, *Hyalella azteca*: Implications for transmission, host fitness, and host populations. *Canadian Journal of Zoology* **84** (1): 32-41 (**IF**)
- 112.**Georgiev B.B., Bray R.A., Littlewood D.T.J. (2006) Cestodes of small mammals: Taxonomy and life cycles. In: (Morand S; Krasnov BR; Poulin R, Eds.) *Micromammals and macroparasites: from evolutionary ecology to management*. Tokio: Springer-Verlag, pp. 29-62.
- 113.**Binkiene R., Kontrimavichus V., Hoberg E.P. (2011) Overview of the cestode fauna of European shrews of the genus *Sorex* with comments on the fauna in *Neomys* and *Crocidura* and an exploration of historical processes in post-glacial Europe. *Helminthologia*, 48(4), 207-228 (DOI: 10.2478/s11687-011-0031-5 (**IF**)
- 114.**Ishigenova L.A., Berezina O.G., Makarikov A.A. (2018) Postembryonic development of *Arostrilepis microtis* Gulyaev et Chechulin, 1997 (Eucestoda: Hymenolepididae) in springtails (Collembola: Entomobryidae). *Parasitology Research*, 117 (8): 2411–2417. <https://doi.org/10.1007/s00436-018-5929-0> (**IF**)
- 115.**Binkienė R. (2021) Specific and non-specific cestodes of shrews (Eulipotyphla: Soricidae) in Europe with a description of *Coronacanthus longicirrosus* n. sp (Cestoda: Hymenolepididae). *Systematic Parasitology*, 98, 321–332. <https://doi.org/10.1007/s11230-021-09980-6> (**IF**)
- Vasileva G.P., Vaucher, C., Tkach V.V., Genov T. (2004) Taxonomic revision of *Hilmylepis* Skryabin & Matevosyan, 1942 (Cyclophyllidea: Hymenolepididae). *Systematic Parasitology* **59**:45-63.**
- 116.**Georgiev B.B., Bray R.A., Littlewood D.T.J. (2006) Cestodes of small mammals: Taxonomy and life cycles. In: (Morand S; Krasnov BR; Poulin R, Eds.) *Micromammals and macroparasites: from evolutionary ecology to management*. Tokio: Springer-Verlag, pp. 29-62.
- 117.**Nikonorova I.A., Binkiene R., Bugmyrin S.V., Ieshko E.P. (2018) Helminth fauna of the common shrew *Sorex araneus* L. in the european part of the species range. *Parazitologiya*, 52(1), pp.41-69. (**SJR**)
- 118.**Binkienė R, Miliūtė A, Stunžėnas V. (2019) Molecular data confirm the taxonomic position of *Hymenolepis erinacei* (Cyclophyllidea: Hymenolepididae) and host switching, with notes on cestodes of Palaearctic hedgehogs (Erinaceidae). *Journal of Helminthology*, 93 (2): 195-202 <https://doi.org/10.1017/> (**IF**)
- 119.**Marinova M. (2020) Review of cestodes (Platyhelminthes: Cestoda) recorded from birds and mammals in Sarnena Sredna Gora Mountains and adjacent territories. In: Georgiev, D., Bechev, D. & Yancheva, V. (Eds.) Fauna of Sarnena Sredna Gora Mts, Part 1. ZooNotes, Supplement 9, 1-20.
- Georgiev B.B., Vasileva G.P., Bray R., Gibson D.I. (2004) The genus *Biuterina* Fuhrmann, 1902 (Cestoda, Paruterinidae) in the Old World: redescriptions of three species from Palaearctic Passeriformes. *Systematic Parasitology* **57**: 67-85.**
- 120.**Korneva J.V., Kornienko S.A., Jones M.K. (2016) Fine structure of uterus and non-functioning paruterine organ in *Orthoskrjabinia junlanae* (Cestoda, Cyclophyllidea). *Parasitology Research* 115(6): 2449–2457 doi:10.1007/s00436-016-4997-2 (**IF**)

- 121.** de Souza A.J.S., Malheiros A.P., Alves M.M., das Chagas A.A.C., de Sá L.R.M., Soares M.D.C.P. (2019). A paruterinid metacestode in the liver of a Neotropical bat (*Molossus molossus*). *Parasitology International*, 70, 46-50. <https://doi.org/10.1016/j.parint.2019.01.007> (IF)
- 122.** Trefancová A., Kvičerová J. (2019). *Isospora svecica* sp. n. (Apicomplexa: Eimeriidae), a new species of coccidium from the white-spotted bluetroat *Luscinia svecica cyanecula* (Aves: Passeriformes: Muscicapidae). *Parasitology Research*, 118(10), 3043-3051. (IF)
- 123.** Marinova, M. (2020) Review of cestodes (Platyhelminthes: Cestoda) recorded from birds and mammals in Sarnena Sredna Gora Mountains and adjacent territories. In: Georgiev, D., Bechev, D. & Yancheva, V. (Eds.) Fauna of Sarnena Sredna Gora Mts, Part 1. ZooNotes, Supplement 9, 1-20.
- Georgiev B.B., Sanchez M.I., Green A.J., Nikolov P.N., Vasileva G.P., Mavrodieva R.S. (2005) Cestodes from *Artemia parthenogenetica* (Crustacea, Branchiopoda) in the Odiel Marshes, Spain: A systematic survey of cysticercoids. *Acta Parasitologica*, 50 (2), pp. 105-117.**
- 124.** Świderski Z. (2007) Postembryonic development of tapeworms - source of novel phylogenetic characters for analysis of cestode evolution: Comparative TEM studies. *Helminthologia* 44 (3): 130-136. (IF)
- 125.** Hanzelová V., Macko J.K., Macková A. (2007) *Anomotaenia barusi* sp. nov. and *A. alata* (Cestoda, Dilepididae) from *Charadrius dubius* (Aves, Charadriiformes) in Slovakia, with comments on related species. *Acta Parasitologica* 52 (1): 24-30. (IF)
- 126.** Wilstermann-Hildebrand M., Hildebrand C.F. (2008) Wirbellose: Salinenkrebse. *Heimbiopt* 11: 7-16.
- 127.** Amarouyache M., Derbal F., Kara M.H. (2009) The parasitism of *Flamingolepis liguloides* (Gervais, 1847) (Cestoda, Hymenolepididae) in *Artemia salina* (Crustacea, Branchiopoda) in two saline lakes in Algeria. *Acta Parasitologica*, 54 (4): 330-334. (IF)
- 128.** Kara MH, Amarouyache M (2012) Review of the biogeography of *Artemia* Leach, 1819 (Crustacea: Anostraca) in Algeria. *International Journal of Artemia Biology*, 2(1), 40-50 (ISSN:2228-754X).
- 129.** Horváth Z., Vad C.F., Vörös L., Boros E. (2013) The keystone role of anostracans and copepods in European soda pans during the spring migration of waterbirds. *Freshwater Biology*, 58: 430-440 (doi:10.1111/fwb.12071) (IF)
- 130.** Makarikov A.A. (2017) A taxonomic review of hymenolepidids (Eucestoda, Hymenolepididae) from dormice (Rodentia, Gliridae), with descriptions of two new species. *Acta Parasitologica*, 62(1):1-21. doi: 10.1515/ap-2017-0001. (IF)
- 131.** Schuster R.K. (2018) The Role of *Artemia* spp (Branchiopoda: Artemiidae) as Intermediate Hosts for Avian Cestodes. Environmental Analysis & Ecology Studies 1 (3): 1-3. DOI: 10.31031/EAES.2018.01.000518.
- 132.** Schuster R.K. (2019) On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. (IF)
- 133.** Schuster K. (2019) On cysticercoids of the genus *Flamingolepis* Spasskij & Spasskaja, 1954 (Cestoda: Hymenolepididae) parasitizing *Artemia franciscana* Kellogg, 1906 (Arthropoda: Artemiidae) in Dubai, United Arab Emirates. *Parazitologiya*, 53(6), 443-455. (SJR)
- 134.** Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (IF)
- 135.** Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermedio de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
- 136.** Guagliardo S.E., Graff M.E., Gigola G., Tanzola R.D. (2020) Biological aspects of the life history of *Confluaria podicipina* (Cestoda, Hymenolepididae) from a hypersaline pampasic lagoon. *Pan-American Journal of Aquatic Sciences*, 15(1): 54-63 ([http://panamjas.org/pdf_artigos/PANAMJAS_15\(1\)_54-63.pdf](http://panamjas.org/pdf_artigos/PANAMJAS_15(1)_54-63.pdf)) (SJR)

137. Koru E. (2022). Cestode infection of the native brine shrimp (*Artemia parthenogenetica*) in Çamaltı saltpan (İzmir/Türkiye). *COMU Journal of Marine Sciences and Fisheries* 5(1): 56-66. <https://doi.org/10.46384/jmsf.1084680>

138. Naz S., Hattar F.A., Birmani N.A. (2022) Helminthological Studies of Black-winged Stilt *Himantopus himantopus* L. (Charadriiformes, Recurvirostridae) in Sindh, Pakistan: Helminthological of Black-winged Stilt in Sindh, Pakistan. *Biological Sciences-PJSIR*, 65(2), 118-128.

Vasileva G.P., Tkach V.V., Genov T. (2005) Two new hymenolepidid species (Cestoda: Hymenolepididae) from water shrews *Neomys fodiens* Penn. (Insectivora: Soricidae) in Bulgaria. *Acta Parasitologica* 50: 56-64.

139. Georgiev B.B., Bray R.A., Littlewood D.T.J. (2006) Cestodes of small mammals: Taxonomy and life cycles. In: (Morand S; Krasnov BR; Poulin R, Eds.) *Micromammals and macroparasites: from evolutionary ecology to management*. Tokio: Springer-Verlag, pp. 29-62.

140. Binkiene R., Kontrimavichus V., Hoberg E.P. (2011) Overview of the cestode fauna of European shrews of the genus *Sorex* with comments on the fauna in *Neomys* and *Crocidura* and an exploration of historical processes in post-glacial Europe. *Helminthologia*, 48(4), 207-228 (DOI: 10.2478/s11687-011-0031-5. (IF)

141. Tinnin D.S., Ganzorig S., Gardner S.L. (2011) Helminths of small mammals (Erinaceomorpha, Soricomorpha, Chiroptera, Rodentia, and Lagomorpha) of Mongolia. *Special Publications, Museum of Texas Tech University* 59: 1-50.

142. Yousefi A., Eslami A., Rahbari S., Mobedi I. (2017) Parasitic Infections of Bicoloured White-toothed Shrew (*Crocidura leucodon*) from Dasht-eRazan, Western Iran. *Iranian Journal of Parasitology*, 12 (1): 123-129. <http://eds.b.ebscohost.com/eds/pdfviewer/pdfviewer?vid=0&sid=6d03ee08-ab0d-4695-9ea0-645e7c786851%40pdc-v-sessmgr02> (IF)

143. Binkienė R. (2021) Specific and non-specific cestodes of shrews (Eulipotyphla: Soricidae) in Europe with a description of *Coronacanthus longicirrus* n. sp (Cestoda: Hymenolepididae). *Systematic Parasitology*, 98, 321–332. <https://doi.org/10.1007/s11230-021-09980-6> (IF)

Vasileva G.P., Georgiev B.B. (2005) New records of hymenolepidid cestodes (Cestoda: Hymenolepididae) from charadriiform birds in Bulgaria. *Acta Zoologica Bulgarica* 57: 371-384.

144. Presswell B., Melville D.S., Randhawa H.S. (2012) Tapeworm bolus expelled from New Zealand variable oystercatchers (*Haematopus unicolor*) during handling: first record of this phenomenon in wild birds, and a global checklist of *Haematopus* cestode parasites. *Parasitology Research*, 111, 2455-2460 (DOI 10.1007/s00436-012-2992-9). (IF)

Sánchez M.I., Georgiev B.B., Nikolov P., Vasileva G.P., Green A.J. (2006) Red and transparent brine shrimps (*Artemia parthenogenetica*): a comparative study of their cestode infections. *Parasitology Research* 100: 111-114.

145. Kaldonski N., Perrot-Minnot M-J., Dodet R., Martinaud G., Cézilly F. (2009) Carotenoid-based colour of acanthocephalan cystacanths plays no role in host manipulation. *Proceedings of the Royal Society. Biological Sciences*, 276 no. 1654: 169-176 (doi: 10.1098/rspb.2008.0798) (IF)

146. Dunn A.M. (2009) Parasites and Biological Invasions. *Advances in Parasitology*, 68 , 161-184. DOI: 10.1016/S0046-308X(08)00607-6 (IF)

147. Amarouayache M., Derbal F., Kara M.H. (2009) The parasitism of *Flamingolepis liguloides* (Gervais, 1847) (Cestoda, Hymenolepididae) in *Artemia salina* (Crustacea, Branchiopoda) in two saline lakes in Algeria. *Acta Parasitologica*, 54 (4): 330-334. (IF)

148. Biron D.G., Loxdale H.D. (2013) Host-parasite molecular cross-talk during the manipulative process of a host by its parasite. *The Journal of Experimental Biology*, 216: 148-160.

149. Lagrue C, Heaphy K, Presswell B, Poulin R (2016) Strong association between parasitism and phenotypic variation in a supralittoral amphipod. *Marine Ecology - Progress Series*, 553:111-123. <https://doi.org/10.3354/meps11752> (SJR)

150. Herbison R.E.H. (2017) Lessons in Mind Control: Trends in research on the molecular mechanisms behind parasite-host behavioral manipulation. *Frontiers of Ecology & Evolution*, 5:102. (<https://www.frontiersin.org/articles/10.3389/fevo.2017.00102/full>)

- 151.**Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Arthemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. **(IF)**
- Georgiev B.B., Sanchez M.I., Vasileva G.P., Nikolov P.N., Green A.J. (2007) Cestode parasitism in invasive and native brine shrimps (*Artemia* spp.) as a possible factor promoting the rapid invasion of *A. franciscana* in the Mediterranean region. *Parasitology Research*, 101: 1647–1655.**
- 152.**Dunn A.M. (2009) Parasites and Biological Invasions. *Advances in Parasitology*, 68 , 161-184. ISSN 0065-308X, DOI: 10.1016/S0065-308X(08)00607-6 **(IF)**
- 153.**Kelly D.W., Paterson R.A., Townsend C.R., Poulin R., Tompkins D.M. (2009) Parasite spillback: A neglected concept in invasion ecology? *Ecology*, 90(8), 2047–2056. (in Appendix B <http://www.esapubs.org/archive/ecol/E090/142/appendix-B.htm>). **(IF)**
- 154.**Amarouayache M., Derbal F., Kara M.H. (2009) The parasitism of *Flamingolepis liguloides* (Gervais, 1847) (Cestoda, Hymenolepididae) in *Artemia salina* (Crustacea, Branchiopoda) in two saline lakes in Algeria. *Acta Parasitologica*, 54 (4): 330-334. **(IF)**
- 155.**Muñoz J. (2010) Diversity and distribution of diapausing aquatic invertebrates in inland wetlands: An ecosystem conservation viewpoint. *Journal for Nature Conservation* 18 (1), 55-62. **(IF)**
- 156.**Tompkins D.M, Dunn A.M., Smith M.J., Telfer S. (2011) Wildlife diseases: from individuals to ecosystems (review). *Journal of Animal Ecology* 80, 19–38. **(IF)**
- 157.**Kuo C.C., Wang H.C., Huang C.L. (2011) The potential effect of exotic Pacific rats *Rattus exulans* on vectors of scrub typhus. *Journal of Applied Ecology* 48 (1), 192-198. **(IF)**
- 158.**Roy H.E., Handley L.J.L., Schonrogge K., Poland R.L., Purse B.V. (2011) Can the enemy release hypothesis explain the success of invasive alien predators and parasitoids? *Biocontrol*, 56(4), 451-468 (DOI: 10.1007/s10526-011-9349-7. **(IF)**
- 159.**Hatcher, M.J., Dunn A.M. (2011) *Parasites in Ecological Communities: From Interactions to Ecosystems (Ecology, Biodiversity and Conservation)*. Cambridge: Cambridge University Press. 445 p.
- 160.**Dunn A.M., Torchin M.E., Hatcher M.J., Kotanen P.M., Blumenthal D.M., Byers J.E., Coon C.A.C., Frankel V.M., Holt R.D., Hufbauer R.A., Kanarek A.R., Schierenbeck K.A., Wolfe L.M., Perkins S.E. (2012) Invasions and Infections: Indirect effects of parasites in invasions. *Functional Ecology* 26, 1262–1274 (DOI: 10.1111/j.1365-2435.2012.02041.x). **(IF)**
- 161.**Kara M.H., Amarouayache M. (2012) Review of the biogeography of *Artemia* Leach, 1819 (Crustacea: Anostraca) in Algeria. *International Journal of Artemia Biology*, 2(1), 40-50.
- 162.**Scalone R., Rabet N. (2013) Presence of *Artemia franciscana* (Branchiopoda, Anostraca) in France: morphological, genetic, and biometric evidence. *Aquatic Invasions*, 8(1): 67–76 (doi: <http://dx.doi.org/10.3391/ai.2013.8.1.08>). **(IF)**
- 163.**Lopez V.M., Hoddle M.S. (2013) Mortality factors affecting *Agrilus auroguttatus* Schaeffer (Coleoptera: Buprestidae) eggs in the native and invaded ranges. *Biological Control*, 67 (2): 143–148 (<http://dx.doi.org/10.1016/j.biocontrol.2013.07.006>) **(IF)**
- 164.**Jones C.M., Brown M.J.F. (2014) Parasites and genetic diversity in an invasive bumblebee. *Journal of Animal Ecology*, 83(6):1428-1440 (2014), DOI: 10.1111/1365-2656.12235 ISSN: 1365-2656 **(IF)**
- 165.**Reisinger L.S., Petersen I., Hing J.S., Davila R.L., Lodge D.M. (2015) Infection with a trematode parasite differentially alters competitive interactions and antipredator behaviour in native and invasive crayfish. *Freshwater Biology*, 60 (8): 1581–1595, DOI: 10.1111/fwb.12590 **(IF)**
- 166.**Reynolds Ch., Nelson A.F. Miranda N.A.F., Cumming G.S. (2015) The role of waterbirds in the dispersal of aquatic alien and invasive species. *Diversity and Distributions. A journal of Conservation Biogeography*, 21 (7): 744–754. DOI: 10.1111/ddi.12334. **(IF)**
- 167.**Valsala G., Sugathan S., Bharathan H. (2015) Loss of indigenous brine shrimp *Artemia parthenogenetica* due to the invasion by American species *Artemia franciscana* at Thamaraikulam salt pan. *Indian Journal of Geo-Marine Sciences*, 44 (11): 1712-1715. **(IF)**
- 168.**Goedknegt M.A., Feis M.E., Wegner K.M., Luttkhuizen P.C., Buschbaum C., Camphuysen K.(C.J.), van der Meer J., Thieltges D.W. (2016) Parasites and marine invasions: Ecological and evolutionary

- perspectives. *Journal of Sea Research, Ecology and Evolution of Marine Parasites and Diseases*, 113: 11–27. DOI:10.1016/j.seares.2015.12.003 (IF)
169. Goedknegt M.A., Havermans J., Waser A.M., Luttkhuizen P.C., Velilla E., Camphuysen K.(C.J.), van der Meer J., Thieltges D.W. (2017) Cross-species comparison of parasite richness, prevalence, and intensity in a native compared to two invasive brachyuran crabs. *Aquatic Invasions* 12 (2): 201–212 DOI: <https://doi.org/10.3391/ai.2017.12.2.08> (IF)
170. Lagrue C. (2017) Impacts of crustacean invasions on parasite dynamics in aquatic ecosystems: A plea for parasite-focused studies. *International Journal for Parasitology: Parasites and Wildlife*, 6(3): 364–374. DOI: <https://doi.org/10.1016/j.ijppaw.2017.03.008> (IF)
171. Boussellaa W., Neifar L., Goedknegt M.A., Thieltges D.W. (2018) Lessepsian migration and parasitism: richness, prevalence and intensity of parasites in the invasive fish *Sphyraena chrysotaenia* compared to its native congener *Sphyraena sphyraena* in Tunisian coastal waters. *PeerJ* 6:e5558; DOI 10.7717/peerj.5558 (IF)
172. Sherin K. Sheir, Asmaa Galal-Khallaf, Azza Hassan Mohamed, Khaled Mohammed-Geba (2018) Morphological and molecular clues for recording the first appearance of *Artemia franciscana* (Kellogg, 1906) in Egypt. *Heliyon* 4: e01110. doi: 10.1016/j.heliyon.2018. (IF)
173. Bevins S.N. (2019) Parasitism, host behavior, and invasive species. In: (Choe, J.C., Ed.) *Encyclopedia of Animal Behavior. 2nd edition*. Elsevier: Academic Press; vol. 1: 3048 pp. // USDA National Wildlife Research Center - Staff Publications. 2236. http://digitalcommons.unl.edu/icwdm_usdanwrc/2236
174. Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. (IF)
175. Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (IF)
176. Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermediario de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
177. Bouwmeester M.M., Goedknegt M.A., Poulin R., Thieltges D.W. (2021) Collateral diseases: aquaculture impacts on wildlife infections. *Journal of Applied Ecology*, 58: 453–464. DOI: 10.1111/1365-2664.13775 (IF)
178. Santa M.A., Musiani M., Ruckstuhl K.E., Massolo A. (2021) A review on invasions by parasites with complex life cycles: the European strain of *Echinococcus multilocularis* in North America as a model. *Parasitology*, 148(13), pp.1532-1544 doi:10.1017/S0031182021001426 (IF)
179. Klompmaker A.A., Robins C.M., Portell R.W., De Angeli A. (2022) Crustaceans as hosts of parasites throughout the Phanerozoic. In: De Baets K., Huntley J.W. (eds) *The Evolution and Fossil Record of Parasitism. Topics in Geobiology*, vol 50. Springer, Cham. https://doi.org/10.1007/978-3-030-52233-9_5
180. Koru E. (2022). Cestode infection of the native brine shrimp (*Artemia parthenogenetica*) in Çamaltı saltpan (İzmir/Türkiye). *COMU Journal of Marine Sciences and Fisheries* 5(1): 56-66. <https://doi.org/10.46384/jmsf.1084680>
- Vasileva G.P., Skirnsson K., Georgiev B.B. (2008) Cestodes of the horned grebe *Podiceps auritus* (L.) (Aves: Podicipedidae) from Lake Myvatn, Iceland, with the description of *Confluaria islandica* n. sp. (Hymenolepididae). *Systematic Parasitology*, 69, 51–58.
181. Sitko J., Heneberg P. (2015) Host specificity and seasonality of helminth component communities in central European grebes (Podicipediformes) and loons (Gaviiformes). *Parasitology International*, 64 (5): 377–388. DOI:10.1016/j.parint.2015.05.012 (IF)
182. González-Acuña D., Llanos-Soto S., Landaeta-Aqueveque C., González F., Kinsella J.M., Mironov S., Cicchino A., Barrientos C., Torres-Fuentes G., Moreno L. (2017) Parasites of the Southern silvery grebe *Podiceps occipitalis* (Aves, Podicipedidae) in Chile. *Brazilian Journal of Veterinary Parasitology*, Jaboticabal, 26 (3): 378-382. DOI: <http://dx.doi.org/10.1590/S1984-29612017015>

- 183.**Presswell B., Bennett J. (2022) Gastrointestinal helminth parasites of the threatened Australasian crested grebe (*Podiceps cristatus australis*, Gould 1844) in New Zealand, with descriptions of *Baruscapillaria kamanae* n. sp. (Nematoda: Trichuridae) and *Cryptocotyle micromorpha* n. sp. (Trematoda: Opisthorchiidae). *Systematic Parasitology*, 99(2), pp. 217-239. **(IF)**
- 184.**Koru E. (2022). Cestode infection of the native brine shrimp (*Artemia parthenogenetica*) in Çamaltı saltpan (İzmir/Türkiye). *COMU Journal of Marine Sciences and Fisheries* 5(1): 56-66. <https://doi.org/10.46384/jmsf.1084680>
- 185.**Grebén O., Korniyushin V., Murvanidze L. (2022) *Branchiopodataenia bazaletica* sp. n., a parasite of the Black Tern (*Chlidonias niger*) from Georgia. *Acta Parasitologica*, <https://doi.org/10.1007/s11686-022-00558-w> **(IF)**
- Vasileva G.P., Redón S., Amat F., Nikolov P.N., Sánchez M.I., Lenormand T., Georgiev B.B. (2009) Records of cysticercoids of *Fimbriarioides tadornae* Maksimova, 1976 and *Branchiopodataenia gvozdevi* (Maksimova, 1988) (Cyclophyllidea, Hymenolepididae) from brine shrimps at the Mediterranean coasts of Spain and France, with a key to cestodes from *Artemia* spp. from the Western Mediterranean. *Acta Parasitologica* 54(2): 143–150**
- 186.**Amarouayache M., Derbal F., Kara M.H. (2009) The parasitism of *Flamingolepis liguloides* (Gervais, 1847) (Cestoda, Hymenolepididae) in *Artemia salina* (Crustacea, Branchiopoda) in two saline lakes in Algeria. *Acta Parasitologica*, 54 (4): 330-334. **(IF)**
- 187.**Kara M.H., Amarouayache M. (2012) Review of the biogeography of *Artemia* Leach, 1819 (Crustacea: Anostraca) in Algeria. *International Journal of Artemia Biology*, 2(1), 40-50.
- 188.**Lagrué C. (2017) Impacts of crustacean invasions on parasite dynamics in aquatic ecosystems: A plea for parasite-focused studies. *International Journal for Parasitology: Parasites and Wildlife*, DOI: <https://doi.org/10.1016/j.ijppaw.2017.03.008> **(IF)**
- 189.**Schuster R.K. (2018) The Role of *Artemia* spp (Branchiopoda: Artemiidae) as Intermediate Hosts for Avian Cestodes. *Environmental Analysis & Ecology Studies* 1(3): 1-3. DOI: 10.31031/EAES.2018.01.000518
- 190.**Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 **(IF)**
- Gulyaev V.D., Vasileva G.P., Konyaev S.V. (2010) Redescription of *Diporotaenia columbi* Spasskaya, Spassky et Borgarenko, 1971 (Cestoda, Cyclophyllidea, Schistotaeniidae) and amended diagnoses of *Diporotaenia* Spasskaya, Spassky et Borgarenko, 1971 and *Diporotaeniinae* Ryzhikov et Tolkacheva, 1975. *Acta Parasitologica*, 55 (4): 340-348.**
- 191.**Kornienko S.A., Binkienė R., Dokuchaev N.E., Tkach V.V. (2019) Molecular phylogeny and systematics of cestodes with rudimentary rostellum (Cestoda: Hymenolepididae) from Holarctic *Sorex* shrews (Eulipotyphla: Soricidae). *Zoological Journal of the Linnean Society*, 187(3), 965-986. DOI: <https://doi.org/10.1093/zoolinnean/zlz061> **(IF)**
- Redón S., Amat F., Hontoria F., Vasileva G.P., Nikolov P.N., Georgiev B.B. (2011) Participation of metanauplii and juvenile individuals of *Artemia parthenogenetica* (Branchiopoda) in the circulation of avian cestodes. *Parasitology Research* 108: 905-912.**
- 192.**Sanchez M.I., Varo N., Matesanz C., Ramo C., Amat J.A., Green A.J. (2013) Cestodes change the isotopic signature of brine shrimp, *Artemia*, hosts: Implications for aquatic food webs. *International Journal for Parasitology*, 43(1): 73-80 DOI: 10.1016/j.ijpara.2012.11.003 **(IF)**
- 193.**Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. **(IF)**
- 194.**Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 **(IF)**
- 195.**Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermedio de cestodes en la Laguna Epecuén

(Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf

196. Guagliardo S.E., Graff M.E., Gigola G., Tanzola R.D. (2020) Biological aspects of the life history of *Confluaria podicipina* (Cestoda, Hymenolepididae) from a hypersaline pampasic lagoon. *Pan-American Journal of Aquatic Sciences*, 15(1): 54-63 ([http://panamjas.org/pdf_artigos/PANAMJAS_15\(1\)_54-63.pdf](http://panamjas.org/pdf_artigos/PANAMJAS_15(1)_54-63.pdf)) (SJR)

Sánchez M.I., Rode N.O., Flaven E., Redón S., Amat F., Vasileva G.P., Lenormand T. (2012) Differential susceptibility to parasites of invasive and native species of *Artemia* living in sympatry: consequences for the invasion of *A. franciscana* in the Mediterranean Region. *Biological Invasions* 14 (9): 1819-1829 (DOI 10.1007/s10530-012-0192-2).

197. Anufrieva E.V., Shadrin N.V. (2014) The swimming behavior of *Artemia* (Anostraca): new experimental and observational data. *Zoology*, 117(6): 415-421. DOI: 10.1016/j.zool.2014.03.006. (IF)

198. Hammann S., Moss A., Zimmer M. (2015) Sterile Surfaces of *Mnemiopsis leidyi* (Ctenophora) in Bacterial Suspension - A Key to Invasion Success? *Open Journal of Marine Science*, 5: 237-246. DOI: 10.4236/ojms.2015.52019.

199. Korkofigas E., Park T., Sparkes T.C. (2016) Acanthocephalan-related variation in the pattern of energy storage of a behaviorally and physiologically modified host: field data. *Parasitology Research*, 115(1): 339-345. DOI: 10.1007/s00436-015-4753-z. (IF)

200. Goedknecht M.A., Feis M.E., Wegner K.M., Luttkhuizen P.C., Buschbaum C., Camphuysen K.(C.J.), van der Meer J., Thieltges D.W. (2016) Parasites and marine invasions: Ecological and evolutionary perspectives. *Journal of Sea Research, Ecology and Evolution of Marine Parasites and Diseases*, 113: 11-27. DOI: 10.1016/j.seares.2015.12.003 (IF)

201. Caddigan S.C., Pfenning A.C., Sparkes T.C. (2017) Competitive growth, energy allocation, and host modification in the acanthocephalan *Acanthocephalus dirus*: field data. *Parasitology Research*, 116 (1): 199-206. DOI 10.1007/s00436-016-5279-8 (IF)

202. Galipaud M., Bollache L., Lagrue C. (2017) Variations in infection levels and parasite-induced mortality among sympatric cryptic lineages of native amphipods and a congeneric invasive species: Are native hosts always losing? *International Journal for Parasitology: Parasites and Wildlife*, 6(3): 439-447. DOI: 10.1016/j.ijppaw.2017.04.005 (IF)

203. Lagrue, C. (2017) Impacts of crustacean invasions on parasite dynamics in aquatic ecosystems: A plea for parasite-focused studies. *International Journal for Parasitology: Parasites and Wildlife*, DOI: <https://doi.org/10.1016/j.ijppaw.2017.03.008> (IF)

204. Sheir S.K., Galal-Khalla A., Mohamed A.H., Mohammed-Geba K. (2018). Morphological and molecular clues for recording the first appearance of *Artemia franciscana* (Kellogg, 1906) in Egypt. *Heliyon*, 4(12), e01110. doi: 10.1016/j.heliyon.2018. (IF)

205. Shadrin N., Yakovenko V., Anufrieva E. (2019) Suppression of *Artemia* spp. (Crustacea, Anostraca) populations by predators in the Crimean hypersaline lakes: A review of the evidence. *International Review of Hydrobiology*, 104(1-2), 5-13, DOI: 10.1002/iroh.201801966 (IF)

206. Hatcher M.J., Dick J.T., Bojko J., Stentiford G.D., Stebbing P., Dunn A.M. (2019) *Infection and invasion: study cases from aquatic communities*. *Wildlife Disease Ecology: Linking Theory to Data and Application*, 262 p.

207. Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (IF)

208. Giari L., Fano E.A., Castaldelli G., Grabner D., Sures B. (2020) The Ecological Importance of Amphipod-Parasite Associations for Aquatic Ecosystems. *Water*, 12(9), p. 2429. <https://doi.org/10.3390/w12092429> (IF)

Marinova M.H., Georgiev B.B., Vasileva G.P. (2013) A checklist of cestodes (Platyhelminthes: Cestoda) of waterfowl (Aves: Anseriformes) in Bulgaria. *Acta Zoologica Bulgarica*, 65 (4): 537-546.

209. Mohammad M.K. (2015) The parasitic fauna of the Ferruginous duck *Aythya nyroca* (Güldenstädt, 1770) collected in central Iraq. *International Journal of Advanced Research in Biological Sciences*, 2 (3): 62–65.
- 210.**Jirsa F., Reier S., Smales L. (2021) Helminths of the mallard *Anas platyrhynchos* Linnaeus, 1758 from Austria, with emphasis on the morphological variability of *Polymorphus minutus* Goeze, 1782. *Journal of Helminthology*, 95, E16. doi:10.1017/S0022149X21000079 (**IF**)
- 211.**Rzayev F.H., Nasirov A.M., Gasimov E.K. (2021) A systematic review of tapeworms (Plathelminthes, Cestoda) of domestic ducks (*Anas platyrhynchos* dom.). *Regulatory Mechanisms in Biosystems*, 12(2), pp.353-361. DOI: <https://doi.org/10.15421/022148> (**IF**)
- 212.Рзаев Ф., Насиров А., Гасимов Е. (2021) Систематичний огляд паразитів (Plathelminthes: Cestoda) свійської гуски (*Anser anser* dom.). Вісник Харківського національного університету імені ВН Каразіна. Серія «Біологія», 36: 58-73.
- Sánchez M.I., Nikolov P.N., Georgieva D.D., Georgiev B.B., Vasileva G.P., Pankov P., Paracuellos M., Lafferty K.D., Green A.J. (2013) High prevalence of cestodes in *Artemia* spp. throughout the annual cycle: relationship with abundance of avian final hosts. *Parasitology Research*, 112(5): 1913-1923 (DOI: 10.1007/s00436-013-3347-x).**
- 213.**Cordoba-Aguilar A., Munguia-Steyer R. (2013) The Sicker Sex: Understanding Male Biases in Parasitic Infection, Resource Allocation and Fitness. *PlosONE*, 8 (10): e76246 (DOI: 10.1371/journal.pone.0076246) (**IF**)
- 214.Thorp J.H., Rogers D.C., Covich A.P. (2015) Introduction to "Crustacea". In: (Eds. Thorp, J.H. & Rogers, D.C.) *Ecology and General Biology. Vol. I: Thorp and Covich's Freshwater Invertebrates*, 4th edition. pp. 671-686. DOI: 10.1016/B978-0-12-385026-3.00027-9
- 215.**Gillingham M.A.F., Béchet A., Courtiol A., Rendón-Martos M., Amat J.A., Samraoui B., Onmuş O., Sommer S., Cézilly F. (2017) Very high MHC Class IIB diversity without spatial differentiation in the mediterranean population of greater Flamingos. *BMC Evolutionary Biology*. 17: 56. DOI: 10.1186/s12862-017-0905-3 (**IF**)
- 216.Schuster R.K. (2018) The Role of *Artemia* spp (Branchiopoda: Artemiidae) as Intermediate Hosts for Avian Cestodes. *Environmental Analysis & Ecology Studies* 1 (4): 1-3. DOI: 10.31031/EAES.2018.01.000518
- 217.Shadrin N.V., Anufrieva E.V. (2018) An ecosystem role of spatial and temporal inhomogeneity in feeding of planktonic crustaceans. *Ekosystemy*, 14 (44): 119-128
- 218.**Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. (**IF**)
- 219.**Stewart T.M., Hall S., Merrill L., Cáceres C.E. (2019). Variation in immune defense shapes disease outcomes in laboratory and wild *Daphnia*. *Integrative and Comparative Biology* 59(5): 1203-1219 DOI 10.1093/icb/icz07 (**IF**)
- 220.**Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (**IF**)
- 221.Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermedio de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
- Georgiev B.B., Angelov A., Vasileva G.P., Sánchez M.I., Hortas F., Mutafchiev Y., Pankov P., Green A.J. (2014) Larval helminths in the invasive American brine shrimp *Artemia franciscana* throughout its annual cycle. *Acta Parasitologica*, 59(3): 380–389 DOI: 10.2478/s11686-014-0255-x.**
- 222.**Rouis S.O., Rouis A.O., Dumont H.J., Magellan K., Arab A. (2016) Dynamics and effects of *Ligula intestinalis* (L.) infection in the native fish *Barbus callensis* Valenciennes, 1842 in Algeria. *Acta Parasitologica*, 61(2), 307-318. DOI: 10.1515/ap-2016-00. (**IF**)

- 223.** Goedknegt M.A., Feis M.E., Wegner K.M., Luttkhuizen P.C., Buschbaum C., Camphuysen K.(C.J.), van der Meer J., Thieltges D.W. (2016) Parasites and marine invasions: Ecological and evolutionary perspectives. *Journal of Sea Research, Ecology and Evolution of Marine Parasites and Diseases*, 113: 11–27. DOI:10.1016/j.seares.2015.12.003 (IF)
- 224.** Goedknegt M.A., Schuster A.-K., Buschbaum C., Gergs R., Jung A.S., Luttkhuizen P.C., van der Meer J., Troost K., Wegner K.M., Thieltges D.W. (2017) Spillover but no spillback of two invasive parasitic copepods from invasive Pacific oysters (*Crassostrea gigas*) to native bivalve hosts. *Biological Invasions*, 19: 365–379. DOI:10.1007/s10530-016-1285-0 (IF)
- 225.** Núñez V., Drago F., Digiani M., Lunaschi L.I. (2017) Nematode parasites of the Chilean Flamingo, *Phoenicopterus chilensis* (Phoenicopteridae) from Central Argentina, with a description of a new species of Tetramerites (Tetrameridae). *Acta Parasitologica*, 62(2), pp. 422-431. Retrieved 4 Jul. 2017, from doi:10.1515/ap-2017-0050 (IF)
- 226.** Schuster R.K. (2018) The Role of Artemia spp (Branchiopoda: Artemiidae) as Intermediate Hosts for Avian Cestodes. *Environmental Analysis & Ecology Studies* 1 (4): 1-3. EAES.000518.2018. DOI: 10.31031/EAES.2018.01.000518
- 227.** Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. (IF)
- 228.** Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (IF)
- 229.** Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermediario de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
- Redón S., Berthelemy N.J., Mutafchiev Y., Amat F., Georgiev B.B., Vasileva G.P. (2015) Helminth parasites of *Artemia franciscana* (Crustacea: Branchiopoda) in the Great Salt Lake, Utah: first data from the native range of this invader of European wetlands. *Folia Parasitologica*, 62:30, DOI:10.14411/fp.2015.030, 1-16. SJR:0.48**
- 230.** Sánchez, M. I., Paredes, I., Lebouvier, M., Green, A. J. (2016). Functional role of native and Invasive filter-feeders, and the effect of parasites: learning from hypersaline ecosystems. *PloS one*, 11(8), e0161478.
- 231.** Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. (IF)
- 232.** Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (IF)
- 233.** Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermediario de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
- 234.** Guagliardo S.E., Graff M.E., Gigola G., Tanzola R.D. (2020) Biological aspects of the life history of *Confluaria podicipina* (Cestoda, Hymenolepididae) from a hypersaline pampasic lagoon. *Pan-American Journal of Aquatic Sciences*, 15(1): 54-63 ([http://panamjas.org/pdf_artigos/PANAMJAS_15\(1\)_54-63.pdf](http://panamjas.org/pdf_artigos/PANAMJAS_15(1)_54-63.pdf)) (SJR)
- Redón S., Green A.J., Georgiev B.B., Vasileva G.P., Amat F. (2015) Influence of developmental stage and sex on infection of the American brine shrimp *Artemia franciscana* Kellogg, 1906 by avian cestodes in Ebro Delta salterns, Spain. *Aquatic Invasions*, 10(4): 415–423. DOI: 10.3391/ai.2015.10.4.05.**

235. Ting, C-H., Chen, Y-C., Chen, J-Y. (2018) Nile tilapia fry fed on antimicrobial peptide Epinecidin-1-expressing *Artemia* cyst exhibit enhanced immunity against acute bacterial infection. *Fish & Shellfish Immunology*, 81: 37-48. <https://doi.org/10.1016/j.fsi.2018.07.008>.
236. Schuster R.K. (2019). On two morphologically different cysticercoids of the genus *Eurycestus* (Cestoda: Dilepididae) in *Artemia franciscana* (Arthropoda: Artemiidae) in a hypersaline pond in Dubai, United Arab Emirates. *Helminthologia*, 56(2), 151-156. (IF)
237. Sivakumar S., Hyland K., Schuster R. (2019). Tapeworm larvae in *Artemia franciscana* (Crustacea: Anostraca) in the Godolphin lakes of Dubai (United Arab Emirates) throughout an annual cycle. *Journal of Helminthology*, 94, E5. doi:10.1017/S0022149X18000913 (IF)
- Marinova M.H., Georgiev B.B., Vasileva G.P. (2015) Description of *Diorchis thracica* n. sp. (Cestoda, Hymenolepididae) from the ruddy shelduck *Tadorna ferruginea* (Pallas) (Anseriformes, Anatidae) in Bulgaria. *Systematic Parasitology*, 91: 261-271.**
238. Valdebenito J.O., Moreno L., Barrientos C., Mironov S., Kinsella J.M., Cicchino A., Mena M., Grandón-Ojed A., González-Acuña D. (2018) Gastrointestinal and ectoparasites of plumbeous rail, *Pardirallus sanguinolentus* (Aves: Rallidae) in Central Chile. *Revista Brasileira de Parasitologia Veterinária*, 27 (3): 301-312. <http://dx.doi.org/10.1590/s1984-296120180042>. (SJR)
- Mariaux J., Tkach V.V., Vasileva G.P., Waeschenbach A., Beveridge I., Dimitrova Y.D., Haukisalmi V., Greiman S.E., Littlewood D.T.J., Makarikov A.A., Phillips A.J., Razafiarisolo T., Widmer V., Georgiev B.B. (2017) Cyclophyllidea van Beneden in Braun, 1900. In: (Caira J.N. & Jensen K., eds.) *Planetary Biodiversity Inventory (2008–2017): Tapeworms from Vertebrate Bowels of the Earth*. University of Kansas, Natural History Museum, Special Publication No. 25, Lawrence, KS, USA, pp. 77–148**
239. Scholz T., Tavakol S., Uhrová L., Brabec J., Příkrylová I., Mašová Š., Šimková A., Halajian A., Luus-Powell W.J. (2018) An annotated list and molecular data on larvae of gryporhynchid tapeworms (Cestoda: Cyclophyllidea) from freshwater fishes in Africa. *Systematic Parasitology*, 95 (6): 567–590. <https://doi.org/10.1007/s11230-018-9796-y> (IF)
240. Ortega-Olivares M.P., García-Varela M. (2019). Phylogenetic relationships of the family Gryporhynchidae (Cestoda: Cyclophyllidea) inferred through SSU and LSU rDNA sequences. *Journal of Helminthology*, 93 (6): 763-771 DOI: <https://doi.org/10.1017/S0022149X18000846> (IF)
241. De Souza A.J.S., Malheiros A.P., Alves M.M., das Chagas A.A.C., de Sá L.R.M., Soares M.D.C.P. (2019) A paruterinid metacestode in the liver of a Neotropical bat (*Molossus molossus*). *Parasitology International*, 70, 46-50. <https://doi.org/10.1016/j.parint.2019.01.007> (IF)
242. Salamatini R. (2019) A new replacement name for *Vitta* Burt, 1938 (Platyhelminthes, Cestoda, Cyclophyllidea, Dilepididae). *Bionomina*, 15(1): 55-58.
243. Sapp S.G.H., Bradbury R.S. (2020) The forgotten exotic tapeworms: a review of uncommon zoonotic Cyclophyllidea. *Parasitology* 147(5): 533-558. <https://doi.org/10.1017/S003118202000013X> (IF)
244. Panti-May J.A., Servián A., Ferrari W., Zonta M.L., Hernández-Mena D.I., Hernández-Betancourt S.F., Silvia F., Hernández-Betancourt M.R.R., Machain-Williams C. (2020) Morphological and molecular identification of hymenolepidid cestodes in children and synanthropic rodents from rural Mexico. *Parasitology International*, 75, 102042. <https://doi.org/10.1016/j.parint.2019.102042>. (IF)
245. Мовсесян С.О., Панайотова-Пенчева М.С., Теренина Н.Б., Никогосян М.А., Воронин М.В. (2020) Таксономическая классификация и филогенетические взаимосвязи циклофилидных цестод (Cyclophyllidea van Beneden in Braun 1900). *Зоологический журнал*, 99(8): 866-876. DOI: 10.31857/S0044513420060112
246. Cecconini F., Cianferoni F. (2021) Nomenclature changes in the flatworms (Platyhelminthes). *Invertebrate Zoology*, 18(4): 451–456, doi: 10.15298/invertzool.18.4.02 (SJR)
247. da Silva G.F., do Lago Santana G., Silva-Filho H.F., Dos Santos J.N., de Vasconcelos Melo F.T., Maschio G.F. (2021) Helminth Fauna of *Thecadactylus rapicauda* (Houttuyn, 1782) (Squamata, Phyllodactylidae) in the Caxiuanã National Forest, from the Brazilian Eastern Amazon. *The Journal of Parasitology*, 107(4), 660-667. <https://doi.org/10.1645/21-6> (IF)

- 248.**Kornienko S.A., Ishigenova L.A. (2021) Distribution of the cestode *Urocytis prolifer* Villot, 1880 (Cyclophyllidea: Hymenolepididae) in the Palaearctic and new data on its postembryonic development. *Journal of Helminthology* 95, e35, 1–11. <https://doi.org/10.1017/S0022149X21000249> (IF)
- 249.**Younis A.E., Saad A.I., El-Akhal I.R.M., Saleh N.M.K. (2021) A parasitological survey of zoonotic cestodes carried by house rats in Aswan, Egypt, reveals cryptic diversity at the molecular level. *Veterinary World*, 14(8), 2160. doi: [10.14202/vetworld.2021.2160-2169](https://doi.org/10.14202/vetworld.2021.2160-2169) (IF)
- 250.**Al-Amri O., Al-Quraishy S., Al-Shaebi E.M., Aljawdah H., Abdel-Gaber R. (2022) Molecular identification of the rodent-borne pathogen *Rodentolepis nana* using the genetic markers of ITS-1, 18 S, and 28 S rDNA. *Molecular Biology Reports*, 49(2), 1361-1367. <https://doi.org/10.1007/s11033-021-06966-x> (IF)
- Neov B., Vasileva G.P., Radoslavov G., Hristov P., Littlewood D.T.J., Georgiev B.B. (2019) Phylogeny of hymenolepidid cestodes (Cestoda: Cyclophyllidea) from mammalian hosts based on partial 28S rDNA, with focus on parasites from shrews. *Parasitology Research* 118 (1): 73–78**
<https://doi.org/10.1007/s00436-018-6117-y>
- 251.**Řežábková L., Brabec J., Jirků M., Dellerba M., Kuchta R., Modrý D., Parker W., Pomajbíková K.J. (2019) Genetic diversity of the potentially therapeutic tapeworm *Hymenolepis diminuta* (Cestoda: Cyclophyllidae). *Parasitology International*, 71, pp.121-125. (IF)
- 252.**Kornienko S.A., Binkienė R., Dokuchaev N.E., Tkach V.V. (2019) Molecular phylogeny and systematics of cestodes with rudimentary rostellum (Cestoda: Hymenolepididae) from Holarctic *Sorex* shrews (Eulipotyphla: Soricidae). *Zoological Journal of the Linnean Society*. 187(3), 965-986. (IF)
- 253.**Shamsi S., Day S., Zhu X., McLellan M., Barton D.P., Dang M., Nowak B.F. (2021) Wild fish as reservoirs of parasites on Australian Murray cod farms. *Aquaculture*, 539, p.736584 <https://doi.org/10.1016/j.aquaculture.2021.736584>. (IF)
- 254.**Beatriz G.M.N., Del Rosario R.M., Teresa N.G., Rocío C. (2022) Hymenolepidid cestodes: diversity, morphological and molecular characterization of a new species, and phylogeny of parasitic species of rodents from North and South America. *Acta Tropica*, 231: 106480, <https://doi.org/10.1016/j.actatropica.2022.106480>. (IF)
- Dimitrova Y.D., Georgiev B.B., Mariaux J., Vasileva G.P. (2019) Two new cestode species of the family Hymenolepididae Perrier, 1897 (Cyclophyllidea) from passerine birds in Ethiopia, with the erection of *Citrilolepis* n. g. *Systematic Parasitology*, 96, 279–297**
<https://doi.org/10.1007/s11230-019-09846-y>)
- 255.**Mohtasebi S., Teimouri A., Afshar M.J.A., Abbasian H., Mobedi I., Allahmoradi M., Mowlavi G. (2021) First Report of *Passerilepis parina* (Cestoda: Hymenolepididae) from *Parus major* in Iran: A Probable Fatal Case Due to Hyperinfection. *Iranian Journal of Parasitology*, 16(3), 518-523 doi: [10.18502/ijpa.v16i3.7107](https://doi.org/10.18502/ijpa.v16i3.7107) (IF)
- Redón S., Vasileva G.P., Georgiev B.B., Gajardo G. (2019) First report of cestode infection in the crustacean *Artemia persimilis* from Southern Chilean Patagonia and its relation with the Neotropical aquatic birds. *PeerJ*, 7, e7395 (<https://doi.org/10.7717/peerj.7395>)**
- 256.**Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermediario de cestodes en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
- 257.**Guagliardo S.E., Graff M.E., Gigola G., Tanzola R.D. (2020) Biological aspects of the life history of *Confluaria podicipina* (Cestoda, Hymenolepididae) from a hypersaline pampasic lagoon. *Pan-American Journal of Aquatic Sciences*, 15(1): 54-63 ([http://panamjas.org/pdf_artigos/PANAMJAS_15\(1\)_54-63.pdf](http://panamjas.org/pdf_artigos/PANAMJAS_15(1)_54-63.pdf)) (SJR)
- 258.**Oyarzún-Ruiz P., González-Acuña D. (2021) Checklist and state of knowledge of helminths in wild birds from Chile: an update. *Austral journal of veterinary sciences*, 53(1), pp.63-72. <https://doi.org/10.4067/S0719-81322021000100063> (IF)
- Redón S., Vasileva G.P., Georgiev B.B., Gajardo G. (2020) Exploring parasites in extreme environments of high conservational importance: *Artemia franciscana* (Crustacea:**

Branchiopoda) as intermediate host of avian cestodes in Andean hypersaline lagoons from Salar de Atacama, Chile. *Parasitology Research*, 119(10), 3377-3390 (<https://doi.org/10.1007/s00436-020-06768-3>)

259. Graff M.E., Guagliardo S.E., Tanzola R.D. (2020) El rol de *Artemia persimilis* Piccinelli & Prosdocimi, 1968 (Crustacea, Anostraca) como hospedador intermedio de cestodos en la Laguna Epecuén (Buenos Aires, Argentina). *Revista Argentina de Parasitología* 9 (2): 9-18. http://www.revargparasitologia.com.ar/pdf%20revistas%20completas/RevArgParasitol_Vol9_N2.pdf
- 260.**Saccò M., White N.E., Harrod C., Salazar G., Aguilar P., Cubillos C.F., Meredith K., Baxter B.K., Oren A., Anufrieva E., Shadrin N., Marambio-Alfaro Y., Bravo-Naranjo V., Allentoft M.E. (2021) Salt to conserve: a review on the ecology and preservation of hypersaline ecosystems. *Biological Reviews*, 96(6), 2828-2850. doi: 10.1111/brv.1278. (IF)
- Neov B., Vasileva G., Radostlavov G., Hristov P., Littlewood D.T.J., Georgiev B. (2021) Phylogeny of hymenolepidids (Cestoda: Cyclophyllidea) from mammals: Sequences of 18S rRNA and COI genes confirm major clades revealed by the 28S rRNA analyses. *Journal of Helminthology*, 95, E23. doi:10.1017/S0022149X21000110**
- 261.**Tran Thi G., Azzena I., Scarpa F., Cossu P., Danh Le C., Ton Nu P.A., Chau Ngo T.M., Sanna D., Casu M. (2022) Molecular Identification and Appraisal of the Genetic Variation of *Taenia saginata* in Central Regions of Vietnam. *Life (Basel)*, 12(1): 70 DOI: 10.3390/life12010070. (IF)

29 юли 2022 г

Подпись:

(доп. д-р Гергана Василева)